

A large, solid green arrow pointing to the right, positioned on the left side of the page.

TOGETHER WITH OUR CUSTOMERS,
WE ARE DRIVEN
TO MAKE HEALTHCARE BETTER.

Visualization | Arthroscopy | Urology | Gynecology | Laparoscopy | ProCare

U.S.
Product Guide
2015

VISUALIZATION

- 12** Camera Systems
- 21** Video Enhancement
- 22** Light Sources
- 25** Data Management
- 28** Printers
- 30** Wireless Technology
- 31** Flat Panel Surgical Displays
- 32** Video Carts

ARTHROSCOPY

- 36** Arthroscopes
- 41** Arthroscope Hardware
- 47** Powered Instruments
- 50** Cutters & Burs
- 55** Arthroscopy Pumps
- 58** Single Portal Arthroscopy
- 60** Hip Arthroscopy
- 65** Small-Joint Arthroscopy
- 67** Manual Instruments
- 70** Disposable Cannulas
- 71** Micro Cart

UROLOGY

- 74** Rigid Cystoscopes
- 76** Resection
- 78** Laser Cystoscope
- 79** Urethrotome
- 80** Ureteroscopes
- 82** Ureteroscope Accessories
- 83** Urology Accessories

GYNECOLOGY

- 86** Rigid Hysteroscopes
- 88** Resection
- 91** Gynecologic Laparoscopy Instruments
- 91** Fluid Management

LAPAROSCOPY

- 94** “Virtually Scarless” Instrumentation
- 95** Trocars/Cannulas
- 96** Laparoscopes
- 99** Manual Instruments
- 105** Electrosurgical Instruments
- 107** Suction/Irrigation
- 110** Insufflators
- 111** Smoke Evacuator
- 111** Laparoscopic Training System
- 112** Infrared Technology
- 113** Pneumatic Scope Holder

PROCARE

- 117** Solutions for You

INDEX

- 124** Index

WE ARE STRYKER

**Together with our customers,
we are driven
to make healthcare better.**

This mission is at the heart of what we do and believe. We collaborate with our customers to develop innovative products and services that ultimately improve the lives of patients. We understand that in today's challenging healthcare environment, our customers need solutions that improve quality and efficiency in the operating room and, ultimately, the patient experience. These challenges are creating opportunities for us to make healthcare better, for our customers and the patients they serve.


Stryker is one of the world's leading medical device companies and offers a diverse array of innovative medical technologies, including reconstructive, medical and surgical, and neurotechnology and spine products to help people lead more active and more satisfying lives. Our products and services are available in over 100 countries around the world. Headquartered in Kalamazoo, Michigan, Stryker operates through 37 manufacturing and distribution divisions, and we employ over 25,000 people around the world.

For more information about Stryker, please visit www.stryker.com.



Stryker Endoscopy is proud to comply with the AdvaMed Code of Ethics that govern interactions with Health Care Professionals in order to foster an ethical and innovative environment within the healthcare industry.

Stryker is ISO 13485 Certified



TECHNICAL SUPPORT

For technical assistance, call our Technical Support hot-line at 1-877-4STRYKER (1.877.478.7953) or email us at endots@stryker.com.

Our hours of operation are 5 am–5 pm Pacific Standard Time. Our Technical Representatives can assist you with the following:

- » Equipment function, operation and set-up
- » Biomedical Department support
- » Product solutions during surgical procedures

CUSTOMER SERVICE

Stryker Endoscopy
5900 Optical Court
San Jose, CA 95138
Tel 1.800.624.4422
Fax 1.800.729.2917

Customer Service Email:
EndoCS@stryker.com

VISUALIZATION

Camera Systems

- 12 1488 HD 3-Chip Camera System
- 13 Precision AC 3-Chip Camera System
- 14 1288 HD 3-Chip Camera System
- 15 1188 HD 3-Chip Autoclavable Camera System
- 16 Camera Accessories
- 17 Articulating Laparoscopes
- 18 Flexible Ureteroscope
- 19 Video Accessories
- 20 Sterilization Trays

Video Enhancement

- 21 Clarity

Light Sources

- 22 L9000 Light Source
- 22 X8000 Light Source
- 23 Light Source Accessories

Data Management

- 25 SDC3 HD Information Management System
- 27 Data Management Accessories

Printers

- 28 Printers
- 29 Printer Accessories

Wireless Technology

- 30 SYNK Wireless Platform
- 30 WiSe Wireless Platform

Flat Panel Surgical Displays

- 31 Monitors and Accessories

Video Carts

- 33 Video Carts
- 33 Cart Accessories

CAMERA SYSTEMS



1488 HD 3-Chip Camera System

Camera Control Unit	1488-010-000	1488 HD 3-Chip Camera Control Unit (CCU)
	1488-010-001	1488 HD 3-Chip Camera Control Unit (CCU) with DVI Fiber Output

			
1488 Camera Head with 18 mm Coupler	1488 Camera Head with Integrated Coupler	1488 Inline Camera Head	1488 Pendulum Camera Head
Camera Heads	1488-210-122	1488 HD 3-Chip Camera Head and 18 mm Coupler Kit K	
	1488-210-105	1488 HD 3-Chip Camera Head, C-Mount	
	1488-610-122	1488 HD 3-Chip Camera Head with Integrated Coupler	
	1488-710-122	1488 HD 3-Chip Inline Camera Head and 18 mm Coupler Kit K	
	1488-710-105	1488 HD 3-Chip Inline Camera Head, C-Mount	
	1488-310-130	1488 HD 3-Chip Pendulum Camera Head with Integrated Coupler	
Accessories	1488-000-020	1488 Extension Cable	
	105-170-597	1488 Wingman Control Cable	
	P17542	1488 Soaker Cap	
	P24765	1488 Soaker Cap Lanyard	



Precision AC 3-Chip Camera System

Camera Control Unit	700-010-000	Precision AC 3-Chip Camera Control Unit (CCU)
	700-010-001	Precision AC 3-Chip Camera Control Unit (CCU) with DVI Fiber Output
Camera Heads	700-410-122	Precision AC 3-Chip Autoclavable Camera Head and 20 mm Coupler Kit K
	700-410-105	Precision AC 3-Chip Autoclavable Camera Head, C-Mount
Accessories	105-170-597	Precision Wingman Control Cable
	P17542	Precision Soaker Cap
	P26805	Precision Soaker Cap Lanyard



1288 HD 3-Chip Camera System

Camera Control Unit	1288-010-000	1288 HD 3-Chip Camera Control Unit (CCU)
	1288-010-001	1288 HD 3-Chip Camera Control Unit (CCU) with DVI Fiber Output



**1288
Camera Head**



**1288 Inline
Camera Head**




**1288 Urology
Camera Head**



Camera Heads	1288-210-122	1288 HD 3-Chip Camera Head and 20 mm Coupler Kit K
	1288-210-105	1288 HD 3-Chip Camera Head, C-Mount
	1288-710-105	1288 HD 3-Chip Inline Camera Head, C-Mount
	1288-310-130	1288 HD 3-Chip Urology Camera Head with Integrated Coupler
Accessories	1288-000-020	1288 Extension Cable



1188 HD 3-Chip Autoclavable Camera System

Camera Control Unit	1188-010-000 1188 HD 3-Chip Camera Control Unit	
Camera Head	1188-410-122 1188 HD 3-Chip Autoclavable Camera Head and 24 mm Coupler Kit K	
Accessories	1188-000-020 1188 Extension Cable (Non-Autoclavable)	
	P10261 1188 Autoclavable Soaking Cap and Lanyard	

Camera Accessories

Couplers	1488-020-122	1488 HD 18 mm Coupler, C-Mount	
	1488-020-125	Ideal Eyes 16mm–28mm Zoom Coupler, C-Mount	
	700-020-122	Precision 20 mm Autoclavable Coupler, C-Mount	
	1288-020-122	1288 HD 20 mm Coupler, C-Mount	
	1188-020-122	1188 HD 24 mm Coupler, C-Mount	
	1188-410-110	1188 HD 24 mm Autoclavable Coupler, C-Mount	
	1088-020-121	1088 HD 20 mm Rotating Coupler, C-Mount	
Microscope Camera Accessory, C-Mount	882-210-110	C-Mount, Zeiss/Leica C-Mount Microscope Adapter	
Soaker Caps	P10261	1188 Autoclavable Soaking Cap and Lanyard	
	P17542	Soaker Cap* Compatible with 1488 and Precision Camera Head	
	P24765	1488 Soaker Cap Lanyard*	
	P26805	Precision Soaker Cap Lanyard*	
*Soaker Cap and Lanyard must be ordered in tandem			

Video Accessories

Scope Accessories	502-110-121	EtO/Vent Valve
	502-110-004	Leak Tester for Flexible Endoscopes Not compatible with 10 mm
	240-070-100	Coupler Repair Kit
Cables	240-099-071	DVI-I Cable, 3 ft
	240-050-845	DVI-I Cable, 6.5 ft
	240-060-845	DVI-D Cable, 30 ft
	105-150-908	S-Video Cable, 12 ft
	105-160-911	S-Video Cable, 30 ft
	105-184-963	S-Video Cable, 50 ft
	103-166-002	BNC Cable, 10 ft
	105-184-964	BNC Cable, 50 ft
	105-170-597	2.5 mm–2.5 mm 1488 HD Wingman Control Cable Compatible with: 1488 and Precision Camera Systems
	105-170-599	2.5 mm–3.5 mm Remote Button Cable, 6 ft
	240-080-023	2.5 mm–3.5 mm Remote Button Cable, 50 ft
	105-190-647	Hospital Power Cord, 2 ft (110 v)
	105-033-001	Hospital Power Cord, 6 ft (110 v)
	105-205-295	Hospital Power Cord, 20 ft (110 v)
	105-206-758	2.5 mm–3.5 mm Remote Screw-On Cable, 6 ft
	105-206-813	2.5 mm–2 x 3.5 mm Remote Screw-On Y-Cable, 6 ft
Adapters	233-060-000	Scope Adapter for Fiber Scope Compatible with: Universal Light Cable (233-050-090)
	233-050-071	Light Source Adapter for Fiber Scopes Compatible with: Universal Light Cable (233-050-090)
	105-204-355	DVI to VGA Adapter, Short
	105-197-668	2.5 mm–3.5 mm Remote Button Cable Adapter (2/pkg)
	280-121-000	Spacer Ring Flat washer to use with manufactured scopes

Sterilization Trays

	Name	Part Number	Size
	Camera Sterilization Tray	233-410-001	L= 15" W = 10" H = 2 ¼"
	Arthroscope and Camera Sterilization Tray	233-032-105	L= 19 ½" W = 8 11/16" H = 2 5/16"
	Endoscope Scope and Camera Sterilization Tray	233-032-107	L= 19" W = 8 ½" H = 2 ¾"
	Autoclavable Camera Tray	233-410-000	L= 15" W = 10" H = 2 ½"
	Articulating Laparoscope Sterilization Tray (10 mm/5 mm)	233-032-114	L= 23 ¼" W = 11 ½" H = 2 1/8"
	Bariatric Articulating Laparoscope Sterilization Tray	233-032-115	L= 23 5/8" W = 15" H = 2 1/8"
	Sterilization Tray for Flexible Ureteroscopes	233-032-113	L= 22 3/8" W = 11 1/5" H = 3 1/8"

VIDEO ENHANCEMENT

Clarity



Console

240-260-000 Clarity Console Box

LIGHT SOURCES

L9000 Light Source



Light Source	220-210-000 L9000 LED Light Source
Accessories	6000-001-020 Firewire Cable Not included with L9000, but needed for light source control from the 1288 camera head
	105-187-988 USB Cable LS/1488 Precision Device Control

X8000 Light Source



Light Source	220-200-000 X8000 Xenon Light Source
---------------------	---

Light Source Accessories



233-065-010



233-050-090



233-050-064



233-050-065



233-050-069



233-050-067



233-050-084

Fiberoptic Light Cables

- 233-065-010** 6.5 mm x 10 ft Fiberoptic Light Cable
Wolf Scope & Stryker Light Source Fittings
- 233-050-090** 5.0 mm x 10 ft Fiberoptic Light Cable
Universal Scope and Stryker Light Source Fittings
- 233-050-064** 5.0 mm x 10 ft Clear Case Fiberoptic Light Cable
Storz Scope & Stryker Light Source Fittings, Screw-On
- 233-050-065** 5.0 mm x 10 ft Fiberoptic Light Cable
Stryker Scope & Stryker Light Source Fittings
- 233-050-069** 5.0 mm x 10 ft Clear Case Fiberoptic Light Cable
Wolf Scope & Stryker Light Source Fittings, Snap-On
- 233-050-067** 2.0 mm x 7.5 ft Clear Case Fiberoptic Light Cable
Stryker Scope & Stryker Light Source Fittings
- 233-050-084** 5.0 mm x 10 ft Fiberoptic Light Cable
Storz Scope and Stryker Light Source Fittings, Screw-On


Safelight Fiberoptic Light Cables and Adapters



- 233-050-199** Safelight Kit 
Includes: Safelight Cable and Safelight Scope Adapter
- 233-050-100** 5.0 mm x 10 ft Clear-Case Safelight Fiberoptic Light Cable
- 233-050-200** 5.0 mm x 10 ft Opaque-Case Safelight Fiberoptic Light Cable
- 233-050-087** Safelight Henke/Dyonics/Storz Scope Adapter
- 233-050-088** Safelight Wolf Scope Adapter
- 233-050-086** Safelight Olympus Scope Adapter
- 233-050-192** Safelight Circon Scope Adapter

Replacement Bulbs

- 220-201-000** Replacement Bulb for X8000 (300 Watts)
- 220-191-000** Replacement Bulb for X7000 (300 Watts)



Light Source Adapters

- » Connects to Light Source
- » For use with universal fiberoptic light cable, 233-050-090

- 233-050-071** Stryker/ACMI/Zimmer Light Source Adapter
- 233-050-072** Olympus Light Source Adapter
- 233-050-073** Storz Light Source Adapter
- 233-050-074** Wolf/Dyonics Light Source Adapter



331-000-100
331-000-200
331-000-300
331-000-400

<p>Scope Adapters for Autoclavable Scopes</p> <ul style="list-style-type: none"> » Connects to Endoscope » Blue & Red Eyepiece 	<table border="0"> <tr> <td style="padding-right: 10px;">331-000-100</td> <td>Stryker Adapter</td> </tr> <tr> <td>331-000-200</td> <td>Wolf/Dyonics Adapter</td> </tr> <tr> <td>331-000-300</td> <td>Storz Adapter</td> </tr> <tr> <td>331-000-400</td> <td>Right Angle Adapter</td> </tr> </table>	331-000-100	Stryker Adapter	331-000-200	Wolf/Dyonics Adapter	331-000-300	Storz Adapter	331-000-400	Right Angle Adapter
331-000-100	Stryker Adapter								
331-000-200	Wolf/Dyonics Adapter								
331-000-300	Storz Adapter								
331-000-400	Right Angle Adapter								



233-050-075
233-050-076
233-050-077
233-060-000

<p>Endoscope Adapters</p> <ul style="list-style-type: none"> » Connects to Endoscope » For use with universal fiberoptic light cable, 233-050-090 	<table border="0"> <tr> <td style="padding-right: 10px;">233-050-075</td> <td>Stryker/ACMI Scope Adapter</td> </tr> <tr> <td>233-050-076</td> <td>Wolf/Dyonics Scope Adapter</td> </tr> <tr> <td>233-050-077</td> <td>Storz/Olympus Scope Adapter</td> </tr> <tr> <td>233-060-000</td> <td>ACMI Universal Scope Adapter</td> </tr> </table>	233-050-075	Stryker/ACMI Scope Adapter	233-050-076	Wolf/Dyonics Scope Adapter	233-050-077	Storz/Olympus Scope Adapter	233-060-000	ACMI Universal Scope Adapter
233-050-075	Stryker/ACMI Scope Adapter								
233-050-076	Wolf/Dyonics Scope Adapter								
233-050-077	Storz/Olympus Scope Adapter								
233-060-000	ACMI Universal Scope Adapter								



233-080-000
233-082-000

<p>Endoscope Adapters for Non-Autoclavable Scopes</p> <ul style="list-style-type: none"> » Connects to Endoscope » Reference page 40 for Arthroscopes 	<table border="0"> <tr> <td style="padding-right: 10px;">233-080-000</td> <td>Stryker Adapter</td> </tr> <tr> <td>233-082-000</td> <td>Storz Adapter</td> </tr> </table>	233-080-000	Stryker Adapter	233-082-000	Storz Adapter
233-080-000	Stryker Adapter				
233-082-000	Storz Adapter				

DATA MANAGEMENT



SDC3 HD Information Management System

SDC3	240-060-100	SDC3 HD Information Management System
	240-060-101	SDC3 Voice Control Package
	240-060-102	SDC3 Device Control Package
	240-060-103	SDC3 DICOM Software

SDC3 Kits

WITHOUT PRINTER

- 240-060-900** SDC3 Base with Voice Control Kit **K**
- 240-060-901** SDC3 Base with Device Control Kit **K**
- 240-060-907** SDC3 Base with DICOM Kit **K**
- 240-060-903** SDC3 Base with Voice Control and Device Control Kit **K**
- 240-060-904** SDC3 Base with Voice Control and DICOM Kit **K**
- 240-060-905** SDC3 Base with Device Control and DICOM Kit **K**
- 240-060-906** SDC3 Base with Voice Control, Device Control, and DICOM Kit **K**

WITH INKJET PRINTER

- 240-060-909** SDC3 Base with Kodak Printer Kit **K**
- 240-060-910** SDC3 Base with Voice Control and Kodak Printer Kit **K**
- 240-060-911** SDC3 Base with Device Control and Kodak Printer Kit **K**
- 240-060-912** SDC3 Base with DICOM and Kodak Printer Kit **K**
- 240-060-914** SDC3 Base with Voice Control, Device Control and Kodak Printer Kit **K**
- 240-060-915** SDC3 Base with Voice Control, DICOM, and Kodak Printer Kit **K**
- 240-060-916** SDC3 Base with Device Control, DICOM, and Kodak Printer Kit **K**
- 240-060-908** SDC3 Base with Voice Control, Device Control, DICOM, and Kodak Printer Kit **K**

WITH SDP1000 PRINTER

- 240-060-917** SDC3 Base with SDP1000 Printer Kit **K**
- 240-060-918** SDC3 Base with Voice Control and SDP1000 Printer Kit **K**
- 240-060-919** SDC3 Base with Device Control and SDP1000 Printer Kit **K**
- 240-060-921** SDC3 Base with DICOM and SDP1000 Printer Kit **K**
- 240-060-922** SDC3 Base with Voice Control, Device Control, and SDP1000 Printer Kit **K**
- 240-060-923** SDC3 Base with Voice Control, DICOM, and SDP1000 Printer Kit **K**
- 240-060-924** SDC3 Base with Device Control, DICOM, and SDP1000 Printer Kit **K**
- 240-060-925** SDC3 Base with Voice Control, Device Control, DICOM, and SDP1000 Printer Kit **K**

Data Management Accessories

SDC Accessories	240-050-893	USB 2.0 Flash Drive, 4 GB
	240-050-903	USB 3.0 Hard Drive, 500 GB
	240-050-840	VGA Cable Kit K Includes: 6 ft VGA Cable and DVI to VGA Adapter
	240-050-845	DVI Cable, 6 ft
	105-187-988	USB Cable, 6 ft
	240-050-875	DICOM Upgrade for SDC HD
	240-050-995	DICOM Upgrade for SDC Ultra
Media » Quantity 10/box	240-050-894	Sony DVD-R
	240-050-811	Verbatim DVD+RW
	240-050-704	CD-R
SDC3 Device Control and Voice Control Accessories	240-060-112	Jabra® Wireless Headset and Base Station
	240-060-113	Mounting Bracket for Jabra® Base Station
	240-060-127	SDC3 Replacement IR Remote Control
	240-031-021	VisionPro Display Device Control Cable
	240-031-006	SYNK Display Device Control Cable
SIDNE Control Drivers » Required for SIDNE Control Only (Not required for SDC3 Control Kits)	240-020-821	STERIS 3085 Surgical Table
	240-020-826	Stryker Visum 400/600 Lighting and StrykeCam
	240-020-827	STERIS Harmony LA Surgical Lighting and Visualization System
	240-020-832	Stryker Visum LED Lighting and StrykeCam
	240-020-835	SIDNE HD and SIDNE Suite Infinity Driver

FLAT PANEL SURGICAL DISPLAYS



Monitors and Accessories

Monitors	240-031-020	VisionPro 26" LED Display
	240-031-000	VisionPro SYNK 26" Wireless LED Display
Accessories	240-031-004	26" Display Medical Power Supply
	240-030-992	WiSe 19" Power Supply
	240-095-200	StrykerVision Flat Panel Mounting Arm
	240-030-922	Flat Panel Monitor Stand
	240-031-002	VisionPro 26" LED Monitor Cover
	240-030-991	WiSe 19" Monitor Cover
	240-030-961	26" HDTV Monitor Cover
	240-030-952	75 ft (5-Pin) DC Extension Cable for 26" Display
	240-030-951	15 ft (5-Pin) DC Extension Cable for 26" Display
	240-031-021	VisionPro Display Device Control Cable
240-031-006	SYNK Display Device Control Cable	

VIDEO CARTS



240-099-011K
Standard Video Cart Kit

Video Carts



240-099-001K
Auxiliary Video Cart Kit



240-099-011K
Standard Video Cart Kit



240-099-110K
Flat-Panel Roll Stand Kit

Video Carts

- 240-099-001K** Auxiliary Video Cart Kit **K**
Includes: Auxiliary Video Cart, CO₂ Tank Bracket, Shelves (4), Flat-Panel Mounting Arm
- 240-099-011K** Standard Video Cart Kit **K**
Includes: Standard Video Cart, CO₂ Tank Bracket, Shelves (4), Flat-Panel Mounting Arm, Drawer (1)
- 240-099-110K** Flat-Panel Roll Stand Kit **K**
Includes: Pole, Base, 20 ft Power Cord, Mounting Plate, Roll Stand Handle

Cart Accessories

Stryker Video Carts Accessories

- 105-206-869** Tilt Bracket for Flat-Panel Mounting Arm
- 240-095-200** StrykerVision Flat-Panel Mounting Arm
- 240-099-050** Isolation Transformer
- 240-099-052** CO₂ Tank Bracket
- 240-099-054** LCD Side Mount Monitor Velcro Strap
- 240-099-059** Additional Shelf (for Auxiliary and Standard Cart)
- 240-099-074** Auxiliary Video Connector
- 240-099-075** Shelf with PIN Rails (for Auxiliary and Standard Cart)
- 240-099-076** Pull-Out Shelf with PIN Rails (for Auxiliary and Standard Cart)

Flat-Panel Roll Stand Accessories

- 105-205-295** Hospital Power Cord, 20 ft (110 v)
- 105-205-854** Flat-Panel Roll Stand Mounting Plate
- 240-099-109** Flat-Panel Roll Stand Base
- 240-099-110** Flat-Panel Roll Stand Pole
- 240-060-845** DVI-D Cable, 30 ft

ARTHROSCOPY

Arthroscopes

- 37 Precision Ideal Eyes HD Autoclavable C-Mount Arthroscopes
- 38 Ideal Eyes HD Autoclavable Eyepiece Arthroscopes
- 39 Autoclavable Eyepiece Arthroscopes
- 40 Autoclavable C-Mount Arthroscopes
- 40 Non-Autoclavable C-Mount Arthroscopes

Arthroscope Hardware

- 41 Arthroscope Hardware
- 45 Sterilization Trays
- 46 Instrument Trays

Powered Instruments

- 47 CrossFire 2 Integrated Resection and Energy System
- 48 iSWITCH Wireless Universal Foot Control
- 48 CORE Powered Instrument Driver
- 49 Hand Controls

Cutters & Burs

- 50 Formula Series Cutters
- 51 Formula Series Burs
- 52 Cutter Cannulas
- 53 Cutter Cannula Accessories
- 54 SERFAS Energy Probes

Arthroscopy Pumps

- 55 CrossFlow
- 56 FloSteady SELECT
- 56 FLOCONTROL
- 57 Pump Accessories

Single Portal Arthroscopy

- 59 ParallelPortal Manual Instruments
- 59 Resources

Hip Arthroscopy

- 60 Visualization
- 60 Access
- 61 Instrumentation
- 63 Cutters & Burs
- 63 RF Ablation
- 63 Resources
- 64 Glick Hip Kit
- 64 Long 90 mm Dri-Lok Hip Cannulas

Small-Joint Arthroscopy

- 65 Formula Series Small-Joint Cutters & Burs
- 66 TPS Small-Joint Series Cutters & Burs

Manual Instruments

- 67 Punches
- 68 Scissors
- 68 Graspers
- 68 Probes
- 68 Sterilization Trays
- 69 Small-Joint Instruments

Disposable Cannulas

- 70 Standard 75 mm Length Dri-Lok Cannula
- 70 Long 90 mm Hip Length Dri-Lok Cannula
- 70 Accessories

Micro Cart

- 71 Micro Cart



ARTHROSCOPES



Precision Ideal Eyes HD Autoclavable C-Mount



Ideal Eyes HD Autoclavable Eyepiece



Autoclavable Eyepiece



Non-Autoclavable C-Mount

Ideal Eyes HD Autoclavable Eyepiece Arthroscopes



Part Number	Outer Diameter	View Direction	Field of View	Working Length	Light Post Direction	Locking Mechanism
502-104-010	4.0 mm	0°	105°	140 mm	Standard	Speed-Lock
502-104-030	4.0 mm	30°	105°	140 mm	Standard	Speed-Lock
502-104-045	4.0 mm	45°	105°	140 mm	Standard	Speed-Lock
502-104-070	4.0 mm	70°	105°	140 mm	Standard	Speed-Lock
502-104-130	4.0 mm	30°	105°	140 mm	Reverse Cant	Speed-Lock
502-204-010	4.0 mm	0°	105°	165 mm	Standard	Speed-Lock
502-204-030	4.0 mm	30°	105°	165 mm	Standard	Speed-Lock
502-204-070	4.0 mm	70°	105°	165 mm	Standard	Speed-Lock
502-127-010	2.7 mm	0°	105°	120 mm	Standard	Speed-Lock
502-127-030	2.7 mm	30°	105°	120 mm	Standard	Speed-Lock
502-127-070	2.7 mm	70°	105°	120 mm	Standard	Speed-Lock
502-027-010	2.7 mm	0°	80°	75 mm	Standard	J-Lock
502-027-030	2.7 mm	30°	80°	75 mm	Standard	J-Lock
502-027-070	2.7 mm	70°	80°	75 mm	Standard	J-Lock
502-123-010	2.3 mm	0°	80°	72 mm	Standard	J-Lock
502-123-030	2.3 mm	30°	80°	72 mm	Standard	J-Lock
502-123-070	2.3 mm	70°	80°	72 mm	Standard	J-Lock
502-123-130	2.3 mm	30°	80°	72 mm	Reverse Cant	J-Lock
502-119-010	1.9 mm	0°	65°	58 mm	Standard	J-Lock
502-119-030	1.9 mm	30°	65°	58 mm	Standard	J-Lock

Autoclavable Eyepiece Arthroscopes




Part Number	Outer Diameter	View Direction	Field of View	Working Length	Light Post Direction	Locking Mechanism
502-343-010	2.7 mm	0°	105°	120 mm	Standard	Speed-Lock
502-343-030	2.7 mm	30°	105°	120 mm	Standard	Speed-Lock
502-343-070	2.7 mm	70°	105°	120 mm	Standard	Speed-Lock
502-244-030	2.7 mm	30°	80°	75 mm	Standard	Speed-Lock
502-244-070	2.7 mm	70°	80°	75 mm	Standard	Speed-Lock
502-344-010	2.3 mm	0°	80°	72 mm	Standard	Speed-Lock
502-344-030	2.3 mm	30°	80°	72 mm	Standard	Speed-Lock
502-144-010	1.9 mm	0°	65°	58 mm	Standard	Speed-Lock
502-144-030	1.9 mm	30°	65°	58 mm	Standard	Speed-Lock

ARTHROSCOPE HARDWARE

4.0 mm Arthroscope Hardware—Speed-Lock

<p>5.0 mm Series Speed-Lock Hardware</p> <p>» For 4.0 mm, 140 mm Arthroscopes</p>	<p>377-031-144 5.0 mm Cannula, 2 Rotating Stopcocks</p> <p>377-031-129 Pencil Tip Obturator for 5.0 mm Cannula</p> <p>377-031-229 Trocar for 5.0 mm Cannula</p>
<p>5.8 mm Series Speed-Lock Hardware</p> <p>» For 4.0 mm, 140 mm Arthroscopes</p>	<p>747-031-560 5.8 mm Cannula, 2 Fixed Stopcocks</p> <p>747-031-550 5.8 mm Cannula, 2 Rotating Stopcocks</p> <p>747-031-540 5.8 mm Cannula, 1 Fixed Stopcock</p> <p>747-031-530 5.8 mm Cannula, 1 Rotating Stopcock</p> <p>747-031-510 Pencil Tip Obturator for 5.8 mm Cannula</p> <p>747-031-511 Blunt Tip Obturator for 5.8 mm Cannula</p> <p>747-031-520 Trocar for 5.8 mm Cannula</p>
<p>6.5 mm Series Speed-Lock Hardware</p> <p>» For 4.0 mm, 140 mm Arthroscopes</p>	<p>377-031-650 6.5 mm Cannula, 2 Rotating Stopcocks</p> <p>377-031-630 6.5 mm Cannula, 1 Rotating Stopcock</p> <p>377-031-660 6.5 mm Cannula, 2 Fixed Stopcocks</p> <p>377-031-640 6.5 mm Cannula, 1 Fixed Stopcock</p> <p>377-031-610 Pencil Tip Obturator for 6.5 mm Cannula</p> <p>377-031-611 Blunt Tip Obturator for 6.5 mm Cannula</p> <p>377-031-620 Trocar for 6.5 mm Cannula</p>
<p>6.5 mm Inflow/Outflow Cannula</p> <p>» For 4.0 mm, 140 mm Arthroscopes</p>	<p>747-031-650 Inflow/Outflow Cannula, 2 Rotating Stopcocks (Continuous Flow)</p> <p>747-031-510 Pencil Tip Obturator for 6.5 mm Inflow/Outflow Cannula</p> <p>747-031-511 Blunt Tip Obturator for 6.5 mm Inflow/Outflow Cannula</p> <p>747-031-520 Trocar for 6.5 mm Inflow/Outflow Cannula</p>



4.0 mm Long Arthroscope Hardware—Speed-Lock

<p>5.8 mm Series Speed-Lock Hardware</p> <p>» For Long 4.0 mm, 165 mm Arthroscopes</p>	<p>502-577-550 5.8 mm Cannula, 2 Rotating Stopcocks</p> <p>502-577-520 Trocar for 5.8 mm Long Cannula</p> <p>502-577-510 Blunt Tip Obturator 5.8 mm Long Cannula</p> <p>502-577-515 Pencil Tip Obturator 5.8 mm Long Cannula</p>
---	--



2.7 mm Arthroscope Hardware—Speed-Lock

4.0 mm Series Speed-Lock Hardware

- » For 2.7 mm, 120 mm Arthroscopes

343-331-430	4.0 mm Cannula, 1 Rotating Stopcock
343-331-450	4.0 mm Cannula, 2 Rotating Stopcocks
343-331-410	Pencil Tip Obturator for 4.0 mm Cannula
343-331-411	Blunt Tip Obturator for 4.0 mm Cannula
343-331-420	Trocar for 4.0 mm Cannula



2.7 mm Stubby Arthroscope Hardware—Speed-Lock

3.2 mm Series Speed-Lock Hardware

- » For 2.7 mm, 75 mm Arthroscopes
- » Low-Flow

502-344-530	3.2 mm Cannula, 1 Rotating Stopcock
502-344-550	3.2 mm Cannula, 1 Fixed Stopcock
502-344-540	3.2 mm Cannula, 2 Fixed Stopcocks
502-344-560	3.2 mm Cannula, 2 Rotating Stopcocks
502-344-500	Pencil Tip Obturator for 3.2 mm Cannula
502-344-510	Blunt Tip Obturator for 3.2 mm Cannula
502-344-520	Trocar for 3.2 mm Cannula



4.0 mm Series Speed-Lock Hardware

- » For 2.7 mm, 75 mm Arthroscopes
- » High-Flow

502-244-530	4.0 mm Cannula, 1 Rotating Stopcock
502-244-550	4.0 mm Cannula, 1 Fixed Stopcock
502-244-560	4.0 mm Cannula, 2 Rotating Stopcock
502-244-500	Pencil Tip Obturator for 4.0 mm Cannula
502-244-510	Blunt Tip Obturator for 4.0 mm Cannula
502-244-520	Trocar for 4.0 mm Cannula




2.7 mm Stubby Arthroscope Hardware—J-Lock

3.2 mm Series J-Lock Hardware

- » For 2.7 mm, 75 mm Arthroscopes
- » Low-Flow

502-713-530	3.2 mm Cannula, 1 Rotating Stopcock
502-713-550	3.2 mm Cannula, 1 Fixed Stopcock
502-713-560	3.2 mm Cannula, 2 Rotating Stopcocks
502-713-540	3.2 mm Cannula, 2 Fixed Stopcocks
502-713-500	Pencil Tip Obturator for 3.2 mm Cannula
502-713-510	Blunt Tip Obturator for 3.2 mm Cannula
502-713-520	Trocar for 3.2 mm Cannula



4.0 mm Series J-Lock Hardware

- » For 2.7 mm, 75 mm Arthroscopes
- » High-Flow

502-714-530	4.0 mm Cannula, 1 Rotating Stopcock
502-714-550	4.0 mm Cannula, 1 Fixed Stopcock
502-714-560	4.0 mm Cannula, 2 Rotating Stopcocks
502-714-540	4.0 mm Cannula, 2 Fixed Stopcocks
502-714-500	Pencil Tip Obturator for 4.0 mm Cannula
502-714-510	Blunt Tip Obturator for 4.0 mm Cannula
502-714-520	Trocar for 4.0 mm Cannula




2.3 mm Arthroscope Hardware—Speed-Lock

3.2 mm Series Speed-Lock Hardware

- » For 2.3 mm Arthroscopes
- » High-Flow

502-344-530	3.2 mm Cannula, 1 Rotating Stopcock
502-344-550	3.2 mm Cannula, 1 Fixed Stopcock
502-344-540	3.2 mm Cannula, 2 Fixed Stopcocks
502-344-560	3.2 mm Cannula, 2 Rotating Stopcocks
502-344-500	Pencil Tip Obturator for 3.2 mm Cannula
502-344-510	Blunt Tip Obturator for 3.2 mm Cannula
502-344-520	Trocar for 3.2 mm Cannula



2.9 mm Series Speed-Lock Hardware

- » For 2.3 mm Arthroscopes
- » Low-Flow


502-623-530	2.9 mm Cannula, 1 Rotating Stopcock
502-623-500	Pencil Tip Obturator for 2.9 mm Cannula
502-623-510	Blunt Tip Obturator for 2.9 mm Cannula
502-623-520	Trocar for 2.9 mm Cannula

2.3 mm Arthroscope Hardware—J-Lock

3.2 mm Series J-Lock Hardware

- » For 2.3 mm Arthroscopes
- » High-Flow

502-713-530	3.2 mm Cannula, 1 Rotating Stopcock
502-713-550	3.2 mm Cannula, 1 Fixed Stopcock
502-713-560	3.2 mm Cannula, 2 Rotating Stopcocks
502-713-540	3.2 mm Cannula, 2 Fixed Stopcocks
502-713-500	Pencil Tip Obturator for 3.2 mm Cannula
502-713-510	Blunt Tip Obturator for 3.2 mm Cannula
502-713-520	Trocar for 3.2 mm Cannula



2.9 mm Series J-Lock Hardware

- » For 2.3 mm Arthroscopes
- » Low-Flow

502-712-530	2.9 mm Cannula, 1 Rotating Stopcock
502-712-500	Pencil Tip Obturator for 2.9 mm Cannula
502-712-510	Blunt Tip Obturator for 2.9 mm Cannula
502-712-520	Trocar for 2.9 mm Cannula

1.9 mm Arthroscope Hardware—Speed-Lock

2.8 mm Series Speed-Lock Hardware

» For 1.9 mm Arthroscopes

502-144-530	2.8 mm Cannula, 1 Rotating Stopcock
502-144-550	2.8 mm Cannula, 1 Fixed Stopcock
502-144-560	2.8 mm Cannula, 2 Rotating Stopcocks
502-144-500	Pencil Tip Obturator for 1.9 mm Cannula
502-144-510	Blunt Tip Obturator for 1.9 mm Cannula
502-144-520	Trocar for 2.8 mm Cannula




1.9 mm Arthroscope Hardware—J-Lock

2.8 mm Series J-Lock Hardware

» For 1.9 mm Arthroscopes


502-711-530	2.8 mm Cannula, 1 Rotating Stopcock
502-711-550	2.8 mm Cannula, 1 Fixed Stopcock
502-711-560	2.8 mm Cannula, 2 Rotating Stopcocks
502-711-540	2.8 mm Cannula, 2 Fixed Stopcocks
502-711-500	Pencil Tip Obturator for 2.8 mm Cannula
502-711-510	Blunt Tip Obturator for 2.8 mm Cannula
502-711-520	Trocar for 2.8 mm Cannula




Sterilization Trays



Autoclavable Arthroscope Sterilization Tray



Autoclavable Arthroscope and Hardware Sterilization Tray



Arthroscope and Camera Sterilization Tray



Endoscope and Camera Sterilization Tray

Autoclavable Arthroscope Sterilization Tray	233-032-104 Autoclavable Arthroscope Sterilization Tray Holds two eyepiece arthroscopes L = 19" W = 8 1/2" H = 2 3/4"
Autoclavable Arthroscope and Hardware Sterilization Tray	233-032-116 Autoclavable Arthroscope and Hardware Sterilization Tray Holds two C-mount arthroscopes and hardware L = 10 9/16" W = 6 1/4" H = 1 5/16"
Arthroscope and Camera Sterilization Tray	233-032-105 Arthroscope and Camera Sterilization Tray Holds three arthroscopes, one camera, and one light cable L = 19 1/2" W = 8 11/16" H = 2 15/16"
Endoscope and Camera Sterilization Tray	233-032-107 Endoscope and Camera Sterilization Tray Holds two arthroscopes, two laparoscopes, one camera, and one light cable L = 19" W = 8 1/2" H = 2 3/4"

Instrument Trays



Manual Instruments Tray




Shaver Handpiece Tray



Cutter Cannula Accessory Tray



ParallelPortal Instrument Case and Tray



Hip Access Tray

Arthroscopy Manual Instruments Sterilization Tray	242-000-012	12 Instrument Sterilization Tray
	242-000-024	23 Instrument Sterilization Tray
Shaver Handpiece Tray	272-700-000	Shaver Handpiece Tray Holds one handpiece L = 14" W = 9" H = 2"
Cutter Cannula Accessory Tray	272-707-000	Cutter Cannula Accessory Tray Accommodates all cutter and bur hardware
Glick Hip Kit Tray	242-720-025	Sterilization Tray
Hip Access and Instrumentation Trays	295-800-000	Hip Access Tray Lid
	295-800-200	Hip Access Hardware XL Tray
	295-800-300	Hip Access Arthroscope Tray
	242-000-112	Hip Arthroscopy Instruments Tray
ParallelPortal Tray	233-032-200	Sterilization Tray for ParallelPortal Instrumentation*
	233-032-100	Sterilization Case for ParallelPortal Instrumentation*
*Sterilization Tray and Case for ParallelPortal Instrumentation must be ordered in tandem		

POWERED INSTRUMENTS

CrossFire 2 Integrated Resection and Energy System



CrossFire 2

475-100-000 CrossFire 2 Console

475-000-100 CrossFire Footswitch

iSWITCH Wireless Universal Foot Control



Receiver and Footswitch	277-200-100	iSWITCH Receiver
	277-100-100	iSWITCH Universal Wireless Footswitch
Accessories	277-600-100	iSWITCH Valleylab Integration Kit ^K
	6000-001-020	2 Meter Firewire Cable
	277-400-100	TPS Connector
	277-500-100	iSWITCH Clean-and-Dry Bags
	277-300-100	iSWITCH Battery Pack

CORE Powered Instrument Driver



CORE Console	5400-050-000	CORE Console
Wired Footswitches	5100-008-000	TPS Footswitch
	275-701-400	Arthroscopy Footswitch

Hand Controls



Formula 180 Shaver (with buttons)



Formula Shaver (without buttons)



Formula Shaver (with buttons)



TPS Small Joint


Handpieces

» Compatible with CrossFire, CORE

375-708-500	Formula 180 Shaver Handpiece (with buttons)
375-701-500	Formula Shaver Handpiece (no buttons)
375-704-500	Formula Shaver Handpiece (with buttons)
275-601-500	TPS Small-Joint Handpiece

CUTTERS & BURS

Formula Series Cutters



Laser cut design on shaver inner-housing improves clogging resistance



Resector Aggressive Plus Tomcat Scalloped Cougar End End Cutter True End Double Bite Slotted Whisker Whisker

Standard (Quantity: 5/box)

	3.5 mm	4.0 mm	5.0 mm	5.5 mm
Resector	375-532-000	375-542-000	375-552-000	375-562-000
Aggressive Plus	375-534-000	375-544-000	375-554-000	375-564-000
Tomcat	375-535-000	375-545-000	375-555-000	375-565-000
Scalloped	—	375-546-000	—	375-566-000
Cougar End	375-531-000	375-541-000	375-551-000	—
End	375-737-000	375-747-000	375-757-000	—
True End	—	375-884-000	—	—
Double Bite	—	375-543-000	—	—
Slotted Whisker	—	375-548-000	375-558-000	—
Whisker	—	375-549-000	—	—

Angled (Quantity: 5/box)

	4.0 mm	4.5 mm	5.0 mm
Resector	—	380-542-150	380-552-100
Aggressive Plus	380-544-100	380-544-150	380-554-100
Tomcat	380-545-100	380-545-150	380-555-100
Double Bite	—	380-543-150	—

Formula Series Burs



12-Flute Barrel



6-Flute Barrel



Unhooded Barrel



12-Flute Round



6-Flute Round



Unhooded Round



Egg Bur

Standard (Quantity: 5/box)

	3.5 mm	4.0 mm	5.0 mm	5.5 mm
Standard 12-Flute Barrel	—	375-941-012	375-951-112	375-951-012
Standard 12-Flute Round	—	375-940-012	375-950-112	375-950-012
Aggressive 6-Flute Barrel	—	375-941-000	375-951-100	375-951-000
Aggressive 6-Flute Round	375-930-000	375-940-000	375-950-100	375-950-000
Unhooded 6-Flute Barrel	—	375-941-200	—	375-951-200
Unhooded 6-Flute Round	—	375-940-200	—	375-950-200
Egg Bur 6-Flute	—	—	—	375-952-000



6-Flute SLAP Bur



Auger Bur



Subchondral Drill



6-Flute Left Helix Barrel Bur



12-Flute Left Helix Barrel Bur

Speciality (Quantity: 5/box)

	Part Number	Outer Diameter	Description
6-Flute SLAP	375-941-500	4.0 mm	Protected bur is designed to allow safe access to the glenoid without compromising the condition of the labrum
Auger	375-450-500	5.0 mm	For acromioplasties
Subchondral Drill (1.5 mm Drill Tip)	375-832-000	4.0 mm	For the initial treatment of articular cartilage defects
6-Flute Left Helix Barrel Bur	375-953-000	5.5 mm	Enables surgeons to use the same technique on the right and left joint
12-Flute Left Helix Barrel Bur	375-953-012	5.5 mm	

Cutter Cannulas

Color-Coded Cutter Cannulas

» Use with Formula Series Cutters and Burs

» Color-Coding:

» ■ 3.5 mm

Locks in all 375 Series Small-Joint Cutters and Burs—except 3.0 mm Hooded Abrasion Bur

■ 4.5 mm

Fits all Cutters up to 4.0 mm

■ 5.0 mm

Fits all Cutters and Blue 5.0 mm Burs

■ 5.6 mm

Fits all Cutters and Red 4.0 mm Burs

■ 6.0 mm

Fits all Cutters and Burs



272-707-000 Cutter Accessory Tray
Accommodates all cutter and bur hardware

■ **275-722-000** 4.5 mm Cutter Cannula
» Fits all Cutters up to 4.0 mm

■ **275-722-300** 4.5 mm Cutter Cannula with Irrigation Holes at Distal Tip
» Fits all Cutters up to 4.0 mm

275-722-100 4.5 mm Trocar

275-722-200 4.5 mm Obturator

■ **275-720-000** 5.0 mm-Bur Cannula
» Fits all Cutters
» Fits Blue Burs up to 5.0 mm

275-720-100 5.0 mm-Bur Trocar

275-720-200 5.0 mm-Bur Obturator

■ **275-719-000** 5.6 mm Cutter Cannula
» Fits all Cutters
» Fits Burs up to 4.0 mm

■ **275-719-300** 5.6 mm Cutter Cannula with Irrigation Holes at Distal Tip
» Fits all Cutters
» Fits Burs up to 4.0 mm

275-719-100 5.6 mm Trocar

275-719-200 5.6 mm Obturator

■ **275-721-000** 6.0 mm-Bur Cannula
» Fits all Cutters and Burs

275-721-100 6.0 mm-Bur Trocar

275-721-200 6.0 mm-Bur Obturator

■ **375-035-302** 3.5 mm Formula Small-Joint Cutter Cannula
» Fits all Small-Joint Cutters
» Fits all Burs, except 3.0 mm Hooded Abrasion Bur

375-035-100 3.5 mm Formula Trocar

Non Color-Coded Cannulas

270-713-300 5.0 mm Cutter Cannula with Holes

270-713-100 5.0 mm Trocar

270-713-200 5.0 mm Obturator

Cutter Cannula Accessories



Speed-Lock Bridge Stopcocks



Competitive Cannula Adapter



Cannula Irrigation Adapters



Sealing Cap



Inflow and Outflow Drain Cannulas

4 mm Speed-Lock Bridge

» Use with 4 mm Speed-Lock Autoclavable Arthroscopes



377-727-540 Speed-Lock Bridge, 2 Rotating Stopcocks

377-727-530 Speed-Lock Bridge, 1 Rotating Stopcock

Irrigation Adapters



272-099-000 Competitive Cannula Adapter

Locks Stryker Cutters and Burs into Linvatec™ disposable 7 cm cannula and Dyonics™ reusable cannulas

266-724-000 Cannula Irrigation Adapter


266-725-000 Sealing Cap

333-000-001 Cannula Irrigation Adapter with Stopcock and Luer Lock

377-031-900 Speed-Lock Syringe Adapter for 4.0 mm, 165 mm Arthroscopes

377-031-901 Speed-Lock Cannula Plug for 4.0 mm, 165 mm Arthroscopes

Inflow and Outflow Drain Cannulas



333-070-000 70 mm Drain Cannula Kit
Sharp Trocar, Obturator, and Cannula

333-070-001 70 mm Drain Cannula

333-070-002 Trocar for 70 mm Drain Cannula

333-070-003 Obturator for 70 mm Drain Cannula

333-100-000 100 mm Drain Cannula Kit
Sharp Trocar, Obturator, and Cannula

333-100-001 100 mm Drain Cannula

333-100-002 Trocar for 100 mm Drain Cannula

333-100-003 Obturator for 100 mm Drain Cannula

Stryker/Dyonics/Linvatec Adapters



272-100-000 Stryker/Dyonics Fluid Seal Adapter
Allows use of Stryker Formula Cutters with Dyonics fluid sealing cannulas

272-100-100 Stryker/Dyonics Adapter Bridge, single rotating

272-100-200 Stryker/Dyonics Adapter Bridge, double rotating
Allows use of Stryker Arthroscopes with a Dyonic fluid seal adapter and Dyonics cannulas

SERFAS Energy Probes


All probes come with integrated cable and hand controls

Suction Probes



Part Number	Outer Diameter	Length	Product Name	Description
279-351-400	4.0 mm	135 mm	90-S Accelerator	Most complete 90° suction probe offered
279-351-300	3.5 mm	135 mm	90-S Super	Aggressive, all-purpose suction probe
279-401-100	4.0 mm	135 mm	90-S MAX	Largest 90° suction probe for increased suction capabilities
279-351-100	3.5 mm	135 mm	90-S	Aggressive, all-purpose suction probe
279-251-101	2.5 mm	135 mm	Aardvark	Bendable suction probe for tight joint spaces
279-351-250	3.5 mm	135 mm	50-S	50° all-purpose suction probe for use in posterior knee procedures
279-351-230	3.5 mm	135 mm	30-S	30° all-purpose suction probe

Non-Suction Probe



Part Number	Outer Diameter	Length	Product Name	Description
279-350-101	3.5 mm	135 mm	90°	An effective all-purpose probe; the 90° electrode orientation at the distal tip provides increased visibility during use
279-350-401	3.5 mm	135 mm	Direct	Provides excellent access for posterior areas of the knee and shoulder
279-350-201	3.5 mm	135 mm	Lat	Effective for ablating larger areas of soft tissue
279-350-301	3.5 mm	135 mm	Contour	An effective all-purpose probe
279-350-501	3.5 mm	135 mm	Hook	Specifically designed for a lateral release and precision cutting

ARTHROSCOPY PUMPS

CrossFlow



The image shows the Stryker CrossFlow Integrated Arthroscopy Pump, a white rectangular device with a central touchscreen display. The display shows 'DOCTOR 1', '5.8 min / 4.0x140 ml', 'Set Pressure 45 mmHg', 'Actual Pressure 45 mmHg', and 'Suction 10 %'. Below the screen are buttons for 'Wash', 'Drain', and 'Inflow'. To the left is a handheld controller with several buttons. To the right is a footswitch with a black pedal and a red pedal. The Stryker logo is visible on the right side of the pump.

Pump System	450-000-000	CrossFlow Integrated Arthroscopy Pump
	450-000-500	CrossFlow Footswitch
	450-000-050	CrossFlow Competitor Coordination Cables



Inflow Cassette Tubing



Outflow Cassette Tubing

Tubing	450-000-100	CrossFlow Inflow Cassette Tubing
	450-000-200	CrossFlow Outflow Cassette Tubing
	450-000-300	CrossFlow Integrated Cassette Tubing

FloSteady SELECT




Pump	350-800-001 FloSteady SELECT Arthroscopy Pump
Tubing » Quantity: 10/box	350-800-006 Disposable Cassette Tubing Used with FloSteady Arthroscopy Pump Latex free




FLOCONTROL



Pump	350-600-001 FLOCONTROL Arthroscopy Pump
Tube Sets » Quantity: 10/box	<p>350-600-006 Integrated Tubing, Disposable Easy to load inflow and outflow tube set Not made with natural rubber latex</p> <p>350-600-008 Outflow Tubing, Disposable Used with Arthroscopy Pump Tube Set Not made with natural rubber latex</p> <p>350-202-000 Arthroscopy Pump Tube Set, Disposable Easy to load tube set Not made with natural rubber latex</p>



Pump Accessories

<p>Arthroscopy Pump Hand Control and Accessories</p>	<p>350-220-000 Autoclavable Hand Control Controls: pressure, flow rate, wash feature, start/stop Requires adapter* for consoles manufactured before July 2000</p> <p>350-221-000 Adapter for Autoclavable Hand Control*</p> <p>350-350-000 Autoclavable Hand Control with Adapter Hand control is universal to all Stryker pumps</p>	
<p>Gravity Flow Arthroscopy Tube Sets</p> <ul style="list-style-type: none"> » Not made with natural rubber latex 	<p>350-195-000 2-Spike Gravity Flow Tube Set, Disposable</p> <p>350-195-004 4-Spike Gravity Flow Tube Set, Disposable</p>	
<p>Dual Irrigation</p> <ul style="list-style-type: none"> » Not made with natural rubber latex » Quantity: 10/box 	<p>250-070-419 Dual Irrigation Adapter, Disposable</p>	

SINGLE PORTAL ARTHROSCOPY



Autoclavable Arthroscopes and Access



- 502-129-030** Ideal Eyes 30° Arthroscope, 2.9 x 200 mm, Eyepiece, Speed-Lock
- 502-829-030** Ideal Eyes Precision 30° Arthroscope, 2.9 x 200 mm, C-Mount, Speed-Lock

- 377-829-510** 4.6 x 200 mm Cannula, 1 Rotating Stopcock, no Distal Holes
- 377-829-520** 4.6 x 200 mm Cannula, 1 Rotating Stopcock
- 377-829-530** 4.6 x 200 mm Cannula, 2 Rotating Stopcocks, no Distal Holes
- 377-829-531** 4.6 x 200 mm Cannula, 2 Rotating Stopcocks*
- 377-829-540** 4.6 x 200 mm Cannula, 1 Fixed Stopcock, no Distal Holes
- 377-829-541** 4.6 x 200 mm Cannula, 1 Fixed Stopcock*
- 377-829-550** 4.6 x 200 mm Cannula, 2 Fixed Stopcocks, no Distal Holes*
- 377-829-551** 4.6 x 200 mm Cannula, 2 Fixed Stopcocks*
- 377-829-590** 4.6 x 200 mm Cannula, 2 Rotating Stopcocks at 95°*
- 377-829-595** 4.6 x 200 mm Cannula, 2 Rotating Stopcocks at 95°, no Distal Holes*

- 377-829-500** Obturator for 4.6 mm x 200 mm Cannula
- 377-829-501** Obtrocar for 4.6 x 200 mm Cannula*
- 377-829-502** Trocar for 4.6 x 200 mm Cannula*
- 377-829-600** Cannulated Obturator for 4.6 x 200 mm Cannula*
- 377-829-601** Cannulated Obtrocar for 4.6 x 200 mm Cannula*
- 377-829-602** Cannulated Trocar for 4.6 x 200 mm Cannula*
- 377-829-690** 4.6 mm Cannula, 2 Fixed Stopcocks at 95°*
- 377-829-695** 4.6 mm Cannula, 2 Fixed Stopcocks at 95°, no Distal Holes*
- 377-829-700** 3.5 mm Switching Stick

**Made to order*









Sterilization Trays

- 233-032-200** Sterilization Tray for ParallelPortal Instrumentation*
- 233-032-100** Sterilization Case for ParallelPortal Instrumentation *



** Sterilization Tray and Case for ParallelPortal Instrumentation must be ordered in tandem*



ParallelPortal Manual Instruments

Part Number	Outer Diameter	Tip Direction	Angled Direction	Description	
310-034-100	3.4 mm	0°	Straight	Square Punch	
310-034-103	3.4 mm	15°	Uptip	Square Punch	
310-034-104*	3.4 mm	15°	Upshaft	Square Punch	
310-034-110	3.4 mm	45°	Left-Tip	Punch	
310-034-111	3.4 mm	45°	Right-Tip	Punch	
310-034-114	3.4 mm	9°	Upshaft	Square Punch	
310-034-701	3.4 mm	0°	Straight	Loose Body Grasper	
310-034-703	3.4 mm	0°	Straight	Tissue Grasper	
377-829-701	-	-	-	Probe	

* Made to order

ParallelPortal Kit	R233-032-201	ParallelPortal Instruments Rental Kit	
ParallelPortal Cutters	380-532-300 3.5mm Proximal Bend Resector 380-534-300 3.5mm Proximal Bend Agg Plus 380-535-300 3.5mm Proximal Bend Tomcat 380-542-300 4.0mm Proximal Bend Resector 380-544-300 4.0mm Proximal Bend Agg Plus 380-545-300 4.0mm Proximal Bend Tomcat 380-534-400 3.5mm Double Bend Agg Plus 380-535-400 3.5mm Double Bend Tomcat 380-544-400 4.0mm Double Bend Agg Plus 380-545-400 4.0mm Double Bend Tomcat		
ParallelPortal Cannulas	3911-004-055 4.5 mm x 55 mm ParallelPortal Cannula 3911-004-025 4.5 mm x 25 mm ParallelPortal Cannula 3911-004-000 ParallelPortal Cannula with Zero Tube		


Resources

Please contact your Stryker sales representative to obtain these resources.

Videos	Literature
<ul style="list-style-type: none"> » SinglePortal Arthroscopy (SPA) Patient Testimonial » SinglePortal Arthroscopy Technique Videos 1-6 Right knee bucket handle tear with loose body, medial meniscus tear, meniscus repair, lateral meniscus tear 	<ul style="list-style-type: none"> » SPA Customer Presentation: A Patient Centric Approach » SPA Play by Play

HIP ARTHROSCOPY

Visualization



Ideal Eyes Autoclavable Arthroscopes

Fitting	Part Number	Outer Diameter	View Direction	Field of View	Working Length	Light Post Direction	Locking Mechanism
Eyepiece	502-204-030	4.0 mm	30°	105°	165 mm	Standard	Speed-Lock
	502-204-070	4.0 mm	70°	105°	165 mm	Standard	Speed-Lock
Precision C-Mount	502-304-030	4.0 mm	30°	105°	165 mm	Standard	Speed-Lock
	502-304-070	4.0 mm	70°	105°	165 mm	Standard	Speed-Lock

5.8 mm Series Speed-Lock Hardware

» For Long 4.0 mm, 165 mm Arthroscopes

- 502-577-550** 5.8 mm Cannula, 2 Rotating Stopcocks
- 502-577-515** Pencil Tip Obturator 5.8 mm Long Cannula
- 502-577-015** 5.8 mm Long Pencil Tip Cannulated Obturator

Access




» For use with 165 mm Ideal Eyes Arthroscopes, 30 and 70 degree

	4.0 mm	5.0 mm	5.5 mm
Cannula	295-723-100	295-724-100	295-725-100
Cannula with Distal Holes	295-723-110	295-724-110	295-725-110
Cannulated Obturator	295-723-120	295-724-120	295-725-120
Cannulated Obtrocator	295-723-130	295-724-130	295-725-130
Cannulated Trocar	295-723-140	295-724-140	295-725-140

Sterilization Trays and Accessories



- 295-720-000** Hip Arthroscopy Access Kit **K**
- R295-720-000** Hip Arthroscopy Access Kit - Rental **K**
- 295-800-000** Arthroscopy Access Sterilization Tray Lid
- 295-800-200** Arthroscopy Access Hardware XL Sterilization Tray
- 295-800-300** Arthroscopy Access Arthroscope Sterilization Tray
- 295-726-100** Screwdriver Handle
- 266-722-100** 4.0 mm Switching Stick
- 266-723-100** 5.0 mm Switching Stick
- 275-720-300** Hip Needle
- 275-720-500** Nitinol Guide Wire (3/pack)
- 266-721-100** Hip Cannula Plug
- 266-724-000** Irrigation Adaptor
- 266-725-000** Sealing Cap



Hip Bridges



- 295-727-200** Dual Rotating Stopcock
- 295-727-100** Single Rotating Stopcock
- 295-727-202** Dual Fixed Stopcock
- 295-727-101** Single Fixed Stopcock



Instrumentation Kits

- 242-200-000** Hip Arthroscopy Manual Instrumentation Kit **K**
- R242-200-000** Hip Arthroscopy Manual Instrumentation Kit - Rental **K**
- 242-000-112** Hip Arthroscopy Instruments Tray

Instrumentation Sets

Access

Part Number	Outer Diameter	Working Length	Description
242-200-001	5.5 mm	140 mm	Slotted Cannula
242-200-002	6.5 mm	140 mm	Slotted Cannula
242-200-003	4.0 mm	302 mm	Cannulated Switching Stick
242-200-004	5.5 mm	302 mm	Cannulated Switching Stick
242-200-005	6.5 mm	302 mm	Cannulated Switching Stick



Slotted Cannula



Cannulated Switching Stick

Biters

Part Number	Outer Diameter	Tip Direction	Angled Direction	Description
242-200-006	4.0 mm	0°	Straight	Hip Biter
242-200-007	4.0 mm	15°	Up	Hip Biter



Hip Biter

Graspers

Part Number	Outer Diameter	Tip Direction	Angled Direction	Description
242-200-008	4.0 mm	20°	Right	Hip Grasper
242-200-009	4.0 mm	20°	Left	Hip Grasper
242-200-010	4.0 mm	0°	Straight	Hip Grasper



Grasper, Left



Grasper, Straight



Suture Manipulation

Part Number	Outer Diameter	Tip Direction	Angled Direction	Description
242-200-011	4.0 mm	Helix	Left	Hip Suture Passer
242-200-012	4.0 mm	Helix	Right	Hip Suture Passer
242-200-013	4.0 mm	15°	Straight	Hip Suture Passer
242-200-014	4.0 mm	35°	Up	Hip Suture Passer
242-200-015	4.0 mm	0°	Straight	Hip Suture Grasper
242-200-016	5.0 mm	0°	Straight	Suture Cutter
242-200-017	3.0 mm	0°	Straight	Hip Knot Pusher



Rigid Instruments

Part Number	Outer Diameter	Tip Direction	Angled Direction	Description
242-200-018	4.0 mm	20°	Up	Hip Curette
242-200-019	4.0 mm	30°	Up	Rasp
242-200-020	4.0 mm	20°	Up	Hip Tissue Liberator



Probes

Part Number	Outer Diameter	Tip Direction	Angled Direction	Description
242-200-021	3.0 mm	90°	Straight	Hip Probe
242-200-022	3.0 mm	90°	Curved	Hip Probe



Microfracture

Part Number	Outer Diameter	Tip Direction	Angled Direction	Description
242-200-023	2.3 mm	0°	Straight	Microfracture Pick

Accessories

Part Number	Description	Disposable
242-200-024	Curved Hip Blade*	X
242-200-025	Straight Hip Blade, Blunt Tip*	X
242-200-026	Straight Hip Blade, Sharp Tip*	X
242-200-027	Switching Stick Handle*	

*Additional hardware not included in Stryker Hip Arthroscopy Instruments Kit

Cutters & Burs



Aggressive Plus Cutter



Tomcat Cutter



Resector Cutter



4.0 mm 8-Flute Pear Bur



5.5 mm 8-Flute Pear Bur



8-Flute Round Bur



8-Flute Barrel Bur

Formula Series Hip Length Cutters & Burs

- » 180 mm
- » Quantity: box of 5
- » New and redesigned cutters for improved resection performance

385-544-000	4.0 mm Aggressive Plus, Long Hip Cutter
385-544-100	4.0 mm Angled Aggressive Plus, Long Hip Cutter
385-545-000	4.0 mm Tomcat, Long Hip Cutter
385-545-100	4.0 mm Angled Tomcat, Long Hip Cutter
385-554-000	5.0 mm Straight Aggressive Plus, Long Hip Cutter
385-552-000	5.0 mm Straight Resector, Long Hip Cutter

- » Recessed hood design yields increased distal exposure for improved end on cutting

385-943-000	4.0 mm Long Hip 8-Flute Pear Bur
385-953-008	5.5 mm Long Hip 8-Flute Pear Bur
385-950-008	5.5 mm Long Hip 8-Flute Round Bur
385-951-008	5.5 mm Long Hip 8-Flute Barrel Bur

RF Ablation



Hip Length SERFAS Energy XL Probes

279-351-103	90-S XL Probe For aggressive soft tissue debridement
279-351-253	50-S XL Probe Angled access for hard to reach areas of the hip
279-350-502	Hook XL Probe Precision cutting probe

Resources

Please contact your Stryker sales representative to obtain these resources.

Videos	Literature
<ul style="list-style-type: none"> » Hip Arthroscopy for Femoroacetabular Impingement & Labral Repair - Dr. Struan Coleman » Revision Hip Arthroscopy for Femoroacetabular Impingement & Labral Repair - Dr. Struan Coleman » Stryker's Hip Arthroscopy Instructional Video » Hip Arthroscopy FAI 	<ul style="list-style-type: none"> » Hip Arthroscopy Product Guide » Hip Product Procedural Reference » Surgical Technique Guide - Dr. Struan Coleman » Stryker Family Brochure

Glick Hip Kit

Glick Hip Kit Arthroscopy Instruments

377-000-100 Glick Hip Kit Set 

Kit includes the following:

- 502-677-030** 4.0 mm 30° Autoclavable Hip Arthroscope
- 502-677-070** 4.0 mm 70° Autoclavable Hip Arthroscope
- 377-030-200** Single Stopcock Highflow Sheath
- 377-030-300** Cannulated Hip Scope Trocar
- 377-030-400** Cannulated Hip Scope Obturator
- 275-724-100** 4.5 mm Hip Cannula
- 275-724-110** 4.5 mm Hip Trocar
- 275-724-120** 4.5 mm Hip Obturator
- 275-723-100** 5.0 mm Hip Cannula
- 275-723-110** 5.0 mm Hip Trocar
- 275-723-120** 5.0 mm Hip Obturator
- 275-725-100** 5.6 mm Hip Cannula
- 275-725-110** 5.6 mm Hip Trocar
- 275-725-120** 5.6 mm Hip Obturator
- 275-720-300** Hip Needle
- 275-720-705** Long Knife Handle
- 377-727-550** Hip Scope Bridge, 2 Rotating Stopcocks
- 266-722-100** 4.0 mm Hip Switching Stick
- 266-723-100** 5.0 mm Hip Switching Stick
- 266-721-100** Hip Cannula Plug
- 300-034-900** 3.4 mm Hip Grasper
- 300-034-901** 3.4 mm Straight Hip Punch
- 266-724-000** Irrigation Adaptor
- 242-720-025** Sterilization Tray
- 275-720-500** Nitinol Guide Wires
- 266-725-000** Sealing Cap
- 275-720-600** Slotted Short Hip Cannula (Additional hardware not included in kit)
- 275-720-700** Slotted Long Hip Cannula (Additional hardware not included in kit)
- 377-030-201** Dual Stopcock High Flow Sheath (Additional hardware not included in kit)



Long 90 mm Dri-Lok Hip Cannulas

	5.0 mm	6.5 mm	8.0 mm
Threaded Dri-Lok Cannula Quantity: 5/Box	3910-090-500	3910-090-650	3910-090-800
Distal Threaded Dri-Lok Cannula Quantity: 5/Box	3910-090-502	3910-090-652	3910-090-802
Reusable Cannulated Obturator	—	3910-090-006	3910-090-008

SMALL-JOINT ARTHROSCOPY

Formula Series Small-Joint Cutters & Burs



**Full Radius
Cutter**



**Aggressive Plus
Cutter**



**Tomcat
Cutter**



**Hooded Abrasion
Bur**

Cutters and Burs

- » Quantity: box of 5
- » Only compatible with Formula Handpieces

375-627-000	2.5 mm Small-Joint Full Radius Cutter
375-637-000	3.5 mm Small-Joint Full Radius Cutter
375-628-000	2.5 mm Small-Joint Aggressive Plus Cutter
375-638-000	3.5 mm Small-Joint Aggressive Plus Cutter
375-636-000	3.5 mm Small-Joint Tomcat Cutter
375-641-000	2.0 mm Small-Joint Hooded Abrasion Bur
375-647-000	3.0 mm Small-Joint Hooded Abrasion Bur

Cutter and Bur Hardware

375-035-302	Formula Small-Joint Cutter Cannula Locks in all 375 Series Small-Joint Cutters and Burs (except 3.0 mm Hooded Abrasion Bur)
375-035-100	3.5 mm Formula Trocar
275-035-300	Sealing Cap
375-023-027	2.7 mm Scope Bridge

TPS Small-Joint Series Cutters & Burs



**Full Radius
Cutter**



**Aggressive Plus
Cutter**



**Hooded Abrasion
Bur**

TPS Cutters and Burs

- » Quantity: box of 5
- » Only compatible with TPS Small-Joint Handpiece

275-627-000	2.5 mm Small-Joint Full Radius Cutter
275-637-000	3.5 mm Small-Joint Full Radius Cutter
275-628-000	2.5 mm Small-Joint Aggressive Cutter
275-638-000	3.5 mm Small-Joint Aggressive Cutter
275-641-000	2.0 mm Small-Joint Hooded Abrasion Bur
275-647-000	3.0 mm Small-Joint Hooded Abrasion Bur

TPS Small-Joint Cutter & Bur Hardware

242-100-000	Small-Joint Instrumentation Kit K
275-035-302	3.5 mm Small-Joint Cutter Cannula Locks in 2.3 mm and 2.7 mm Small-Joint Scope and all 275 Series Small-Joint Cutters and Burs (except 3.0 mm Hooded Abrasion Bur)
275-035-100	3.5 mm Trocar
275-035-200	3.5 mm Obturator
275-035-300	Sealing Cap
237-032-006	Rubber Caps, 2.3 mm Miniscope Cannula



Small-Joint SERFAS Energy Probes

279-250-101	2.5 mm Micro-Claw SERFAS Energy Small-Joint Probe Designed for direct end cutting and ablation in Small-Joints
279-250-201	2.5 mm Micro-Brush SERFAS Energy Small-Joint Probe An effective all-purpose Small-Joint probe
279-251-101	2.5 mm Aardvark SERFAS Energy Suction Probe Bendable suction probe for tight joint spaces



Micro-Claw



Micro-Brush



Aardvark

MANUAL INSTRUMENTS



Punches

Part Number	Outer Diameter	Tip Direction	Angled Direction	Description
300-027-100	2.7 mm	0°	Straight	Big Bite Punch
300-027-101	2.7 mm	30°	Right	Big Bite Punch
300-027-102	2.7 mm	30°	Left	Big Bite Punch
300-027-103	2.7 mm	15°	Up	Big Bite Punch
300-034-100	3.4 mm	0°	Straight	Big Bite Punch
300-034-101	3.4 mm	30°	Right	Big Bite Punch
300-034-102	3.4 mm	30°	Left	Big Bite Punch
300-034-103	3.4 mm	15°	Up	Big Bite Punch
300-027-200	2.7 mm	0°	Straight	Narrow Punch
300-034-200	3.4 mm	0°	Straight	Narrow Punch
300-034-203	3.4 mm	15°	Up	Narrow Punch
300-034-300	3.4 mm	0°	Straight	Scoop Jaw Punch
300-034-301	3.4 mm	30°	Right	Scoop Jaw Punch
300-034-302	3.4 mm	30°	Left	Scoop Jaw Punch
300-027-104	2.7 mm	0°	Straight	Upshaft Big Bite Punch
300-034-104	3.4 mm	0°	Straight	Upshaft Big Bite Punch
300-034-110	3.4 mm	45°	Left	Tip Biter
300-034-111	3.4 mm	45°	Right	Tip Biter
300-034-500	3.4 mm	0°	Right	Meniscal Crescent Punch
300-034-501	3.4 mm	0°	Left	Meniscal Crescent Punch
300-034-502	3.4 mm	30°	Right	Meniscal Crescent Punch
300-034-503	3.4 mm	30°	Left	Meniscal Crescent Punch
300-034-400	3.4 mm	90°	Right	Rotary Punch
300-034-401	3.4 mm	90°	Left	Rotary Punch
300-034-800	3.4 mm	0°	Straight	Backbiter



Big Bite Punch



Narrow Punch




Scoop Jaw Punch



Upshaft Big Bite Punch



Tip Biter



Meniscal Crescent Punch



Angled Meniscal Crescent Punch



Rotary Punch



Back Biter

Scissors

Part Number	Outer Diameter	Angled Direction	Description
300-034-600	3.4 mm	Straight	Hook Scissor
300-034-601	3.4 mm	Right	Hook Scissor
300-034-602	3.4 mm	Left	Hook Scissor
300-027-603	2.7 mm	Straight	Micro Scissor Punch
300-034-603	3.4 mm	Straight	Micro Scissor Punch



Hook Scissor



Micro Scissor Punch

Graspers

Part Number	Outer Diameter	Ratchet Length	Description
300-027-702	2.7 mm	120 mm	Soft Tissue Grasper with Ratchet
300-034-702	3.4 mm	120 mm	Soft Tissue Grasper with Ratchet
300-034-701	3.4 mm	—	Loose Body Grasper
300-034-700	3.4 mm	—	Loose Body Grasper with Ratchet
300-027-703	2.7 mm	120 mm	Soft Tissue Grasper without Ratchet
300-034-703	3.4 mm	120 mm	Soft Tissue Grasper without Ratchet
300-034-390	4.0 mm	120 mm	Soft Tissue Grasper without Ratchet
300-034-380	—	—	Claw Rongeur



Grasper



Loose Body Grasper



Rongeur

Probes

Part Number	Outer Diameter	Angled Direction	Description
3910-500-800	3.0 mm	Straight	Calibrated Probe (one piece)
3910-500-850	5.0 mm	Straight	Calibrated Probe (one piece)



Probe

Sterilization Trays

For Arthroscopic Manual Instruments

Part Number	Description
242-000-012	12 Instrument Sterilization Tray
242-000-024	23 Instrument Sterilization Tray

Small-Joint Instruments

Champion Small-Joint Instrumentation System

242-100-000 Small-Joint Instrumentation Kit

Kit includes the following:

242-000-012 12 Instrument Sterilization Tray

242-100-002 2.1 mm Straight Blunt Nose

242-100-003 2.1 mm Right Blunt Nose

242-100-004 2.1 mm Left Blunt Nose

242-100-005 2.1 mm Down Blunt Nose

242-100-006 2.1 mm Up Blunt Nose

242-100-007 2.5 mm Scissors

242-100-008 2.5 mm Grasper

242-100-012 2.7 mm Straight Blunt Nose

242-100-013 2.7 mm Up Blunt Nose

242-100-014 Small-Joint Probe Straight

242-100-015 Small-Joint Probe 90°

242-100-016 Small-Joint Probe 30°



Additional Small-Joint Instruments

242-010-200 Mini 2.0 mm Small-Joint Punch

242-010-300 Mini 2.0 mm Small-Joint Grasper

242-010-400 Mini 2.0 mm Small-Joint Scissors



DISPOSABLE CANNULAS

Standard 75 mm Length Dri-Lok Cannula

Quantity: 5/Box

	5.0 mm	6.5 mm	8.0 mm
Threaded	3910-075-500	3910-075-650	3910-075-800
Non-Threaded	3910-075-501	3910-075-651	3910-075-801
Distal Threaded	3910-075-502	3910-075-652	3910-075-802
Reusable Cannulated Obturator	—	3910-075-006	3910-075-008

Long 90 mm Hip Length Dri-Lok Cannula

Quantity: 5/Box

	5.0 mm	6.5 mm	8.0 mm
Threaded	3910-090-500	3910-090-650	3910-090-800
Distal Threaded	3910-090-502	3910-090-652	3910-090-802
Reusable Cannulated Obturator	—	3910-090-006	3910-090-008



Accessories

Accessories for the Dri-Lok Cannulas	266-719-000	4.0 mm Wissinger Rod (Small) For use with 6.5 mm Dri-Lok Cannulas Use with reusable cannulated obturator
	266-720-000	5.0 mm Wissinger Rod (Large) For use with 8.0 mm Dri-Lok Cannulas
	266-721-000	Wissinger Rod Handles (2/box)
	266-722-000	4.0 mm Switching Stick (Small) For use with 6.5 mm Dri-Lok Cannulas Use with reusable cannulated obturator
	266-723-000	5.0 mm Switching Stick (Large)

UROLOGY

Rigid Cystoscopes

- 74 Cystoscopes
- 74 Cystoscope Hardware
- 75 Cystoscope Instrumentation
- 75 Flexible Instruments

Resection

- 76 Resectoscope
- 77 Resectoscope Accessories

Laser Cystoscope

- 78 Laser Cystoscope

Urethrotome

- 79 Visual Uretrotome
- 79 Urethrotome Cold Knives

Ureteroscopes

- 80 Flexible Ureteroscope
- 81 Semi-Rigid Ureteroscopes

Ureteroscope Accessories


- 82 Flexible Instruments
- 82 Fulgrating Electrodes

Urology Accessories

- 83 Sterilization Trays

RIGID CYSTOSCOPES

Cystoscopes



**Ideal Eyes
Autoclavable Cystoscopes**

For use with optical forceps, cysto sheaths, resectoscope, urethrotome, and laser sheaths

Part Number	Outer Diameter	View Direction
502-990-000	4.0 mm	0°
502-990-012	4.0 mm	12°
502-990-030	4.0 mm	30°
502-990-070	4.0 mm	70°



**KS-Series
Autoclavable Cystoscopes**

For use with Karl Storz hardware and 20 mm coupler

Part Number	Outer Diameter	View Direction
502-991-000	4.0 mm	0°
502-991-012	4.0 mm	12°
502-991-030	4.0 mm	30°
502-991-070	4.0 mm	70°

Cystoscope Hardware



Sheaths and Obturators

Working Channel	17 Fr		19 Fr		21 Fr		23 Fr		25 Fr	
	Single 5 Fr	Double 4 Fr	Single 6 Fr	Double 5 Fr	Single 7 Fr	Double 5 Fr	Single 9 Fr	Double 6 Fr	Single 10 Fr	Double 8 Fr
Cystoscope Sheath	502-880-217		502-880-219		502-880-221		502-880-223		502-880-225	
Standard Obturator	502-880-218		502-880-220		502-880-222		502-880-224		502-880-226	
Visual Obturator	502-881-217		502-881-219		502-881-221		502-881-223		502-881-225	

Bridges

	Part Number
Evaluation	502-880-200
Single Horn	502-880-201
Double Horn	502-880-202
Albarran, Single Horn	502-880-206
Albarran, Double Horn	502-880-203





Cystoscope Instrumentation

<p>Rigid Optical Instruments</p> <ul style="list-style-type: none"> » For use with Cystoscopes and Resectoscopes » Use with Resectoscope requires adapter, See page 77 	<p>502-880-210 Rigid Optical Biopsy Forcep, for use with 0°, 12° Cystoscope</p> <p>502-880-211 Rigid Optical Grasping Forcep, for use with 0°, 12° Cystoscope</p> <p>502-880-230 Rigid Optical Stent Removal Forcep, for use with 0°, 12° Cystoscope</p> <p>502-880-213 Rigid Optical Stone Crushing Forcep, for use with 30° Cystoscope</p> <p>502-880-215 Rigid Optical Biopsy Forcep, for use with 30° Cystoscope</p> <p>502-880-214 Rigid Optical Biopsy Forcep, for use with 70° Cystoscope</p> <p>502-880-216 Rigid Optical Scissors, for use with 0°, 12° Cystoscope</p>	
<p>Cystoscope Sheath Adapters</p> <ul style="list-style-type: none"> » For use with Cystoscope Sheaths 	<p>502-880-204 Bladder Syringe Adapter, Cystoscope Sheath</p> <p>502-880-601 Ellik Adapter, Cystoscope Sheath</p> <p>502-880-205 Port Seal (10/box)</p>	
<p>Fulgurating Electrodes</p> <ul style="list-style-type: none"> » For use with Rigid Cystoscopes » Quantity: 3/box 	<p>504-870-040 7 Fr Bugbee Electrode, 40 cm</p> <p>504-871-040 7 Fr Ball Electrode, 40 cm</p> <p>504-872-040 7 Fr Domed Electrode, 40 cm</p>	

Flexible Instruments

41 cm, for use with Rigid Cystoscope Hardware



	5 Fr	7 Fr	9 Fr
 <p>Flexible Grasping Forcep</p>	505-880-105	505-880-107	505-880-109
 <p>Flexible Biopsy Cup</p>	505-880-115	505-880-117	505-880-119
 <p>Flexible Scissors</p>	505-880-125	505-880-127	505-880-129
 <p>Rat Tooth Forcep</p>	505-880-235	—	—

RESECTION

Resectoscope




502-990-030 4.0 mm 30° Autoclavable Cystoscope

Sheaths



- 502-880-324** 24 Fr Standard Flow Resectoscope Sheath (Inner)
- 502-880-426** 24/26 Fr Continuous Flow Sheath Set (Inner/Outer)
- 502-880-327** 27 Fr Standard Flow Resectoscope Sheath (Inner)
- 502-880-428** 27/28 Fr Continuous Flow Sheath Set (Inner/Outer)

Obturator



- 502-880-001** 24/26 Fr Resectoscope Standard Obturator
- 502-880-002** 24/26 Fr Resectoscope Visual Obturator
- 502-880-003** 24/26 Fr Resectoscope Timberlake Obturator
- 502-880-427** 27/28 Fr Resectoscope Standard Obturator
- 502-880-429** 27/28 Fr Resectoscope Visual Obturator
- 502-880-425** 27/28 Fr Resectoscope Timberlake Obturator

Working Elements



- 502-880-401** Working Element—Passive (Iglesias)
- 502-880-402** Working Element—Active (Baumrucker)

Electrodes

- » Sterile/Disposable
- » Quantity: 6/Box



Use with 24/26 Fr Sheaths	Use with 27/28 Fr Sheaths	Electrode
504-880-200	–	24 Fr Roller Ball
–	504-881-100	27 Fr Gold Coagulating
504-880-500	504-880-500	0° (Straight) Cutting Loop
504-880-600	504-880-600	Dimpled Vaporizing Roller Ball
504-880-800	504-880-800	Collings Knife

Use with 24/26 Fr Sheaths	Use with 27/28 Fr Sheaths	Cutting Loop Electrode
504-880-400	504-881-412	30° Cutting Loop Electrode, .012
504-880-414	504-881-414	30° Cutting Loop Electrode, .014
504-880-312	504-881-312	90° Cutting Loop Electrode, .012
504-880-314	504-881-314	90° Cutting Loop Electrode, .014

Resectoscope Accessories


Bridges and Adapters

502-880-006	Bladder Syringe Adapter, Inner Sheath
502-880-007	Bladder Syringe Adapter, Outer Sheath
502-880-602	Ellik Adapter, Inner Sheath
502-880-603	Ellik Adapter, Outer Sheath
502-880-005	Laser Bridge (for use with Straight Fire Laser)
502-880-207	Stone Crushing Forcep Adapter, Outer Sheath
502-880-208	Rigid Optical Forcep Adapter, Outer Sheath
502-880-209	Rigid Optical Forcep Adapter, Inner Sheath
502-880-325	24 Fr Standard Flow Resectoscope Sheath Adapter
502-880-328	27 Fr Standard Flow Resectoscope Sheath Adapter


Resectoscope Accessories

502-880-205	Port Seal (10/box)
502-880-650	Reusable Stopcock

UROLOGY ACCESSORIES



**Accessory Tray
1 Tier**



**Urology/Gynecology Tray
2 Tiers**



**Semi-Rigid Ureteroscope
Sterilization Tray**

Sterilization Trays

- 233-032-880** Urology/Gynecology Accessory Tray (1 Tier)
- 233-032-881** Urology/Gynecology Tray (2 Tiers)
- 233-032-890** Sterilization/Storage Tray for Semi-Rigid Ureteroscope

RIGID HYSTEROSCOPIES

Rev360 Ideal Eyes Autoclavable Hysteroscopes

Hysteroscopes

Part Number	Outer Diameter	View Direction
502-729-000	2.9 mm	0°
502-729-012	2.9 mm	12°
502-729-030	2.9 mm	30°
502-740-000	4.0 mm	0°
502-740-012	4.0 mm	12°
502-740-030	4.0 mm	30°



Sheaths

Part Number	Outer Diameter	Sheath	Use	Working Channel
502-729-051	2.9 mm	Inner	Diagnostic	N/A
502-729-052	2.9 mm	Outer	Diagnostic	N/A
502-729-061	2.9 mm	Inner	Operative	5 Fr
502-729-062	2.9 mm	Outer	Operative	N/A
502-740-051	4.0 mm	Inner	Diagnostic	N/A
502-740-052	4.0 mm	Outer	Diagnostic	N/A
502-740-061	4.0 mm	Inner	Operative	7 Fr
502-740-062	4.0 mm	Outer	Operative	N/A




Obturators

Part Number	Sheath Diameter	Use
502-729-050	2.9 mm	Diagnostic
502-729-060	2.9 mm	Operative
502-740-050	4.0 mm	Diagnostic
502-740-060	4.0 mm	Operative

Rev360 Semi-Flexible Instrumentation

- » 41 cm Instruments
- » 5 Fr: For Use with 2.9 mm or 4.0 mm Operative Sheath
- » 7 Fr: For Use with 4.0 mm Operative Sheath



5 Fr	7 Fr	Description
502-555-100	502-777-100	Single Action Grasper
502-555-200	502-777-200	Biopsy Punch
502-555-300	502-777-300	Scissors
502-555-400	502-777-400	Biopsy Cup
502-555-500	502-777-500	Double Action Grasper

Accessories

502-023-029 HTA® Adapter (Hydro ThermaAblator®)
For 2.9 mm Hysteroscope

502-880-205 Port Seal (10/box)

RESECTION



Rev360 22/24 Fr Resection Products

Resectoscope	502-729-012	2.9 mm 12° Ideal Eyes Autoclavable Hysteroscope
Sheaths	502-990-322	22 Fr Resectoscope Standard Flow Sheath (Inner)
	502-990-324	22/24 Fr Resectoscope Sheath (Outer)
	502-990-424	22/24 Fr Continuous Flow Resectoscope Sheath Set (Inner/Outer)
Obturator	502-990-414	22/24 Fr Resectoscope Standard Obturator
Working Element	502-990-401	22/24 Fr Working Element—Passive
		» For use with 2.9 mm Scope
Electrodes	504-990-600	Rev360 22 Fr Dimpled Vaporizing Roller Ball Electrode
	504-990-314	Rev360 22 Fr 30° Cutting Loop Electrode, .014
	504-990-200	Rev360 22 Fr Roller Ball Electrode
	504-990-100	Rev360 22 Fr Gold Coagulating Electrode
	504-990-500	Rev360 22 Fr 0° (Straight) Cutting Loop Electrode, .014
	504-990-800	Rev360 22 Fr Collings Knife Electrode



Resectoscope

Resectoscope Sheaths

Resectoscope Working Elements

24/26 Fr 4 mm Resection Products


Resectoscope	502-990-030 4.0 mm Scope Use with 24/26 Fr Resectoscope
Sheaths	502-880-324 24 Fr Standard Flow Resectoscope Sheath (Inner) 502-880-426 24/26 Fr Continuous Flow Resectoscope Sheath Set (Inner/Outer)
Obturator	502-880-001 24/26 Fr Resectoscope Standard Obturator 502-880-002 24/26 Fr Resectoscope Visual Obturator
Working Elements » For use with 4.0 mm Scope	502-880-401 Working Element—Passive (Iglesias) 502-880-402 Working Element—Active (Baumrucker)
Electrodes » Sterile/Disposable » For use with 24/26 Fr Resectoscope » For 502-880-401 & 502-880-402 Working Elements » Quantity: 6/box	504-880-414 24 Fr 30° Cutting Loop Electrode, .014 504-880-314 24 Fr 90° Cutting Loop Electrode, .014 504-880-200 24 Fr Roller Ball Electrode 504-880-600 Dimpled Vaporizing Roller Ball Electrode 504-880-100 Gold Coagulating Electrode 504-880-500 0° (Straight) Cutting Loop Electrode 504-880-800 Collings Knife Electrode 504-880-312 24 Fr 90° Cutting Loop Electrode, .012 504-880-400 24 Fr 30° Cutting Loop Electrode, .012

Resectoscope Accessories


Cables	502-990-100	Aesculap/BERCHTOLD Cable
	502-990-200	Storz/Erbe Cable
	502-990-300	Universal/Valleylab Cable
Rigid Optical Instruments » For use with 24/26 Fr Resectoscope only	502-880-210	Rigid Optical Biopsy Forcep 0°, 12°
	502-880-211	Rigid Optical Grasping Forcep 0°, 12°
	502-880-213	Rigid Optical Stone Crushing Forcep 30°
	502-880-214	Rigid Optical Biopsy Forcep, 70°
	502-880-215	Rigid Optical Biopsy Forcep, 30°
	502-880-230	Rigid Optical Stent Removal Forcep 0°, 12°
Resectoscope Accessories	502-880-205	Port Seal (10/box)
Resectoscope Bridges and Adapters	502-880-006	Bladder Syringe Adapter, Inner Sheath
	502-880-007	Bladder Syringe Adapter, Outer Sheath
	502-880-602	Ellik Adapter, Inner Sheath
	502-880-603	Ellik Adapter, Outer Sheath
	502-880-005	Laser Bridge
	502-880-208	Rigid Optical Forcep Adapter, Outer Sheath
	502-880-209	Rigid Optical Forcep Adapter, Inner Sheath



Sterilization Trays



Single Tier




Two Tiers



Sterilization Trays	233-032-880	Urology/Gynecology Accessory Tray (Single Tier)
	233-032-881	Urology/Gynecology Tray (Two Tiers)

GYNECOLOGIC LAPAROSCOPY INSTRUMENTS

Myoma Drill	250-080-133	5.0 mm Myoma Drill
	250-080-134	10.0 mm Myoma Drill
Palpation Probe	250-080-135	33 cm Long, 5.0 mm Palpation Probe
	250-080-136	45 cm Long, 5.0 mm Palpation Probe
Cohen Intrauterine Cannula	250-080-137	Cohen Intrauterine Cannula (Complete with Acorn)
Cohen Cannula	250-080-138	Cohen Cannula (Cannula Only)
Acorn	250-080-139	Small Acorn
	250-080-140	Large Acorn




FLUID MANAGEMENT



FLUID SAFE Hysteroscopy Pump Fluid Management System

» Designed to automatically measure fluid deficit

- 502-000-000** FLUID SAFE Fluid Management System  Includes: monitor, pump console, and wheel base
- 502-100-000** Canisters for FLUID SAFE (36/Pack)
- 502-200-000A** Integrated Tubing for FLUID SAFE (10/Pack)

LAPAROSCOPY

“Virtually Scarless” Instrumentation

- 94 2.9 mm Laparoscopes
- 94 Reusable Suction Irrigation Tips

Trocars/Cannulas

- 95 Reusable
- 95 Disposable

Laparoscopes

- 96 Precision Ideal Eyes HD Laparoscopes (Autoclavable)
- 97 Ideal Eyes Laparoscopes (Autoclavable)
- 97 Standard Laparoscopes
- 98 Laparoscope Accessories

Manual Instruments

- 99 SHIFT Handles
- 100 Laparoscopic Instruments
- 104 Laparoscopic Instrument Accessories

Electrosurgical Instruments

- 105 Monopolar Electrosurgical Probes
- 105 Bipolar Instrumentation
- 106 Laparoscopic Accessories

Suction/Irrigation

- 107 StrykeFlow2 Pump
- 107 AHTO Pump
- 107 StrykeFlow PS
- 108 Reusable Suction Irrigation Tips
- 109 Reusable & Disposable Tips
- 109 Accessories

Insufflators

- 110 PneumoSure XL

Smoke Evacuator

- 111 PureView Smoke Evacuation System

Laparoscopic Training System

- 111 Park Trainer Laparoscopic Training System

Infrared Technology

- 112 InfraVision Console
- 112 Precision Ideal Eyes HD Autoclavable Laparoscopes
- 112 InfraVision Ureteral Kit

Pneumatic Scope Holder

- 113 Wingman

“VIRTUALLY SCARLESS” INSTRUMENTATION

3.0 mm Laparoscopic Instruments



Fundus



Alligator



Fenestrated Schertl



Blunt



Dorsey



**Atrau-matic
Single Action**



**Atraumatic
Double Action**



Babcock



Right Angle



Needle Nose



**Dissecting
Forceps**



Tapered Bullet



Maryland



**Curved
Metzenbaum**



Peritoneal



Hook



**Biopsy
Forceps**



Biopsy Punch



Straight

Go to page 102 for product numbers

2.9 mm Laparoscopes

Part Number	Outer Diameter	View Direction	Working Length
502-329-010	2.9 mm	0°	30 cm
502-329-030	2.9 mm	30°	30 cm





Reusable Suction Irrigation Tips*

Part Number	Ventilation	Tip	Size	Description
250-070-490	Vented	Regular	3.0 mm x 32 cm	Metal Finish and Reflective Tip
250-070-491	Non-Vented			



* Not available in non-reflective finish

TROCARS/CANNULAS

Reusable

Veress Needle	250-080-210 120 mm Veress Needle	
Cones	250-080-180 11.0 mm Fixable Cone for Hasson Cannula 250-080-626 Replacement Sealing Caps for 11.0 mm Fixable Cone (5/kit)	
Obturator	PYRAMIDAL TIP 250-080-692 3.5 mm (105 mm Length) 250-080-730 3.5 mm (145 mm Length) 250-080-154 5.5 mm x 170 mm 250-080-156 11.0 mm x 189 mm BLUNT TIP 250-080-157 5.5 mm Obturator for Blunt Tip Cannula 250-080-158 11.0 mm Obturator for Blunt Tip Cannula	
Cannulas	250-080-634 3.5 mm Cannula, Automatic Valve, Stopcock, without Trocar, (55 mm Length) 250-080-171 5.5 mm x 95.5 mm Cannula, Automatic Valve, Stopcock, without Trocar 250-080-174 11.0 mm x 101 mm Cannula, Automatic Valve, Stopcock, without Trocar 250-080-179 11.0 mm x 101 mm Blunt Tip Cannula, Automatic Valve, Stopcock	
Inner Seals	250-080-689 Inner Seal for 3.5 mm Cannulas - Black 250-080-690 Inner Seal for 5.5 mm and 8.0 mm Cannulas - Grey 250-080-691 Inner Seal for 11.0 mm and 12.5 mm Cannulas - Yellow 250-080-630 Inner Seal for 11.0 mm Cannulas - Yellow	
Sealing Caps	250-080-620 Sealing Caps for 3.5 mm Cannulas/Reducers - Red 250-080-621 Sealing Caps for 5.5 mm Cannulas/Reducers - Red 250-080-622 Sealing Caps for 8.0 mm Cannulas/Reducers - Red 250-080-623 Sealing Caps for 11.0 mm Cannulas/Reducers - Blue 250-080-624 Sealing Caps for 12.5 mm Cannulas/Reducers - Green	
Reducer	250-080-204 12.5 mm/11 mm – 5.5 mm Reducer	

Disposable

Passport Robotic Trocars » Multiple entry options	260-285-100 Passport SmartTip Trocar, 8.5 x 100 mm Robotic Camera Port, Stopcock	
Accessories	260-900-000 Passport Robotic Reducer Cap, 8.5 mm to 5 mm	

LAPAROSCOPES

Precision Ideal Eyes HD Laparoscopes (Autoclavable)

Regular

Part Number	Outer Diameter	View Direction	Working Length
502-503-010	5.5 mm	0°	30 cm
502-503-030	5.5 mm	30°	30 cm
502-503-045	5.5 mm	45°	30 cm
502-103-010	10.0 mm	0°	33 cm
502-103-030	10.0 mm	30°	33 cm
502-103-045	10.0 mm	45°	33 cm

Bariatric

Part Number	Outer Diameter	View Direction	Working Length
502-513-010	5.5 mm	0°	45 cm
502-513-030	5.5 mm	30°	45 cm
502-513-045	5.5 mm	45°	45 cm
502-113-010	10.0 mm	0°	45 cm
502-113-030	10.0 mm	30°	45 cm
502-113-045	10.0 mm	45°	45 cm



Ideal Eyes Laparoscopes (Autoclavable)



2.9 mm Laparoscopes

Part Number	Outer Diameter	View Direction	Working Length
502-329-010	2.9 mm	0°	30 cm
502-329-030	2.9 mm	30°	30 cm



Pediatric Laparoscopes

Part Number	Outer Diameter	View Direction	Working Length
502-290-010	2.9 mm	0°	20 cm
502-290-030	2.9 mm	30°	20 cm

Standard Laparoscopes

Operating Laparoscopes (Non-Autoclavable)

Part Number	Outer Diameter	View Direction	Working Length	Eyepiece Angle	Working Channel
331-010-090	10.0 mm	0°	27 cm	90°	5.0 mm
331-010-045	10.0 mm	0°	27 cm	45°	5.0 mm
331-000-000	11.0 mm	0°	27 cm	90°	6.0 mm



Laparoscope Accessories

Sterilization Trays

233-032-108 Laparoscope Sterilization Tray
Holds two Laparoscopes



233-032-111 Bariatric Laparoscope Sterilization Tray
Holds two Bariatric Laparoscopes
and Light Cable



Accessories

105-189-807 Port Seal, Small (Blue)

105-189-808 Port Seal, Large (Green)


105-199-070 Detachable Stopcock, 10.0 mm Operating Laparoscope

105-202-754 Detachable Stopcock, 11.0 mm Operating Laparoscope

105-191-925 Tip Polishing Paste

MANUAL INSTRUMENTS

SHIFT*



SHIFT Handle (Large)

Part Number	Shaft Length	Intended Glove Size
250-284-033	33 mm	≥ 7.5
250-284-045	45 mm	≥ 7.5

























SHIFT Handle (Small)







































Part Number	Shaft Length	Intended Glove Size
250-283-033	33 mm	≤ 7
250-283-045	45 mm	≤ 7

*COMING SOON IN 2015




























3.0 mm Laparoscopic Instruments

Handles	Graspers				
 PEEK Monopolar Handle 20 & 29 cm 250-282-045	 Fundus	 Alligator	 Fenestrated Schertl	 Cobra	 Blunt
	20 cm 250-282-003	250-282-004	250-282-006	250-282-007	250-282-009
	29 cm 250-282-050	250-282-051	250-282-053	–	250-282-056
 PEEK Multifunction Handle 20 & 29 cm 250-282-046	 Dorsey	 Atraumatic Single Action	 Atraumatic Double Action	 Babcock	
	20 cm 250-282-096	–	250-282-100	–	–
	29 cm 250-282-097	250-282-099	250-282-101	250-282-103	–
Dissectors					
	 Right Angle	 Needle Nose	 Dissecting Forceps	 Tapered Bullet	 Maryland
	20 cm 250-282-104	250-282-005	–	250-282-010	250-282-011
	29 cm 250-282-105	250-282-052	250-282-110	250-282-057	250-282-058
Scissors					
	 Curved Metzenbaum	 Peritoneal	 Hook		
	20 cm 250-282-000	–	250-282-002		
	29 cm 250-282-047	250-282-048	250-282-049		
Biopsy					
	 Biopsy Forceps	 Biopsy Punch			
	20 cm 250-282-012	250-282-013			
	29 cm 250-282-059	250-282-060			
Needleholders					
	 Straight				
	20 cm 250-282-014				
	29 cm 250-282-061				


5.0 mm Laparoscopic Instruments

Handles	Graspers					*Listed from atraumatic to aggressive
 PEEK Monopolar Handle 33 cm 250-080-617 45 cm 250-181-164						
	Double Action Atraumatic*	Fenestrated Schertl*	Fundus*	Dorsey*	DeBakey*	
	33 cm 250-080-311	250-080-312	250-080-315	250-080-319	250-080-314	
	45 cm 250-080-585	–	250-080-735	250-080-736	250-080-748	
 PEEK Multifunction Handle 33 cm 250-181-106 45 cm 250-181-108						
	Serrated*	Blunt Grasper with Spoon*	Fenestrated Strong*	Fenestrated Serrated*	Fenestrated Delicate*	
	33 cm 250-080-286	250-080-313	250-080-320	250-080-318	250-080-322	
	45 cm 250-080-579	–	–	–	–	
 Monopolar Handle 33 cm 250-080-233 45 cm 250-080-595						
	Alligator*	Cobra*	Allis* (Single Row of Teeth)	Allis* (Double Row of Teeth)	Retention*	
	33 cm 250-080-316	250-080-317	250-080-591	250-080-592	250-080-697	
	45 cm –	–	–	250-080-754	250-080-725	
 Ratcheting Handle 33 cm 250-080-234 45 cm 250-080-596						
	Narrow Jaw	Single Action Atraumatic	Babcock	Micro	Endo	
	33 cm 250-080-287	250-080-310	250-080-321	250-080-325	250-080-699	
	45 cm –	250-080-584	250-080-586	–	250-080-726	
 SHIFT Handle (Small) 33 cm 250-283-033 45 cm 250-283-045						
	Paddle Babcock	Fenestrated				
	33 cm 250-080-700	250-080-755				
	45 cm 250-080-727	250-080-732				
 SHIFT Handle (Large) 33 cm 250-284-033 45 cm 250-284-045	Dissectors					
						
	Dolphin with Spoon	Tapered Bullet	Maryland	Curved Kelly	Tissue Grasper	
	33 cm 250-080-280	250-080-281	250-080-282	250-080-283	250-080-284	
	45 cm –	–	250-080-578	250-080-753	–	
						
	Mixer	Needle Nose	Right Angle	Right Angle (Long Jaw)	Dissecting Forceps	
	33 cm 250-080-285	250-080-288	250-080-694	250-080-757	250-080-760	
	45 cm –	–	250-080-729	250-080-761	250-080-762	















5.0 mm Laparoscopic Instruments (Continued)

Handles	Scissors				
 PEEK Monopolar Handle 33 cm 250-080-617 45 cm 250-181-164	 Hook				
	 Peritoneal				
 PEEK Multifunction Handle 33 cm 250-181-106 45 cm 250-181-108	 Straight Metzenbaum (Long Jaws)				
	 Straight Metzenbaum				
 Monopolar Handle 33 cm 250-080-233 45 cm 250-080-595	 Curved Metzenbaum (Long Jaws)				
	 Mini Metzenbaum (Curved)				
 Ratcheting Handle 33 cm 250-080-234 45 cm 250-080-596	 Endo Metzenbaum (Curved)				
	 Micro (Straight)				
 SHIFT Handle (Small) 33 cm 250-283-033 45 cm 250-283-045	 Punch				
	 Double Action				
 SHIFT Handle (Large) 33 cm 250-284-033 45 cm 250-284-045	 Blakesly				
	 Single Action				
Forceps					
 Ratcheting Handle 33 cm 250-080-234 45 cm 250-080-596	 Meso-Ovarian				
	 Oviduct				
 SHIFT Handle (Small) 33 cm 250-283-033 45 cm 250-283-045	 Tenaculum				
	 Park				
 SHIFT Handle (Large) 33 cm 250-284-033 45 cm 250-284-045	 Johann Forceps				
	 Johann Forceps				





5.0 mm Sliding Lock Graspers

Handle	Graspers		
		Single Action Atraumatic (Non-Rotating)	Double Action Atraumatic (Rotating)
	33 cm	250-080-765	250-080-767
	45 cm	250-080-766	250-080-768

10.0 mm Laparoscopic Instruments

Handles	Graspers			
 PEEK Monopolar Handle 33 cm 250-080-618				
	33 cm	250-080-240	250-080-241	250-080-242
				
 PEEK Multifunction Handle 33 cm 250-181-107	33 cm	250-080-244	250-080-245	250-080-246
	Dissectors			
				
 Monopolar Handle 33 cm 250-080-231	33 cm	250-080-248	250-080-249	
	Scissors			
		Operating Scissors (Serrated)		
 Ratcheting Handle 33 cm 250-080-230	33 cm	250-080-247		


5.0 mm Needleholder Instruments

Handles	Needleholders			
				
	33 cm	250-080-340	250-080-341	250-080-342
	33 & 45 cm	250-080-235	250-080-589	250-080-590


Laparoscopic Instrument Accessories

Trays

250-015-500 Laparoscopic Instrument Sterilization Tray
3-tiered tray holds 12 instruments in rack
Additional space for instruments, trocars,
cannulas and cables
Accommodates:
3.0 mm, 20 cm and 29 cm instruments
5.0 mm, 33 cm instruments
10.0 mm, 33 cm instruments



250-015-704 45 cm Bariatric Laparoscopic Instruments Tray
Rack holds 11 instruments
Additional space for instruments,
trocars, cannulas and cables



Port Caps

250-080-619 Replacement Flush Port Caps

ELECTROSURGICAL INSTRUMENTS

Monopolar Electrosurgical Probes



Spatula Tip




L-Tip



J-Tip

3.0 mm Monopolar Electrosurgical Probes » Quantity: 3/box	250-040-103 29 cm Spatula Tip Probe
	250-040-104 29 cm L-Tip Probe
5.0 mm Monopolar Electrosurgical Probes » Quantity: 3/box	250-040-111 33 cm Spatula Tip Probe
	250-040-116 45 cm Spatula Tip Probe
	250-040-112 33 cm L-Tip Probe
	250-040-117 45 cm L-Tip Probe
	250-040-113 33 cm J-Tip Probe
	250-040-118 45 cm J-Tip Probe

Bipolar Instrumentation



Bipolar Ring Handle



Bipolar Spring Handle











Fenestrated Forceps



Paddle Forceps

5.0 mm Bipolar Instrumentation » 33 cm and 45 cm Individual Parts	250-080-236 5.0 mm Bipolar Ring Handle For use with 33 cm and 45 cm instruments
	250-080-237 5.0 mm Bipolar Spring Handle For use with 33 cm and 45 cm instruments
	250-080-360 33 cm Bipolar Fenestrated Forceps (Insert)
	250-080-350 45 cm Bipolar Fenestrated Forceps (Insert)
	250-080-361 33 cm Bipolar Paddle Forceps (Insert)
	250-080-351 45 cm Bipolar Paddle Forceps (Insert)
	250-080-362 33 cm Bipolar Micro Tip Forceps (Insert)
	250-080-371 33 cm Bipolar Metal Shaft
	250-080-370 45 cm Bipolar Metal Shaft
	250-040-016 Reusable Bipolar Cable (Fits Valleylabs)
250-080-693 Bipolar Handle Sealing Cap	

Laparoscopic Accessories

Male Luer Lock	250-080-207	Male Luer Lock for 6.0 mm Tubing	
Female Luer Lock	250-080-208	Female Luer Lock for 6.0 mm Tubing	
Replacement Flush Port	250-080-619	Replacement Flush Port Caps (5/box)	
Endoloop Applicator	250-080-701	5.0 mm Endoloop Applicator	
	250-080-621	Replacement Sealing for 5.0 mm Endoloop Applicator	
Aspiration Needle	250-080-702	5.5 mm Aspiration Needle 33 cm long, 17 gauge needle	
	250-080-703	5.5 mm Aspiration Needle 45 cm long, 17 gauge needle	
Electrosurgical Cables	250-040-016	Reusable Bipolar Cable	
	250-040-011	Reusable Monopolar Cable	
	250-040-012	Disposable Monopolar Cable (10/box)	
Fixation Clamp	250-080-130	5.0 mm Fixation Clamp	
Knot Pusher	250-080-132	5.0 mm Knot Pusher	
Palpation Probe	250-080-135	33 cm Long, 5.0 mm Palpation Probe	
	250-080-136	45 cm Long, 5.0 mm Palpation Probe	
Clip Applier » Compatible with Ethicon LC300 or LT300	250-080-558	10.0 mm Clip-Applying Forceps	

SUCTION/IRRIGATION



StrykeFlow2 Pump

» Battery Powered

250-070-500 StrykeFlow2 Pump and Handpiece Assembly with 10 ft of Tubing (6/box)

250-070-520 StrykeFlow2 with Disposable Tip (6/box)

AHTO Pump



250-070-601 AHTO Irrigation Pump

250-070-600 AHTO Suction/Irrigation Tube Set (6/box)

250-070-620 AHTO Suction/Irrigation Tube Set with Disposable Tip (6/box)

250-070-640 AHTO Suction/Irrigation Dual Spike Tube Set (6/box)

250-070-602 AHTO Console Replacement Battery

105-204-101 AHTO Replacement Screw






StrykeFlow PS



250-070-540 StrykeFlow PS, Dual Spike, with 10 ft of Tubing (6/box)










250-070-530 StrykeFlow PS Single Spike Tubing (6/box)

Reusable Suction Irrigation Tips

	Tip	Size	Reusable with Metal Finish and Reflective Tip	Non-Reflective Finish
Reusable	Regular (Vented)	 3.0 mm x 32 cm	250-070-490	–
		 5.0 mm x 28 cm	250-070-402	250-070-482
		 5.0 mm x 32 cm	250-070-403	250-070-483
		 5.0 mm x 45 cm	250-070-408	250-070-488
		 10.0 mm x 32 cm	250-070-404	250-070-484
	Regular (Non-Vented)	 3.0 mm x 32 cm	250-070-491	–
		 5.0 mm x 24 cm	250-070-411	–
		 5.0 mm x 32 cm	250-070-409	–
		 5.0 mm x 32 cm	–	250-070-489
	Pool Suction	 5.0 mm x 32 cm	250-070-406	250-070-486
		 10.0 mm x 32 cm	250-070-405	
	Hydrodissection	 5.0 mm x 32 cm	250-070-407	250-070-487
	Non-Conductive	 5.0 mm x 32 cm	250-070-420	–
Aspiration Needle	 5.0 mm x 32 cm	250-070-437	–	
Stone Scooper	 10.0 mm x 32 cm	250-070-492	–	
Disposable	Regular (Vented)  5.0 mm x 32 cm	250-070-505	–	

Reusable & Disposable Tips

StrykeProbe Electrosurgical Suction Tips

	Tip	32 cm	45 cm
Reusable » 20 autoclavable cycles	Spatula 	250-070-441	250-070-451
	J-Tip 	250-070-442	250-070-452
	L-Tip 	250-070-443	250-070-453
	Ball 	250-070-444	–
	Needle 	250-070-445	250-070-455
	Spoon 	250-070-446	–
	Outer Sheath Replacement	250-070-460	250-070-450
Disposable » Quantity: 6/box	Spatula 	250-070-551	250-070-554
	J-Tip 	250-070-552	250-070-555
	L-Tip 	250-070-550	250-070-553

Disposable Tip » Quantity: 6/box	250-070-505 5.0 mm x 32 cm, Regular Tip, Vented, Metal Finish
--	--

Accessories

Suction/Irrigation Accessories	250-070-419 Dual Irrigation Adapter (10/box)
	250-070-435 Adapter for Davol Nezhat/Dorsey Suction/Irrigation Probes
	250-070-510 Suction Irrigator Tips Steam Sterilization Tray
Laser Accessories	250-070-414 Flexible Laser Fiber Guide, 32 cm

INSUFFLATORS



PneumoSure XL

High Flow Insufflator	620-040-610 Includes the following: SIDNE Smart 45 L Insufflator High Flow Mode Pediatric Mode Bariatric Mode Vein Harvesting Mode
High Flow Insufflator Kit	FOR BOTTLE GAS 620-040-654 Includes the following: SIDNE Smart 45 L Insufflator CO ₂ Tank Hose CO ₂ Tank Yoke
	FOR HOUSE GAS 620-040-652 Includes the following: SIDNE Smart 45 L Insufflator DISS House Gas Connector DISS House Gas Hose

Insufflator Accessories

Tubing	620-040-660 PneumoSure High Flow Tubing (10/box) 620-040-680 PneumoSure High Flow Tubing—RTP (10/box) 620-040-690 PneumoSure Heated Tubing—RTP (10/box) 620-030-201 16-Liter Insufflator Tubing (10/box) 620-030-301 High Flow Insufflator Tubing (10/box) 620-030-407 High Flow Heated Insufflator Tubing (5/box)	
Accessories	620-040-620 PneumoSure Software Upgrade to XL for High Flow Insufflator 620-010-101 Veress Needle 620-010-103 CO ₂ Tank Yoke 620-010-104 CO ₂ Tank Hose 620-030-503 CO ₂ Switching Valve 620-040-002 DISS House Gas Connector 620-040-003 DISS House Gas Hose	

SMOKE EVACUATOR



**PureView
Active Laparoscopic
Plume Filtration Device**

620-030-100 PureView (10/box)
Adjustable flow rate range: 0–12 L/Min

LAPAROSCOPIC TRAINING SYSTEM



**Park Trainer Laparoscopic
Training System**

240-100-100 Park Trainer Laparoscopic Cart
240-100-110 Park Trainer Laparoscopic Adjustable Module
240-100-115 Park Trainer Laparoscopic Skin
240-095-200 StrykerVision Flat Panel Mounting Arm

INDEX

Page	Part Number	Product Description
19	103-166-002	BNC Cable (10 ft)
●	104-898-001	Hose Barb
119	104-917-001	Suction Port O-Ring
19	105-033-001	Hospital Power Cord
19	105-150-908	S-Video Cable
19	105-160-911	S-Video Cable (30 ft)
12, 13, 19, 113	105-170-597	Micro-Mini Phone Cable (6 ft)
19	105-170-599	Cable 2.5-3.5 mm Phone (6 ft)
19	105-184-963	S-VHS Cable (50 ft)
19	105-184-964	BNC Cable (50 ft)
119	105-187-384	C-Mount Adapter
22, 27	105-187-988	Serial USB Cable USB A-B (6 ft)
98	105-189-807	Sealing Cap, Wave 3 Instruments
98	105-189-808	Port Seal for Operating Laparoscope, Large (Green)
19	105-190-647	Hospital Power Cord, 2 ft (110v)
●	105-190-934	Gas Flow Measurement Comp.
98	105-191-925	Tip-Polishing Paste
●	105-193-370	Printer Cable to Connect SDC Pro and Inkjet Printer
119	105-195-003	Back Gas Connector
●	105-196-307	DVI to VGA Adapter
19	105-197-668	2.5 mm–3.5 mm Adapter
●	105-197-892	988 Soaking Cap
●	105-198-102	SDC Media, DVD+RW Disc
119	105-198-917	Silicone Cover
●	105-199-040	Mode Warm Wheel Gear
98	105-199-070	Detachable Stopcock, 10 mm Operating Laparoscope
119	105-202-057	iSwitch Battery Cap
98	105-202-754	Detachable Stopcock, 11 mm Operating Laparoscope

Page	Part Number	Product Description
●	105-203-210	SDC Media, DVD-R Disc
119	105-203-526	1088 Camera Cable Soaker Cap (Black)
119	105-203-714	Pad, Clamp, AHTO Cassette Pump
●	105-203-730	AHTO Power Cord
107, 119	105-204-101	AHTO Screw Clamp
19	105-204-355	DVI to VGA Adapter, Short
19, 33	105-205-295	Hospital Power Cord, 20 ft (110v)
33	105-205-854	Mounting Plate for Flat-Panel Roll Stand
●	105-206-062	Circuit Breaker (Bottom of Tekna Cart)
19	105-206-758	Locking 2.5 mm to 3.5 mm Phone Cable
19	105-206-813	Cable, Y Remote, Locking 2.5 mm to 2 x 3.5 mm
33	105-206-869	SV Mounting Arm Bracket
119	105-207-096	Wingman Scope Holder Arm Connector Handle
119	105-207-367	Micro Cart IV Pole
119	105-207-646	FLOSTEADY Repair Part: Clamp with Handle
119	105-207-652	1188 Camera Cable Soaker Cap (Black)
119	105-208-427	Chassis SK18, DVD Tray Cover
119	105-210-561	FLUID SAFE Container Holder
119	105-210-667	Standard Cart Wheel with Brake
119	105-210-668	Standard Cart Wheel without Brake
112	220-180-517	InfraVision Universal Ureteral Kit (5/box)
112	220-180-521	InfraVision IR Illuminator
●	220-180-540	InfraVision 56 Fr Esophageal Kit (5/box)
●	220-180-548	InfraVision 48 Fr Esophageal Kit (5/box)
●	220-180-560	InfraVision 60 Fr Esophageal Kit (5/box)
23	220-191-000	Replacement Bulb for X7000 (300 Watts)
22	220-200-000	X8000 Xenon Light Source

Page	Part Number	Product Description
23	220-201-000	Replacement Bulb for X8000 (300 Watts)
22	220-210-000	L9000 LED Light Source
113	233-032-008	Wingman Sterilization Tray
46, 58	233-032-100	Sterilization Case
45	233-032-104	Autoclavable Arthroscope Sterilization Tray (holds 2 scopes)
20, 45	233-032-105	Arthroscope and Camera Sterilization Tray
20, 45	233-032-107	Endoscopic Scope and Camera Sterilization Tray
98	233-032-108	Laparoscope Sterilization Tray (holds 2 laparoscopes)
98	233-032-111	Bariatric Laparoscope Tray
18, 20, 80	233-032-113	Flexible Cystoscopes and Ureteroscopes Tray
17, 20	233-032-114	Articulating Laparoscope Sterilization Tray (10 mm/5 mm)
17, 20	233-032-115	Bariatric Articulating Laparoscope Tray
45	233-032-116	Autoclavable Arthroscope and Hardware Sterilization Tray
46, 58	233-032-200	Sterilization Tray for Parallel Portal Instrumentation
83, 90	233-032-880	Urology/Gynecology Accessory Tray, 1 Tier
83, 90	233-032-881	Urology/Gynecology Tray, 2 Tier
81, 83	233-032-890	Sterilization/Storage Tray for Semi-Rigid Ureteroscope
23	233-050-064	5.0 mm x 10 ft, Clear Case Fiberoptic Light Cable (Storz scope and Stryker Light Source fittings, screw-on)
23	233-050-065	5.0 mm x 10 ft, Fiberoptic Light Cable (Stryker Scope and Stryker Light Source Fittings)
23	233-050-067	2.0 mm x 7.5 ft Clear Case Fiberoptic Light Cable (Stryker Scope and Stryker Light Source Fittings)
23	233-050-069	5.0 mm x 10 ft, Clear Case Fiberoptic Light Cable (Wolf Scope and Stryker Light Source Fittings, Snap-On)
19, 23	233-050-071	Light Source Adapter with Fiber Scopes

Page	Part Number	Product Description
23	233-050-072	Olympus Light Source Adapter
23	233-050-073	Storz Light Source Adapter
23	233-050-074	Wolf/Dyonics Light Source Adapter
24	233-050-075	Stryker/ACMI Scope Adapter
24	233-050-076	Wolf/Dyonics Scope Adapter
24	233-050-077	Storz/Olympus Scope Adapter
23	233-050-084	5.0 mm x 10 ft, Non-Transparent Fiberoptic Cable
23	233-050-086	Safelight Olympus Scope Adapter
23	233-050-087	Safelight Stryker/Henke/Dyonics/Storz Scope Adapter
23	233-050-088	Safelight Wolf Scope Adapter
23	233-050-090	5.0 mm x 10 ft, Fiberoptic Light Cable (Universal Scope and Stryker Light Source Fittings)
23	233-050-100	5.0 mm x 10 ft, Clear-Case Safelight Fiberoptic Light Cable
23	233-050-192	Safelight Circon Scope Adapter
23	233-050-199	Safelight Kit: Cable and Scope Adapter
23	233-050-200	5.0 mm x 10 ft, Opaque-Case Safelight Fiberoptic Light Cable
19, 24	233-060-000	ACMI Universal Scope Adapter
23	233-065-010	6.5 mm x 10 ft Fiberoptic Light Cable (Wolf Scope and Stryker Light Source Fittings)
24	233-080-000	ACMI Adapter for Non-Autoclavable Scopes
●	233-081-000	Wolf/Dyonics Adapter for Non-Autoclavable Scopes
24	233-082-000	Storz Adapter for Non-Autoclavable Scopes
20	233-410-000	Autoclavable Camera Tray
20	233-410-001	Camera Sterilization Tray
66	237-032-006	Rubber Caps, 2.3 mm Miniscope Cannula
●	240-010-508	Stryker Modified Remote Cable (For use with Izziton cable)

Page	Part Number	Product Description
29	240-010-601	Paper and Ink Cartridge for Sony 51 MDU-S Printer (200 Exp)
●	240-010-608	Sony UP-51MDS Disposable Printer Pack (200 Exp)
29	240-010-801	Printer Paper/Ink Pack for Sony UP-55MDS Video Printer (200 sheets/2 ribbons)
●	240-010-802	Paper Tray for Sony UP-55MDS Video Printer
●	240-010-803	Ink Tray for Sony UP55MDS Video Printer
●	240-010-806	Remote for Sony UP-55MD Video Printer
●	240-020-331	Standard Headset
●	240-020-332	Looped Headset
●	240-020-807	Audio Technical Line Out Cable
●	240-020-810	SIDNE Wireless Mic System (Standard Headset)
●	240-020-811	SIDNE Wireless Mic System (Looped Headset)
●	240-020-812	Wireless Mic System, 3000 Series
27	240-020-821	Steris 3085sp Surgical Table (ACT Enabled Driver)
●	240-020-824	Valleylab FORCE FX ESU Driver
27	240-020-826	SIDNE Visum 400/600 Steris Lighting and Strykecam Driver
27	240-020-827	Steris Harmony LA Lighting and Visualization Driver
●	240-020-831	SIDNE Bertchold Chromophare D-Series Lights Driver
27	240-020-832	Stryker Visum LED and Strykecam Driver
●	240-020-833	SIDNE Bertchold Chromovision Camera Driver
27	240-020-835	SIDNE HD and SIDNE Suite Infinity Driver
●	240-020-925	SIDNE Suite and Link Voice Control Upgrade
●	240-020-926	SIDNE Voice 1080p Service Pack
31	240-030-922	Flat Panel Monitor Stand

Page	Part Number	Product Description
●	240-030-925	SV-2 Monitor Cover
●	240-030-931	Power Supply for 21" Vision Elect Flat Monitor
●	240-030-933	VE Flashmaster Firmware Upgrade Kit
●	240-030-935	Vision Elect Monitor Cover
●	240-030-950	Power Supply for 26" Vision Elect HDTV
31	240-030-951	15 ft DC Extension Cable for Vision Elect HDTV
31	240-030-952	75 ft DC Extension Cable for Vision Elect HDTV
●	240-030-953	2-5 Pin DC Converter Adapter for 26" Vision Elect HDTV
31	240-030-961	Monitor Cover for 26" Vision Elect HDTV
●	240-030-963	Flashmaster Upgrade Kit for Vision Elect HDTV
30	240-030-971	WiSe HDTV Transmitter
30	240-030-972	WiSe Receiver
●	240-030-973	Flashmaster Pro II W Firmware Upgrade Kit
30	240-030-974	SYNK Token Keys (3/pkg)
●	240-030-975	WiSe Channel Upgrade Token (Green)
●	240-030-976	Wise Default Setting Token (Yellow)
30	240-030-977	SYNK/WiSe Permanent Link Token (Red)
30	240-030-990	WiSe 19" Surgical Display
31	240-030-991	WiSe 19" Display Cover
31	240-030-992	Power Supply for WiSe 19" HDTV Surgical Display
30, 31	240-031-000	VisionPro SYNK 26" Wireless LED Display
31	240-031-002	VisionPro 26" Display Cover
31	240-031-004	26" Display Medical Power Supply
27, 31	240-031-006	SYNK Display Device Control Cable
30	240-031-010	SYNK Wireless Transmitter
31	240-031-020	VisionPro 26" LED Display
27, 31	240-031-021	VisionPro Display Device Control Cable

Page	Part Number	Product Description
●	240-040-001	Isolation Transformer (Medical Grade)
30	240-040-004	WiSe Receiver Roll Stand Mount
27	240-050-704	SDC Media, TDK CD-R Discs (10/pkg)
29	240-050-717	HP Advanced Glossy Photo Paper (50 sheets)
27	240-050-811	SDC Media, Verbatim DVD+RW Discs (10/pkg)
●	240-050-821	SDC HD 3.0 AB Restore Disc
27	240-050-840	VGA Cable Kit (6 ft VGA Cable and DVI To VGA)
19, 27	240-050-845	DVI Cable Kit
●	240-050-846	HP 6122/990 Black Ink Cartridge
●	240-050-847	HP 6122/990 Color Ink Cartridge
27	240-050-875	DICOM Upgrade Kit for SDC HD
27	240-050-893	SDC USB 2.0, 512MB
27	240-050-894	SDC Media, Sony DVD-R Discs (10/pkg)
●	240-050-896	SDC HD Remote Control
●	240-050-900K	SDC Ultra 7.0 Restore Disc Kit
●	240-050-901	Upgrade DVD, SDC Ultra 5.0J
27	240-050-903	USB 2 Hard Drive, 160GB
27	240-050-995	DICOM Upgrade Kit for SDC Ultra
25	240-060-100	SDC3 HD Information Management System
25	240-060-101	SDC3 Voice Control Package Kit
25	240-060-102	SDC3 Device Control Package
25	240-060-103	SDC3 DICOM Software
27	240-060-112	Jabra Wireless Headset and Base Station
27	240-060-113	Jabra Base Station Mounting Bracket
27	240-060-127	SDC3 Infrared Remote Control Replacement
19, 33	240-060-845	DVI-D Cable (30 ft)
26	240-060-900	SDC3 Base with Voice Control Kit

Page	Part Number	Product Description
26	240-060-901	SDC3 Base with Device Control Kit
26	240-060-903	SDC3 Base with Voice Control and Device Control Kit
26	240-060-904	SDC3 Base with Voice Control and DICOM Kit
26	240-060-905	SDC3 Base with Device Control and DICOM Kit
26	240-060-906	SDC3 Base with Voice Control, Device Control, DICOM Kit
26	240-060-907	SDC3 Base with DICOM
26	240-060-908	SDC3 Base with Voice Control, Device Control, DICOM and Kodak Kit
26	240-060-909	SDC3 Base with Kodak Printer Kit
26	240-060-910	SDC3 Base with Voice Control and Kodak Printer Kit
26	240-060-911	SDC3 Base with Device Control and Kodak Printer Kit
26	240-060-912	SDC3 Base with DICOM and Kodak Printer Kit
26	240-060-914	SDC3 Base with Voice Control, Device Control and Kodak Kit
26	240-060-915	SDC3 with Voice Control, DICOM, and Kodak Printer Kit
26	240-060-916	SDC3 Base with Device Control, DICOM and Kodak Printer Kit
26	240-060-917	SDC3 Base with SDP1000 Printer Kit
26	240-060-918	SDC3 Base with Voice Control and SDP1000 Printer Kit
26	240-060-919	SDC3 Base with Device Control and SDP1000 Printer Kit
26	240-060-921	SDC3 Base with DICOM and SDP1000 Printer Kit
26	240-060-922	SDC3 Base with Voice Control, Device Control and SDP1000 Printer Kit
26	240-060-923	SDC3 Base with Voice Control, DICOM and SDP1000 Printer Kit
26	240-060-924	SDC3 Base with Device Control, DICOM, and SDP1000 Printer Kit

Page	Part Number	Product Description
26	240-060-925	SDC3 Base with Voice Control, Device Control, DICOM and SDP1000 Kit
19	240-070-100	Coupler Repair Kit
●	240-080-006	Paper Tray Holder for UP-5600 Printer
19	240-080-023	2.5 mm–3.5 mm Remote Button Cable (50 ft)
●	240-080-201	HP 7260 Multi-Pack Printer Cartridges
●	240-080-202	HP 7260 Black Printer Cartridge
●	240-080-203	HP 7260 Yellow Printer Cartridge
●	240-080-204	HP 7260 Light Cyan Printer Cart
●	240-080-205	HP 7260 Cyan Printer Cartridge
●	240-080-206	HP 7260 Light Magenta Printer Cartridge
●	240-080-207	HP 7260 Magenta Printer Cartridge
29	240-080-212	HP D5460 Magenta Ink Cartridge
29	240-080-213	HP D5460 Yellow Ink Cartridge
29	240-080-214	HP D5460 Cyan Ink Cartridge
29	240-080-215	HP D5460 Photo Black Ink Cartridge
29	240-080-216	HP D5460 Black Ink Cartridge
29	240-080-220	HP D5460 Multi-Pack Printer Cartridges
28	240-080-225	Kodak ESP 7250 Inkjet Printer
29	240-080-226	Kodak ESP 7250 Color Ink Cartridge
29	240-080-227	Kodak ESP 7250 Black Ink Cartridge
28	240-080-230	SDP1000 Digital Color Printer
29	240-080-231	Letter Size Print Media for SDP1000 (100 sheets)
29	240-080-232	SEPC-100 - Box Of A4 Size Media for SDP1000 Printer
31, 33, 111	240-095-200	StrykerVision Flat-Panel Mounting Arm
33	240-099-001K	Auxiliary Cart Kit

Page	Part Number	Product Description
●	240-099-001	Stryker Auxiliary Video Cart with Isolation Transformer
●	240-099-011	Stryker Standard Video Cart with Isolation Transformer
32, 33	240-099-011K	Standard Video Cart Kit
33	240-099-050	Isolation Transformer
33	240-099-052	CO2 Tank Bracket for Cart
33	240-099-054	LCD Side Mount Velcro Strap
33	240-099-059	Additional Shelf (for Auxiliary and Standard Cart)
●	240-099-069	Cart Power Cord Replacement Kit
19	240-099-071	DVI-I Cable (3 ft)
●	240-099-072	Stackable Demo Cart
●	240-099-072K	Stackable Demo Cart Kit
●	240-099-073	Footswitch Holder Basket for Cart
33	240-099-074	Auxiliary Video Connector
33	240-099-075	Shelf with Pin Rails (Standard Cart)
33	240-099-076	Pull-Out Shelf with Pin Rail (Standard Cart)
33	240-099-109	Flat-Panel Roll Stand Base
33	240-099-110	Flat-Panel Roll Stand Pole
32, 33	240-099-110K	Flat Panel Roll Stand Kit
111	240-100-100	Park Trainer Laparoscopic Cart
111	240-100-110	Park Trainer Laparoscopic Adjustable Module
111	240-100-115	Park Trainer Laparoscopic Skin
113	240-240-000	Wingman Scope Holder
113	240-240-001	Scope Holder Control Unit
113	240-240-002	N2 Tank (6/box)
113, 119	240-240-003	Scope Holder Tube Set/Button (12/box)
113	240-240-005	Wingman Foot Pedal
113	240-240-007	Dyna-Com N2 Male Adapters
113	240-240-008	Recharge Battery Pack for Scope Holder
113	240-240-009	Wingman Diss Male N2 Adapter
113	240-240-011	Schrader N2 Male Adapter

Page	Part Number	Product Description
113	240-240-012	Wingman Pressure Release Tool
113	240-240-999	Wingman System Kit
21	240-260-000	Clarity Console Box
46, 68, 69	242-000-012	12 Position Sterilization Tray
46, 68	242-000-024	23 Instrument Sterilization Tray
46, 61	242-000-112	Stryker Hip Arthroscopy Instruments Sterilization Tray
69	242-010-200	Mini 2 mm Small Joint Punch
69	242-010-300	Mini 2 mm Small Joint Grasper
69	242-010-400	Mini 2 mm Small Joint Scissor
66, 69	242-100-000	Small-Joint Instrumentation Kit
69	242-100-002	2.1 mm Blunt Nose, Straight
69	242-100-003	2.1 mm Blunt Nose, Right
69	242-100-004	2.1 mm Blunt Nose, Left
69	242-100-005	2.1 mm Blunt Nose, Down
69	242-100-006	2.1 mm Blunt Nose, Up
69	242-100-007	2.5 mm Scissors
69	242-100-008	2.5 mm Grasper
69	242-100-012	2.7 mm Blunt Nose, Straight
69	242-100-013	2.7 mm Blunt Nose, Up
69	242-100-014	Small Joint Probe, Straight
69	242-100-015	Small Joint Probe 90°
69	242-100-016	Small Joint Probe 30°
61	242-200-000	Stryker Hip Arthroscopy Instruments Kit
61	242-200-001	5.5 mm Slotted Cannula
61	242-200-002	6 mm Slotted Cannula
61	242-200-003	4 mm Cannulated Switching Stick
61	242-200-004	5.5 mm Cannulated Switching Stick
61	242-200-005	6 mm Cannulated Switching Stick
61	242-200-006	4 mm Hip Biter, Straight
61	242-200-007	4 mm Hip Biter, 15° Up
61	242-200-008	4 mm Hip Grasper, Right
61	242-200-009	4 mm Hip Grasper, Left
61	242-200-010	4 mm Hip Grasper, Straight

Page	Part Number	Product Description
62	242-200-011	4 mm Hip Suture Passer, Left
62	242-200-012	4 mm Hip Suture Passer, Right
62	242-200-013	4 mm Hip Suture Passer, Straight
62	242-200-014	4 mm Suture Passer, 35° Up
62	242-200-015	4 mm Hip Suture Grasper
62	242-200-016	5 mm Suture Cutter
62	242-200-017	Hip Knot Pusher
62	242-200-018	4 mm Hip Curette, 20°
62	242-200-019	4 mm Rasp, 30° Up
62	242-200-020	4 mm Hip Tissue Liberator
62	242-200-021	Hip Probe, 90°
62	242-200-022	Curved Hip Probe
62	242-200-023	Straight Micro Fracture Pick
62	242-200-024	Curved Hip Blade
62	242-200-025	Straight Hip Blade, Blunt Tip
62	242-200-026	Straight Hip Blade, Sharp Tip
62	242-200-027	Switching Stick Handle
46, 64	242-720-025	Hip Set Sterilization Tray
●	250-010-310	Straight Multi-Cut Scissors (4/box)
●	250-010-311	Curved Multi-Cut Scissors (4/box)
104	250-015-500	Laparoscopic Instruments Sterilization Tray
104	250-015-704	45 cm Laparoscopic Instruments Tray
106	250-040-011	Reusable High Frequency Monopolar Cable
106	250-040-012	High Frequency Monopolar Cable (10/box)
105, 106	250-040-016	Reusable Bipolar Cable (Valleylabs)
105	250-040-103	Spatula Tip Electrosurgical Probe 3 mm x 29 cm (3/box)
105	250-040-104	3 mm x 29 cm, L-Tip Electrosurgical Probe (3/box)
105	250-040-111	5 mm x 33 cm, Spatula Tip Electrosurgical Probe (3/box)

Page	Part Number	Product Description
105	250-040-112	5 mm x 33 cm, L-Tip Electrosurgical Probe (3/box)
105	250-040-113	5 mm x 33 cm, J-Tip Electrosurgical Probe (3/box)
105	250-040-116	5 mm x 45 cm, Spatula Tip Electrosurgical Probe (3/box)
105	250-040-117	5 mm x 45 cm, L-Tip Electrosurgical Probe (3/box)
105	250-040-118	5 mm x 45 cm, J-Tip Electrosurgical Probe (3/box)
108	250-070-402	5 mm x 28 cm, Regular Tip, Vented, Metal Finish
108	250-070-403	5 mm x 32 cm, Regular Tip, Vented, Metal Finish
108	250-070-404	10 mm x 32 cm, Regular Tip, Vented, Metal Finish
108	250-070-405	10 mm x 32 cm, Pool Suction Tip, Metal Finish
108	250-070-406	5 mm x 32 cm, Pool Suction Tip, Metal Finish
108	250-070-407	5 mm x 32 cm, Hydrodissection Tip, Metal Finish
108	250-070-408	5 mm x 45 cm, Regular Tip, Vented, Metal Finish
108	250-070-409	5 mm x 32 cm Regular Tip, Non-Vented, Metal Finish
108	250-070-411	5 mm x 24 cm, Regular Tip, Vented, Metal Finish
●	250-070-412	Flexible Laser Fiber Guide, 28 cm
●	250-070-413	Laser Fiber Guide
109	250-070-414	Flexible Laser Fiber Guide, 32 cm
57, 109	250-070-419	Dual Irrigation Adapter, Disposable (10/box)
108	250-070-420	5 mm x 32 cm, Non-Conductive Tip, Vented
109	250-070-435	Adapter for Davot Nezhad/Dorsey Suction/ Irrigation Probes
108	250-070-437	5 mm x 32 cm, Aspiration Needle Tip
109	250-070-441	5 mm x 32 cm, Strykeprobe Spatula Tip

Page	Part Number	Product Description
109	250-070-442	5 mm x 32 cm, Strykeprobe J-Tip
109	250-070-443	5 mm x 32 cm, Strykeprobe L-Tip
109	250-070-444	5 mm x 32 cm, Strykeprobe Ball Tip
109	250-070-445	5 mm x 32 cm, Strykeprobe Needle Tip
109	250-070-446	5 mm x 32 cm, Strykeprobe Spoon Tip
109	250-070-450	5 mm x 45 cm, Strykeprobe Outer Sheath Replacement
109	250-070-451	5 mm x 45 cm, Strykeprobe Spatula Tip
109	250-070-452	5 mm x 45 cm, Strykeprobe J-Tip
109	250-070-453	5 mm x 45 cm, Strykeprobe L-Tip
109	250-070-455	5 mm x 45 cm, Strykeprobe Needle Tip
109	250-070-460	5 mm x 32 cm Strykeprobe Outer Sheath Replacement
●	250-070-471	2.0 mm x 32 cm Regular Tip with 1 Hole, Metal Finish
●	250-070-472	2 mm x 32 cm, Regular Tip with 2 Holes
●	250-070-473	2.0 mm x 34 cm, Regular Tip with No Holes, Metal Finish
108	250-070-482	5 mm x 28 cm, Regular Tip, Vented, Non-Reflective Finish
108	250-070-483	5 mm x 32 cm, Regular Tip, Vented, Non-Reflective Finish
108	250-070-484	10 mm x 32 cm, Regular Tip, Vented, Non-Reflective Finish
●	250-070-485	10 mm x 32 cm, Pool Suction Tip, Non-Reflective Finish
108	250-070-486	5 mm x 32 cm, Pool Suction Tip, Non-Reflective Finish
108	250-070-487	5 mm x 32 cm, Hydrodissection Tip, Non-Reflective Finish

Page	Part Number	Product Description
108	250-070-488	5 mm x 45 cm, Regular Tip, Vented, Non-Reflective Finish
108	250-070-489	5 mm x 32 cm, Regular Tip with No Holes
94, 108	250-070-490	3 mm x 32 cm, Regular Tip, Vented, Metal Finish
94, 108	250-070-491	3 mm x 32 cm, Regular Tip, Non-Vented, Metal Finish
108	250-070-492	10 mm x 32 cm, Stone Scooper
107	250-070-500	StrykeFlow2 without Tip (6/box), SD (Softer Durometer)
108, 109	250-070-505	5 mm x 32 cm Regular Tip, Vented, Metal Finish
109	250-070-510	Suction Irrigator Tips Steam Sterilization Tray
107	250-070-520	StrykeFlow2 with Disposable Tip (6/box)
107	250-070-530	StrykeFlow Single Spike Tubing (6/box)
107	250-070-540	StrykeFlowPS, Dual Spike, 10 ft of Tubing (6/box)
109	250-070-550	Disposable Electrosurgical Suction Tip, 5 mm x 32 cm, L-Tip
109	250-070-551	Disposable Electrosurgical Suction Tip, 5 mm x 32 cm Spatula
109	250-070-552	Disposable Electrosurgical Suction Tip, 5 mm x 32 cm, J-Tip
109	250-070-553	Disposable Electrosurgical Suction Tip, 5 mm x 45 cm, L-Tip
109	250-070-554	Disposable Electrosurgical Suction Tip, 5 mm x 45 cm Spatula
109	250-070-555	Disposable Electrosurgical Suction Tip, 5 mm x 45 cm, J-Tip
107	250-070-600	AHTO Suction/Irrigation Tube Set (6/box)
107	250-070-601	AHTO Irrigation Pump
107	250-070-602	AHTO Rechargeable Battery Pack
107	250-070-620	AHTO Suction/Irrigation Tube Set with Disposable Tip (6/box)

Page	Part Number	Product Description
107	250-070-640	AHTO Suction/Irrigation Dual Spike Tube Set
●	250-080-115	Bipolar Forceps, Micro Tip, 45 cm
●	250-080-120	5 mm x 33 cm, Bipolar Fenestrated Forceps with Ring Handle
●	250-080-121	5 mm x 33 cm, Bipolar Paddle Forceps with Ring Handle
●	250-080-122	Bipolar Forceps, Micro Tip, 33 cm
●	250-080-123	5 mm x 33 cm, Bipolar Fenestrated Forceps with Spring Handle
●	250-080-124	5 mm x 33 cm, Bipolar Paddle Forceps with Spring Handle
106	250-080-130	5 mm Fixation Clamp
106	250-080-132	5 mm Knot Pusher
91	250-080-133	5 mm Myoma Drill
91	250-080-134	10 mm Myoma Drill
91, 106	250-080-135	5 mm Palpation Probe, 33 cm Long
91, 106	250-080-136	5 mm Palpation Probe, 45 cm Long
91	250-080-137	Cohen Intrauterine Cannula (Complete with Acorn)
91	250-080-138	Cohen Cannula (Cannula Only)
91	250-080-139	Small Acorn
91	250-080-140	Large Acorn
95	250-080-154	Trocar, Pyramidal Tip, 5.5 mm
●	250-080-155	Trocar, Pyramidal Tip, 8 mm
95	250-080-156	Trocar, Pyramidal Tip, 11 mm
95	250-080-157	5.5 mm Obturator for Hasson Cannula
95	250-080-158	11 mm Obturator for Hasson Cannula
95	250-080-171	5.5 mm Cannula, Automatic Valve, Stopcock without Trocar
95	250-080-174	11 mm Cannula, Automatic Valve, Stopcock without Trocar
●	250-080-176	5.5 mm Hasson Cannula, Automatic Valve, Stopcock

Page	Part Number	Product Description
95	250-080-179	11 mm Hasson Cannula, Automatic Valve, Stopcock
95	250-080-180	11 mm Fixable Cone for Hasson Cannula
95	250-080-204	Reducer, 12.5 mm/11.0 mm–5.5 mm
106	250-080-207	Male Luer Lock for 6 mm Tubing
106	250-080-208	Female Luer-Lock for 6 mm Tubing
95	250-080-210	120 mm Veress Needle
103	250-080-230	10 mm x 33 cm, Ratcheting Handle
103	250-080-231	10 mm x 33 cm, Monopolar Handle
101, 102	250-080-233	5 mm x 33 cm, Monopolar Handle
101, 102	250-080-234	5 mm x 33 cm, Ratcheted Handle
103	250-080-235	5 mm x 33 cm, Needleholder Handle
105	250-080-236	5 mm x 33 cm, Bipolar Ring Handle
105	250-080-237	5 mm x 33 cm, Bipolar Spring Handle
103	250-080-240	10 mm x 33 cm, Allis Grasper
103	250-080-241	10 mm x 33 cm, Babcock Grasper
103	250-080-242	10 mm x 33 cm, Pennington Grasper
103	250-080-244	10 mm x 33 cm, Single Action Claw
103	250-080-245	10 mm x 33 cm, Double Action Claw
103	250-080-246	10 mm x 33 cm, Biopsy Spoon
103	250-080-247	10 mm x 33 cm, Operating Scissors, Serrated
103	250-080-248	10 mm x 33 cm, Maryland Dissector
103	250-080-249	10 mm x 33 cm, Mixer
103	250-080-250	10 mm Paddle Babcock Grasper
102	250-080-260	5 mm x 33 cm, Hook Scissors
102	250-080-262	5 mm x 33 cm, Peritoneal Scissors

Page	Part Number	Product Description
102	250-080-263	5 mm x 33 cm, Straight Metzenbaum Scissors (Long Jaws)
102	250-080-264	5 mm x 33 cm, Straight Metzenbaum Scissors
102	250-080-265	5 mm x 33 cm, Curved Metzenbaum Scissors (Long Jaws)
102	250-080-266	5 mm x 33 cm, Mini Metzenbaum Scissors (Curved)
102	250-080-267	5 mm x 33 cm, Endo Metzenbaum Scissors (Curved)
102	250-080-269	5 mm x 33 cm, Micro Scissors (Straight)
101	250-080-280	5 mm x 33 cm, Dolphin with Spoon Dissector
101	250-080-281	5 mm x 33 cm, Tapered Bullet Dissector
101	250-080-282	5 mm x 33 cm, Maryland Dissector
101	250-080-283	5 mm x 33 cm, Curved Kelly Dissector
101	250-080-284	5 mm x 33 cm, Tissue Grasper Dissector, 45°
101	250-080-285	5 mm x 33 cm, Mixer Dissector
101	250-080-286	5 mm x 33 cm, Serrated Grasper
101	250-080-287	5 mm x 33 cm, Narrow Jaw Grasper
101	250-080-288	5 mm x 33 cm, Needle Nose Dissector
102	250-080-290	5 mm x 33 cm, Biopsy Punch
102	250-080-291	5 mm x 33 cm, Double Action Biopsy Spoon with Pin
102	250-080-292	5 mm x 33 cm, Blakesly Biopsy
102	250-080-293	5 mm x 33 cm, Single Action Biopsy Spoon with Pin
101	250-080-310	5 mm x 33 cm, Single Action Atraumatic Grasper
101	250-080-311	5 mm x 33 cm, Double Action Atraumatic Grasper
101	250-080-312	5 mm x 33 cm, Fenestrated Schertl Grasper
101	250-080-313	5 mm x 33 cm, Blunt Grasper with Spoon

Page	Part Number	Product Description
101	250-080-314	5 mm x 33 cm, Debakey Grasper
101	250-080-315	5 mm x 33 cm, Fundus Grasper
101	250-080-316	5 mm x 33 cm, Alligator Grasper
101	250-080-317	5 mm x 33 cm, Cobra Grasper
101	250-080-318	5 mm x 33 cm, Serrated Fenestrated Grasper
101	250-080-319	5 mm x 33 cm, Dorsey Grasper
101	250-080-320	5 mm x 33 cm, Strong Grasper (Fenestrated)
101	250-080-321	5 mm x 33 cm, Babcock Grasper
101	250-080-322	5 mm x 33 cm, Grasper, Delicate, Fenestrated
102	250-080-323	5 mm x 33 cm, Meso-Ovarian Forceps
102	250-080-324	5 mm x 33 cm, Oviduct Forceps
101	250-080-325	5 mm x 33 cm, Micro Grasper
103	250-080-340	5 mm x 33 cm, Straight Needleholder
103	250-080-341	5 mm x 33 cm, Curved Left Needleholder
103	250-080-342	5 mm x 33 cm, Curved Right Needleholder
105	250-080-350	45 cm Bipolar Fenestrated Forceps (Insert)
105	250-080-351	5 mm x 45 cm, Bipolar Paddle Forceps (Insert)
105	250-080-360	5 mm x 33 cm, Bipolar Fenestrated Forceps (Insert)
105	250-080-361	5 mm, 33 cm, Bipolar Paddle Forceps (Insert)
105	250-080-362	5 mm x 33 cm, Bipolar Micro Tip Forceps (Insert)
105	250-080-370	5 mm x 45 cm, Bipolar Shaft
105	250-080-371	5 mm x 33 cm, Bipolar Shaft
●	250-080-422	Trocar, Pyramidal Tip, 12.5 mm
106	250-080-558	10 mm Clip-Applying Forceps, Ethicon MI (LC300 or LT300 Compatible)

Page	Part Number	Product Description
102	250-080-573	5 mm x 45 cm, Hook Scissors
●	250-080-574	5 mm x 45 cm, Metzenbaum Mini Scissors (Insert)
102	250-080-575	5 mm x 45 cm, Endo Metzenbaum Scissors Curved
101	250-080-578	5 mm x 45 cm, Maryland Dissector
101	250-080-579	5 mm x 45 cm, Serrated Grasper
102	250-080-580	5 mm x 45 cm, Biopsy Punch
102	250-080-581	5 mm x 45 cm, Double Action Biopsy Spoon with Pin
101	250-080-584	5 mm x 45 cm, Single Action Atraumatic Grasper
101	250-080-585	5 mm x 45 cm, Double Action Atraumatic Grasper
101	250-080-586	5 mm x 45 cm, Babcock Grasper
102	250-080-587	5 mm x 45 cm, Oviduct Forceps
103	250-080-588	5 mm x 45 cm, Straight Needleholder
103	250-080-589	5 mm x 45 cm, Curved Left Needleholder
103	250-080-590	5 mm x 45 cm, Curved Right Needleholder
101	250-080-591	5 mm x 33 cm, Allis Grasper (Single Row Of Teeth)
101	250-080-592	5 mm x 33 cm, Allis Grasper (Double Row Of Teeth)
101, 102	250-080-595	5 mm x 45 cm, Monopolar Handle
101, 102	250-080-596	5 mm x 45 cm, Ratcheting Handle
101, 102	250-080-617	5 mm x 33 cm, Peek Monopolar Handle
103	250-080-618	10 mm x 33 cm, Peek Monopolar Handle
104, 106, 119	250-080-619	Replacement Flush Port Caps (5/box)
95	250-080-620	Replacement Sealing Caps for 3.5 mm Cannulas/Reducers (5/kit)

Page	Part Number	Product Description
95, 106	250-080-621	Replacement Sealing Caps for 5.5 mm Cannulas/ Reducers (5/kit)
95	250-080-622	Replacement Sealing Caps for 8 mm Cannulas/ Reducers (5/kit)
95	250-080-623	Replacement Sealing Caps for 11 mm Cannulas/ Reducers (5/kit)
95	250-080-624	Replacement Sealing Caps for 12.5 mm Cannulas/ Reducers (5/kit)
95	250-080-626	Replacement Sealing Caps for 11 mm Fixable Cone (5/kit)
●	250-080-628	Replacement Inner Seal for 5.5 mm Cannulas
95	250-080-630	Replacement Inner Seal for 11 mm Cannulas
●	250-080-634	3.5 mm Cannula, Automatic Valve, Stopcock, without Trocar (55 mm)
95	250-080-689	Replacement Inner Seal for 3.5 mm Cannulas
95	250-080-690	Replacement Inner Seal for 5.5 mm and 8 mm Cannulas
95	250-080-691	Replacement Inner Seal for 11 mm and 12.5 mm Cannulas
95	250-080-692	Trocar, Pyramidal Tip, 3.5 mm (105 mm Length)
105	250-080-693	Bipolar Handle Sealing Cap
101	250-080-694	5 mm x 33 cm, Right Angle Dissector
101	250-080-697	5 mm x 33 cm, Retention Grasper
102	250-080-698	5 mm x 33 cm, Tenaculum Forceps
101	250-080-699	5 mm x 33 cm, Endo Grasper
101	250-080-700	5 mm x 33 cm, Paddle Babcock Grasper
106	250-080-701	5 mm Endoloop Applicator
106	250-080-702	5 mm Aspiration Needle, 33 cm Long, 17 Gauge Needle
106	250-080-703	5 mm Aspiration Needle, 45 cm Long, 17 Gauge Needle
101	250-080-725	5 mm x 45 cm, Retention Grasper
101	250-080-726	5 mm x 45 cm, Endo Grasper

Page	Part Number	Product Description
101	250-080-727	5 mm x 45 cm, Paddle Babcock Grasper
101	250-080-729	5 mm x 45 cm, Right Angle Dissector
95	250-080-730	3.5 mm Pyramidal Trocar, Long
101	250-080-732	5 mm x 45 cm, Fenestrated Grasper
102	250-080-733	5 mm x 33 cm, Park Forceps
101	250-080-735	5 mm x 45 cm, Fundus Grasper
101	250-080-736	5 mm x 45 cm, Dorsey Grasper
102	250-080-745	5 mm x 45 cm, Park Forceps
101	250-080-748	5 mm x 45 cm, Debakey Grasper
102	250-080-751	5 mm x 45 cm, Peritoneal Scissors
102	250-080-752	5 mm x 45 cm, Curved Metzenbaum (Long Jaws) Scissors
101	250-080-753	5 mm x 45 cm, Curved Kelly Dissector
101	250-080-754	5 mm x 45 cm, Allis Grasper (Double Row Of Teeth)
101	250-080-755	5 mm x 33 cm, Fenestrated Grasper
101	250-080-757	5 mm x 33 cm, Right Angle (Long Jaw)
101	250-080-760	5 mm x 33 cm, Dissecting Forceps
101	250-080-761	5 mm x 45 cm, Right Angle (Long Jaw)
101	250-080-762	5 mm x 45 cm, Dissecting Forceps
102	250-080-763	5 mm x 33 cm, Johan Forceps
102	250-080-764	5 mm x 45 cm, Johan Forceps
103	250-080-765	5 mm x 33 cm, Sliding Lock Single Action Atraumatic Grasper, Non-Rotating
103	250-080-766	5 mm x 45 cm, Sliding Lock Single Action Atraumatic Grasper
103	250-080-767	5 mm x 33 cm, Sliding Lock Double Action Atraumatic Grasper
103	250-080-768	5 mm x 45 cm, Sliding Lock Double Action Atraumatic Grasper

Page	Part Number	Product Description
●	250-099-600	Flush Port Caps (5/bag)
101, 102	250-181-106	5 mm Peek Multifunction Handle
103	250-181-107	10 mm x 33 cm, Peek Multi-Function Handle
101, 102	250-181-108	5 mm x 45 cm, Peek Multi-Function Handle
101, 102	250-181-164	5 mm x 45 cm, Peek Monopolar Handle
100	250-282-000	3 mm x 20 cm, Insert, Curved Metzenbaum Scissors
100	250-282-002	3 mm Hook Scissors
100	250-282-003	3 mm x 20 cm, Insert, Fundus Grasper
100	250-282-004	3 mm x 20 cm, Insert, Alligator Grasper
100	250-282-005	3 mm x 20 cm, Insert, Needle Nose Dissectors
100	250-282-006	3 mm x 20 cm, Insert Fenestrated Schertel Grasper
100	250-282-007	3 mm x 20 cm, Insert Cobra Grasper
●	250-282-008	3 mm Insert Blunt Spoon Grasper
100	250-282-009	3 mm x 20 cm, Insert Blunt Grasper
100	250-282-010	3 mm x 20 cm, Insert Tapered Bullet
100	250-282-011	3 mm x 20 cm, Insert Maryland Dissectors
100	250-282-012	3 mm x 20 cm, Insert Biopsy Forceps
100	250-282-013	3 mm x 20 cm, Biopsy Punch
100	250-282-014	3 mm x 20 cm, Insert Straight Needleholder
100	250-282-045	3 mm Peek Monopolar Handle
100	250-282-046	Peek Multifunction Handle
100	250-282-047	3 mm x 29 cm, Insert Curved Metzenbaum Scissors
100	250-282-048	3 mm x 29 cm, Insert Peritoneal Scissors
100	250-282-049	3 mm x 29 cm, Insert Hook Scissors

Page	Part Number	Product Description
100	250-282-050	3 mm x 29 cm, Insert Fundus Grasper
100	250-282-051	3 mm x 29 cm, Insert Alligator Grasper
100	250-282-052	3 mm x 29 cm, Insert Needle Nose Dissectors
100	250-282-053	3 mm x 29 cm, Insert Fenestrated Schertl Grasper
●	250-282-055	3 mm x 29 cm, Insert Blunt, with Spoon
100	250-282-056	3 mm x 29 cm, Insert Blunt Grasper
100	250-282-057	3 mm x 29 cm, Insert Tapered Bullet
100	250-282-058	3 mm x 29 cm, Insert Maryland Dissectors
100	250-282-059	3 mm x 29 cm, Insert Biopsy Forceps
100	250-282-060	3 mm x 29 cm, Insert Biopsy Punch
100	250-282-061	3 mm x 29 cm, Insert Straight Needleholder
100	250-282-096	3 mm, 29 cm, Insert Dorsey Grasper
100	250-282-097	3 mm x 29 cm, Insert Dorsey Grasper
100	250-282-099	3 mm x 29 cm, Single Action Atraumatic Grasper
100	250-282-100	3 mm x 20 cm, Double Action Atraumatic Grasper
100	250-282-101	3 mm x 29 cm, Double Action Atraumatic Grasper
100	250-282-103	3 mm x 29 cm, Babcock Grasper
100	250-282-104	3 mm Insert Right Angle Dissectors
100	250-282-105	3 mm x 29 cm, Insert Right Angle Dissectors
100	250-282-110	3 mm x 29 cm, Dissecting Forceps
99, 101	250-283-033	Small SHIFT Handle, 33 mm
99, 101	250-283-045	Small SHIFT Handle, 45 mm
99, 101, 102	250-284-033	Large SHIFT Handle, 33 mm

Page	Part Number	Product Description
99, 101, 102	250-284-045	Large SHIFT Handle, 45 mm
●	255-000-001	MiniLap Alligator Grasper (6/box)
●	255-000-002	MiniLap Clutch Grasper (6/box)
●	255-000-003	MiniLap Babcock Grasper (6/box)
●	255-000-004	MiniLap Bowel Grasper (6/box)
●	255-000-031	MiniGrip Alligator Grasper
●	255-000-032	MiniGrip Clutch Grasper
●	255-000-033	MiniGrip Babcock Grasper
●	255-000-034	MiniGrip Tong Grasper
●	255-000-131	300 mm Curved Spatula
●	255-000-132	Minipolar Electrosurgical Instruments, Straight Spatula, 300 mm (6/box)
●	255-000-133	Minipolar Electrosurgical Instruments, Hook, 300 mm (6/box)
●	255-000-134	Minipolar Electrosurgical Instruments, Conical, 300 mm (6/box)
●	260-212-100	Passport SmartTip Trocar, 12 mm X 100 mm Robotic Camera Port, Stopcock (6/box)
95	260-285-100	Passport SmartTip Trocar, 8.5 mm x 100 mm, Robotic Camera Port, Stopcock (6/box)
95	260-900-000	Passport Robotic Reducer Cap, 12 mm to 5 mm
70	266-719-000	4 mm Wissinger Rod (Small)
70	266-720-000	5 mm Wissinger Rod (Large)
70	266-721-000	Wissinger Rod Handles (2/box)
60, 64	266-721-100	Hip Cannula Plug
70	266-722-000	4 mm Switching Stick (Small)
60, 64	266-722-100	4 mm Hip Switching Stick
70	266-723-000	5 mm Switching Stick (Large)
60, 64	266-723-100	5 mm Hip Switching Stick
53, 60, 64	266-724-000	Irrigation Adapter

Page	Part Number	Product Description
53, 60, 64	266-725-000	Sealing Cap
17, 18, 80	268-000-100	Ideal Eyes Flexible Control Unit (FCU), 10 mm/5 mm/Digital Cystoscope compatible
52	270-713-100	SE-4 Trocar
52	270-713-200	5.0 mm Obturator
52	270-713-300	5 mm Cutter Cannula with Holes
53	272-099-000	Competitive Cannula Adapter
53	272-100-000	Stryker Dyonics Fluid Seal Adapter
53	272-100-100	Stryker Dyonics Adaptor Bridge, One Rotating Stopcock
53	272-100-200	Stryker Dyonics Adaptor Bridge, Two Rotating Stopcocks
46	272-700-000	Shaver Handpiece Tray
46, 52	272-707-000	Cutter Accessory Tray
●	275-023-027	Small Joint Bridge (2.3 mm-2.7 mm)
66	275-035-100	3.5 mm Trocar
66	275-035-200	3.5 mm Obturator
65, 66	275-035-300	Small-Joint Cap
66	275-035-302	3.5 mm Small Joint Cutter Cannula
49	275-601-500	TPS Small Joint Handpiece
66	275-627-000	2.5 mm Small Joint Full Radius Cutter (5/box)
66	275-628-000	2.5 mm Small Joint Aggressive Cutter (5/box)
66	275-637-000	3.5 mm Small Joint Full Radius Cutter (5/box)
66	275-638-000	3.5 mm Small Joint Aggressive Cutter (5/box)
66	275-641-000	2 mm Small Joint Hooded Abrasion Bur (5/box)
66	275-647-000	3 mm Small Joint Hooded Abrasion Bur (5/box)
48	275-701-400	Arthroscopy Footswitch
119	275-701-599	Soaking Cap
52	275-719-000	5.6 mm Cutter Cannula

Page	Part Number	Product Description
52	275-719-100	5.6 mm Trocar
52	275-719-200	5.6 mm Obturator
52	275-719-300	5.6 mm Cutter Cannula with Irrigation Holes at Distal Tip
52	275-720-000	5 mm Bur Cannula
52	275-720-100	5 mm Trocar
52	275-720-200	5 mm Obturator
60, 64	275-720-300	Hip Needle
60, 64	275-720-500	Nitinol Guide Wires (3/box)
64	275-720-600	Slotted Short Hip Cannula
64	275-720-700	Slotted Long Hip Cannula
64	275-720-705	Long Hip Knife Handle
52	275-721-000	6 mm Bur Cannula
52	275-721-100	6 mm Trocar
52	275-721-200	6 mm Obturator
52	275-722-000	4.5 mm Cutter Cannula
52	275-722-100	4.5 mm Trocar
52	275-722-200	4.5 mm Obturator
52	275-722-300	4.5 mm Cutter Cannula with Irrigation Holes at Distal Tip
64	275-723-100	5 mm Hip Cannula
64	275-723-110	5 mm Hip Trocar
64	275-723-120	5 mm Hip Obturator
64	275-724-100	4.5 mm Hip Cannula
64	275-724-110	4.5 mm Hip Trocar
64	275-724-120	4.5 mm Hip Obturator
64	275-725-100	5.6 mm Hip Cannula
64	275-725-110	5.6 mm Hip Trocar
64	275-725-120	5.6 mm Hip Obturator
48	277-100-100	iSWITCH Universal Wireless Footswitch
48	277-200-100	iSWITCH Receiver
48	277-300-100	iSWITCH Battery Pack
48	277-400-100	TPS Connector
●	277-400-200	iSWITCH SERFAS Cable
48	277-500-100	iSWITCH Clean-and-Dry Bags
48	277-600-100	iSWITCH Valleylab Integration Kit

Page	Part Number	Product Description
66	279-250-101	2.5 mm Micro-Claw SERFAS Energy Small Joint Probe
66	279-250-201	2.5 mm Micro-Brush SERFAS Energy Small Joint Probe
54, 66	279-251-101	2.5 mm Aardvark SERFAS Energy Suction Probe
54	279-350-101	3.5 mm, 90° SERFAS Energy Probe
54	279-350-201	3.5 mm Lateral SERFAS Energy Probe
54	279-350-301	3.5 mm Contour SERFAS Energy Probe
54	279-350-401	3.5 mm Direct SERFAS Energy Probe
54	279-350-501	3.5 mm Hook SERFAS Energy Probe
63	279-350-502	SERFAS Energy XL Hook
54	279-351-100	3.5 mm 90-S SERFAS Energy Suction Probe
59, 63	279-351-103	SERFAS Energy XL 90-S
54	279-351-230	3.5 mm 30-S SERFAS Energy Suction Probe
54	279-351-250	3.5 mm 50-S SERFAS Energy Suction Probe
63	279-351-253	SERFAS Energy XL 50-S
54	279-351-300	3.5 mm Super 90-S SERFAS Energy Suction Probe
54	279-351-400	90-S Accelerator
54	279-401-100	4 mm 90-S Max SERFAS Energy Suction Probe
19	280-121-000	Spacer Ring
60	295-720-000	Arthroscopy Access Hip Kit
60	295-723-100	Hip 4 mm Cannula
60	295-723-110	Hip 4 mm Cannula, with Distal Holes
60	295-723-120	Hip Cannulated Obturator for 4 mm Cannula
60	295-723-130	Hip Cannulated Obtrocator for 4 mm Cannula
60	295-723-140	Hip Cannulated Trocar for 4 mm Cannula
60	295-724-100	Hip 5 mm Cannula
60	295-724-110	Hip 5 mm Cannula, with Distal Holes

Page	Part Number	Product Description
60	295-724-120	Hip Cannulated Obturator for 5 mm Cannula
60	295-724-130	Hip Cannulated Obtrocator for 5 mm Cannula
60	295-724-140	Hip Cannulated Trocar for 5 mm Cannula
60	295-725-100	Hip 5.5 mm Cannula
60	295-725-110	Hip 5.5 mm Cannula, with Distal Holes
60	295-725-120	Hip Cannulated Obturator for 5.5 mm Cannula
60	295-725-130	Hip Cannulated Obtrocator for 5.5 mm Cannula
60	295-725-140	Hip Cannulated Trocar for 5.5 mm Cannula
60	295-726-100	Screwdriver Handle
60	295-727-100	Hip Bridge, Single Rotating Stopcocks
60	295-727-101	Hip Bridge, Single Fixed Stopcocks
60	295-727-200	Hip Bridge, Dual Rotating Stopcocks
60	295-727-202	Hip Bridge, Dual Fixed Stopcocks
46, 60	295-800-000	Arthroscopy Access Sterilization Tray Lid
46, 60	295-800-200	Arthroscopy Access Hardware XL Sterilization Tray
46, 60	295-800-300	Arthroscopy Access Arthroscope Sterilization Tray
67	300-027-100	2.7 mm Big Bite Punch, Straight
67	300-027-101	2.7 mm, 30° Big Bite Punch, Right
67	300-027-102	2.7 mm, 30° Big Bite Punch, Left
67	300-027-103	2.7 mm 15° Big Bite Punch, Up
67	300-027-104	2.7 mm Big Bite Punch, Upshaft
67	300-027-200	2.7 mm Narrow Punch
68	300-027-603	2.7 mm Micro Scissor Punch
68	300-027-702	2.7 mm x 120 mm, Soft Tissue Grasper with Ratchet
68	300-027-703	2.7 mm x 120 mm, Soft Tissue Grasper without Ratchet

Page	Part Number	Product Description
67	300-034-100	3.4 mm Big Bite Punch, Straight
67	300-034-101	3.4 mm, 30° Big Bite Punch, Right
67	300-034-102	3.4 mm, 30° Big Bite Punch, Left
67	300-034-103	3.4 mm Big Bite Punch, 15° Up
67	300-034-104	3.4 mm Big Bite Punch, Upshaft
67	300-034-110	3.4 mm Tip Biter, 45° Left
67	300-034-111	3.4 mm Tip Biter, 45° Right
67	300-034-200	3.4 mm Narrow Punch
67	300-034-203	3.4 mm Narrow Punch, 15° Up
67	300-034-300	3.4 mm Scoop Jaw Punch, Straight
67	300-034-301	3.4 mm Scoop Jaw Punch, 30° Right
67	300-034-302	3.4 mm Scoop Jaw Punch, 30° Left
68	300-034-380	3.4 mm Claw Rongeur
68	300-034-390	4 mm x 120 mm, Soft Tissue Grasper without Ratchet
67	300-034-400	3.4 mm Rotary Punch, 90° Right
67	300-034-401	3.4 mm Rotary Punch, 90° Left
67	300-034-500	3.4 mm Meniscal Crescent Punch, Right
67	300-034-501	3.4 mm Meniscal Crescent Punch, Left
67	300-034-502	3.4 mm Meniscal Crescent Punch, 30° Right
67	300-034-503	3.4 mm Meniscal Crescent Punch, 30° Left
68	300-034-600	3.4 mm Hook Scissor
68	300-034-601	3.4 mm Hook Scissor, Right Angled
68	300-034-602	3.4 mm Hook Scissor, Left Angled
68	300-034-603	3.4 mm Micro Scissor Punch
68	300-034-700	3.4 mm Grasper with Ratchet
68	300-034-701	3.4 mm Grasper
68	300-034-702	3.4 mm x 120 mm Soft Tissue Grasper with Ratchet

Page	Part Number	Product Description
68	300-034-703	3.4 mm x 120 mm, Soft Tissue Grasper without Ratchet
67	300-034-800	3.4 mm Backbiter
64	300-034-900	3.4 mm Hip Grasper
64	300-034-901	3.4 mm Hip Punch, Straight
59	310-034-100	3.4 mm Square Punch, Straight
59	310-034-103	3.4 mm Square Punch, 15° Uptip
59	310-034-104	3.4 mm Square Punch, 15° upshaft
59	310-034-110	3.4 mm Punch, 45° Left-Tip
59	310-034-111	3.4 mm Punch, 45° Right-Tip
59	310-034-114	3.4 mm Square Punch, 9° Upshaft
59	310-034-701	3.4 mm Loose Body Grasper, No Ratchet
59	310-034-703	3.4 mm Soft Tissue Grasper, No Ratchet
97	331-000-000	11 mm Operating Laparoscope
24	331-000-100	ACMI Adapter for Autoclavable Scopes
24	331-000-200	Wolf/Dyonics Adapter for Autoclavable Scopes
24	331-000-300	Storz Adapter for Autoclavable Scopes
24	331-000-400	Right Angle Adapter for Autoclavable Scopes
97	331-010-045	10 mm, 45° Eyepiece, Operating Laparoscope
97	331-010-090	10 mm, 90° Eyepiece, Operating Laparoscope
53	333-000-001	Cannula Irrigation Adapter with Stopcock and Luer Lock
53	333-070-000	70 mm Drain Cannula Kit
53	333-070-001	70 mm Drain Cannula
53	333-070-002	Trocar for 70 mm Drain Cannula
53	333-070-003	Obturator for 70 mm Drain Cannula
53	333-100-000	100 mm Drain Cannula Kit
53	333-100-001	100 mm Drain Cannula
53	333-100-002	Trocar for 100 mm Drain Cannula

Page	Part Number	Product Description
53	333-100-003	Obturator for 100 mm Drain Cannula
42	343-331-410	Obturator for 4 mm Speed-Lock Cannula, Pencil Tip
42	343-331-411	Obturator for 4 mm Speed-Lock Cannula, Blunt Tip
42	343-331-420	Trocar for 4 mm Speed-Lock Cannula
42	343-331-430	4 mm Cannula, 1 Rotating Stopcock
42	343-331-450	4 mm Cannula, 2 Rotating Stopcocks
●	344-030-007	Lens Cap
57	350-195-000	2 Spike Gravity Flow Tube Set (10/box)
57	350-195-004	4 Spike Gravity Flow Tube Set (10/box)
56	350-202-000	Arthroscopy Pump Tube Set (10/box)
57	350-220-000	Autoclavable Hand Control
57	350-221-000	Adapter for Autoclavable Hand Control
57	350-350-000	Autoclavable Hand Control with Adapter
56	350-600-001	Flocontrol Arthroscopy Pump (Hand Control Included)
56	350-600-006	Integrated Tubing (10/box)
56	350-600-008	Outflow Tubing (10/box)
56	350-800-001	FloSteady Arthroscopy Pump
56	350-800-006	Disposable Cassette Tubing (10/box)
71	351-600-000	Micro Cart
65	375-023-027	2.7 mm Formula Scope Bridge
52, 65	375-035-100	3.5 mm Formula Trocar
52, 65	375-035-302	3.5 mm Formula Small Joint Cutter Cannula
51	375-450-500	5 mm Auger Bur, Formula (5/box)
50	375-531-000	3.5 mm Cougar Cutter, Formula (5/box)
50	375-532-000	3.5 mm Resector Cutter, Formula (5/box)

Page	Part Number	Product Description
50	375-534-000	3.5 mm Aggressive Plus Cutter, Formula (5/box)
50	375-535-000	3.5 mm Tomcat Shaver Blade
50	375-541-000	4 mm Cougar Cutter, Formula (5/box)
50	375-542-000	4 mm Resector Cutter, Formula (5/box)
50	375-543-000	4 mm, Double Bite Cutter, Formula (5/box)
50	375-544-000	4 mm Aggressive Plus Cutter, Formula (5/box)
50	375-545-000	4 mm Tomcat Cutter, Formula (5/box)
50	375-546-000	4 mm Scalloped Cutter, Formula (5/box)
50	375-548-000	4 mm Slotted Whisker Cutter, Formula (5/box)
50	375-549-000	4 mm Whisker Cutter, Formula (5/box)
50	375-551-000	5 mm Cougar Cutter, Formula (5/box)
50	375-552-000	5 mm Resector Cutter, Formula (5/box)
50	375-554-000	5 mm Aggressive Plus Cutter, Formula (5/box)
50	375-555-000	5 mm Tomcat Cutter, Formula (5/box)
50	375-558-000	5 mm Slotted Whisker Cutter, Formula (5/box)
50	375-562-000	5.5 mm, Resector Cutter, Formula (5/box)
50	375-564-000	5.5 mm Aggressive Plus Cutter, Formula (5/box)
50	375-565-000	5.5 mm Tomcat Cutter, Formula (5/box)
50	375-566-000	5.5 mm Scalloped Cutter, Formula (5/box)
65	375-627-000	2.5 mm Small Joint Full Radius Cutter, Formula (5/box)
65	375-628-000	2.5 mm Small Joint Aggressive Plus Cutter, Formula (5/box)
65	375-636-000	3.5 mm Small Joint Tomcat Shaver Blade, Formula (5/box)

Page	Part Number	Product Description
65	375-637-000	3.5 mm Small Joint Full Radius Cutter, Formula (5/box)
65	375-638-000	3.5 mm Small Joint Aggressive Plus Cutter, Formula (5/box)
65	375-641-000	2 mm Small Joint Hooded Abrasion Bur, Formula (5/box)
65	375-647-000	3 mm Small Joint Hooded Abrasion Bur, Formula (5/box)
119	375-701-000	Formula Sterilization Cap
49	375-701-500	Formula Shaver Handpiece (no buttons)
49	375-704-500	Formula Shaver Handpiece (with buttons)
49	375-708-500	Formula 180 Shaver Handpiece (with buttons)
50	375-737-000	3.5 mm End Cutter, Formula (5/box)
50	375-747-000	4 mm End Cutter, Formula (5/box)
50	375-757-000	5 mm End Cutter, Formula (5/box)
51	375-832-000	4 mm Subchondral Drill, Formula (1.5 mm Drill Tip) (5/box)
50	375-884-000	4 mm TRUE End Cutter, Formula (5/box)
51	375-930-000	3.5 mm 6 Flute Round Bur, Formula (5/box)
51	375-940-000	4 mm 6 Flute Round Bur, Formula (5/box)
51	375-940-012	4 mm 12 Flute Round Bur, Formula (5/box)
51	375-940-200	4 mm 6 Flute Unhooded Round Bur, Formula (5/box)
51	375-941-000	4 mm 6 Flute Barrel Bur, Formula (5/box)
51	375-941-012	4 mm 12 Flute Barrel Bur, Formula (5/box)
51	375-941-200	4 mm 6 Flute Unhooded Barrel Bur, Formula (5/box)
51	375-941-500	4 mm 6 Flute SLAP Bur, Formula (5/box)
51	375-950-000	5.5 mm, 6 Flute Round Bur, Formula (5/box)

Page	Part Number	Product Description
51	375-950-012	5.5 mm 12 Flute Round Bur, Formula (5/box)
51	375-950-100	5 mm 6 Flute Round Bur, Formula (5/box)
51	375-950-112	5 mm 12 Flute Round Bur, Formula (5/box)
51	375-950-200	5.5 mm 6 Flute Unhooded Round Bur, Formula (5/box)
51	375-951-000	5.5 mm 6 Flute Barrel Bur, Formula (5/box)
51	375-951-012	5.5 mm 12 Flute Barrel Bur, Formula (5/box)
51	375-951-100	5 mm 6 Flute Barrel Bur, Formula (5/box)
51	375-951-112	5 mm, 12 Flute Barrel Bur, Formula (5/box)
51	375-951-200	5.5 mm 6 Flute Unhooded Barrel Bur, Formula (5/box)
51	375-952-000	5.5 mm 6 Flute Egg Bur, Formula (5/box)
51	375-953-000	5.5 mm 6 Flute Left Helix Barrel Bur, Formula (5/box)
51	375-953-012	5.5 mm 12 Flute Left Helix Barrel Bur, Formula (5/box)
64	377-000-100	Glick Hip Kit
64	377-030-200	Single Stopcock High Flow Sheath
64	377-030-201	Dual Stopcock High Flow Sheath
64	377-030-300	Cannulated Hip Scope Trocar
64	377-030-400	Cannulated Hip Scope Obturator
41	377-031-129	5 mm Obturator Speed Lock Cannula
41	377-031-144	5 mm Cannula, 2 Rotating Stopcocks
●	377-031-145	5 mm Cannula, 1 Rotating Stopcock
41	377-031-229	Trocar for 5 mm Speed-Lock Cannula
41	377-031-610	Obturator for 6.5 mm Speed-Lock Cannula, Pencil Tip

Page	Part Number	Product Description
41	377-031-611	Obturator for 6.5 mm Speed-Lock Cannula, Blunt Tip
41	377-031-620	Trocar for 6.5 mm Speed-Lock Cannula
41	377-031-630	6.5 mm Cannula, 1 Rotating Stopcock
41	377-031-640	6.5 mm Cannula, 1 Fixed Stopcock
41	377-031-650	6.5 mm Cannula, 2 Rotating Stopcocks
41	377-031-660	6.5 mm Cannula, 2 Fixed Stopcocks
53	377-031-900	Speed-Lock Syringe Adapter for 4 mm Arthroscope
53	377-031-901	Speed-Lock Cannula Plug for 4 mm Arthroscope
53	377-727-530	Speed-Lock Bridge, 1 Rotating Stopcock (Sapphire View Scopes)
53	377-727-540	Speed-Lock Bridge, 2 Rotating Stopcocks (Sapphire View Scopes)
64	377-727-550	Hip Scope Bridge, 2 Rotating Stopcocks
58	377-829-500	Obturator for 4.6 x 200 mm Cannula
58	377-829-501	Obtrocar for 4.6 X 200 mm Cannula
58	377-829-502	Trocar for 4.6 X 200 mm Cannula
58	377-829-510	4.6 X 200 mm Cannula, 1 Rotating Stopcock, No Distal Holes
58	377-829-520	4.6 X 200 mm Cannula, 1 Rotating Stopcock
58	377-829-530	4.6 X 200 mm Cannula, 2 Rotating Stopcocks, No Distal Holes
58	377-829-531	4.6 X 200 mm Cannula, 2 Rotating Stopcocks
58	377-829-540	4.6 X 200 mm Cannula, 1 Fixed Stopcock, No Distal Holes
58	377-829-541	4.6 X 200 mm Cannula, 1 Fixed Stopcock
58	377-829-550	4.6 X 200 mm Cannula, 2 Fixed Stopcocks, No Distal Holes

Page	Part Number	Product Description
58	377-829-551	4.6 X 200 mm Cannula, 2 Fixed Stopcocks
58	377-829-590	4.6 X 200 mm Cannula, 2 Rotating Stopcocks at 95°
58	377-829-595	4.6 X 200 mm, Cannula, 2 Rotating Stopcocks at 95°, No Distal Holes
58	377-829-600	Cannulated Obturator for 4.6 X 200 mm Cannula
58	377-829-601	Cannulated Obtrocator for 4.6 X 200 mm Cannula
58	377-829-602	Cannulated Trocar for 4.6 x 200 mm Cannula
58	377-829-690	4.6 X 200 mm Cannula, 2 Fixed Stopcocks at 95°
58	377-829-695	4.6 X 200 mm Cannula, 2 Fixed Stopcocks at 95°, No Distal Holes
58	377-829-700	3.5 mm Switching Stick
59	377-829-701	ParallelPortal Probe
●	380-010-116	Cap for Washer Laparoscope Cannula
59	380-532-300	ParallelPortal Cutter, Single Bend Resector 3.5 mm (5/box)
59	380-534-300	ParallelPortal Cutter, Single Bend Aggressive Plus 3.5 mm (5/box)
59	380-534-400	ParallelPortal Cutter, Double Bend Aggressive Plus 3.5 mm (5/box)
59	380-535-300	ParallelPortal Cutter, Single Bend Tomcat 3.5 mm (5/box)
59	380-535-400	ParallelPortal Cutter, Double Bend Tomcat 3.5 mm (5/box)
50	380-542-150	4.5 mm Angled Resector Cutter, Formula (5/box)
59	380-542-300	ParallelPortal Cutter, Single Bend Resector 4.0 mm (5/box)
50	380-543-150	4.5 mm Angled Double Bite Cutter, Formula (5/box)
50	380-544-100	4 mm Angled Aggressive Plus Cutter, Formula (5/box)

Page	Part Number	Product Description
50	380-544-150	4.5 mm Angled Aggressive Plus Cutter, Formula (5/box)
59	380-544-300	ParallelPortal Cutter, Single Bend Aggressive Plus 4.0 mm (5/box)
59	380-544-400	ParallelPortal Cutter, Double Bend Aggressive Plus 4.0 mm (5/box)
50	380-545-100	4.0 mm Angled Tomcat Cutter, Formula (5/box)
50	380-545-150	4.5 mm Angled Tomcat Cutter, Formula (5/box)
59	380-545-300	ParallelPortal Cutter, Single Bend Tomcat 4.0 mm (5/box)
59	380-545-400	ParallelPortal Cutter, Double Bend Tomcat 4.0 mm (5/box)
50	380-552-100	5 mm Angled Resector Cutter, Formula (5/box)
50	380-554-100	5 mm Angled Aggressive Plus Cutter, Formula (5/box)
50	380-555-100	5 mm Angled Tomcat Cutter, Formula (5/box)
63	385-544-000	4 mm Aggressive Plus, Long Hip Blade, Formula (5/box)
63	385-544-100	4 mm Angled Aggressive Plus, Long Hip Blade, Formula (5/box)
63	385-545-000	4 mm Tomcat, Long Hip Blade, Formula (5/box)
63	385-545-100	4 mm Angled Tomcat, Long Hip Blade, Formula (5/box)
63	385-552-000	5 mm Resector, XL
63	385-554-000	5 mm Aggressive Plus, XL
63	385-943-000	4 mm 8 Flute Long Hip Pear Bur, Formula (5/box)
63	385-950-008	5.5 mm 8-Flute Round Bur, XL
63	385-951-008	5.5 mm 8-Flute Barrel Bur, XL
63	385-953-008	5.5 mm 8-Flute Pear Bur, XL
55	450-000-000	CrossFlow Integrated Arthroscopy Pump
55	450-000-050	CrossFlow Competitor Coordination Cables

Page	Part Number	Product Description
55	450-000-100	CrossFlow Inflow Cassette Tubing
55	450-000-200	CrossFlow Outflow Cassette Tubing
55	450-000-300	CrossFlow Integrated Cassette Tubing
55	450-000-500	CrossFlow Footswitch
●	475-000-000	Crossfire Console
47	475-000-100	Crossfire Footswitch
47	475-100-000	Crossfire 2 Console
91	502-000-000	Fluid Safe Fluid Management System (3 Piece Kit)
●	502-000-001	Pump for Fluid Safe Fluid Management System
●	502-000-002	Weighing System for Fluid Safe Fluid Management System
●	502-000-003	Roller Base for Fluid Safe Fluid Management System
87	502-023-029	HTA Adapter for 2.9 mm Hysteroscope
38	502-027-010	Ideal Eyes 2.7 mm, 0° AC Stubby Eyepiece, J-Lock (75 mm)
38	502-027-030	Ideal Eyes 2.7 mm, 30° Autoclavable Stubby Eyepiece, J-Lock (75 mm)
38	502-027-070	Ideal Eyes 2.7 mm, 70° Autoclavable Stubby Eyepiece, J-Lock (75 mm)
91	502-100-000	Canisters for Fluid Safe
96, 112	502-103-010	10 mm x 33 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 0°
96, 112	502-103-030	10 mm x 33 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 30°
96, 112	502-103-045	10 mm x 33 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 45°
38	502-104-010	Ideal Eyes 4 mm, 0° Autoclavable Arthroscope, 140 mm Working
38	502-104-030	Ideal Eyes 4 mm, 30° Autoclavable Arthroscope, 140 mm Working

Page	Part Number	Product Description
38	502-104-045	Ideal Eyes 4 mm, 45° Autoclavable Arthroscope, 140 mm Working
38	502-104-070	Ideal Eyes 4 mm, 70° Autoclavable Arthroscope, 140 mm Working
38	502-104-130	Ideal Eyes 4 mm, 30° Autoclavable Reverse Cant Arthroscope, 140 mm
17	502-110-001	Articulating Laparoscope Leak Tester (10 mm)
17	502-110-002	Articulating Laparoscope Venting Cap (10 mm)
17, 18, 19, 80	502-110-004	Leak Tester
17	502-110-006	Trocar Introducer for 5 mm Articulating Laparoscope
17	502-110-010	10 mm Ideal Eyes Articulating Laparoscope (NTSC Scope)
17	502-110-110	5 mm Ideal Eyes Articulating Laparoscope (NTSC Scope)
18, 80	502-110-111K	Video Ureteroscope (Standard) Kit
18, 80	502-110-111	Video Ureteroscope
18, 80	502-110-112K	Video Ureteroscope (Intuitive) Kit
18, 80	502-110-112	Video Ureteroscope (Intuitive)
●	502-110-113	CST-5000S Digital Cystoscope/Hysteroscope
●	502-110-114	Intuitive Digital Cystoscope/Hysteroscope (reversed articulation directions)
●	502-110-115	Disposable Sheath for Digital Cystoscope/Hysteroscope, 1.5 mm
●	502-110-116	Disposable Sheath for Cystoscope/Hysteroscope, 2.1 mm
●	502-110-117	Case for Cystoscope/Hysteroscope
●	502-110-118	Floor Stand for Installing the Disposable on the Cystoscope/Hysteroscope
●	502-110-119	Endocart Stand for Cystoscope/Hysteroscope
●	502-110-120	Wall Stand for Cystoscope/Hysteroscope

Page	Part Number	Product Description
18, 19, 80	502-110-121	EtO/Vent Valve
18, 80	502-110-122	Cleaning Brush for Ureteroscope
18, 80	502-110-123	Carrying Case for Ureteroscope
17	502-110-145	5 mm Ideal Eyes Bariatric Articulating Laparoscope (NTSC Scope)
96, 112	502-113-010	10 mm x 45 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 0°
96, 112	502-113-030	10 mm x 45 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 30°
96, 112	502-113-045	10 mm x 45 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 45°
38	502-119-010	Ideal Eyes 1.9 mm, 0° Autoclavable Arthroscope J-Lock
38	502-119-030	Ideal Eyes 1.9 mm, 30° Autoclavable Arthroscope, J-Lock
38	502-123-010	Ideal Eyes 2.3 mm, 0° Autoclavable Arthroscope, J-Lock
38	502-123-030	Ideal Eyes 2.3 mm, 30° Autoclavable Arthroscope, J-Lock
38	502-123-070	Ideal Eyes 2.3 mm, 70° Autoclavable Arthroscope, J-Lock
38	502-123-130	Ideal Eyes 2.3 mm, 30° Autoclavable Reverse Cant Arthroscope, J-Lock
38	502-127-010	Ideal Eyes 2.7 mm, 0° Autoclavable Arthroscope, Speed-Lock
38	502-127-030	Ideal Eyes 2.7 mm, 30° Autoclavable Arthroscope, Speed-Lock
38	502-127-070	Ideal Eyes 2.7 mm, 70° Autoclavable Arthroscope, Speed-Lock
58	502-129-030	Ideal Eyes 30° Arthroscope, 2.9 X 200 mm, Eyepiece, Speedlock Autoclavable
39	502-144-010	1.9 mm, 0° Autoclavable Arthroscope, Speed-Lock
39	502-144-030	1.9 mm, 30° Autoclavable Arthroscope, Speed-Lock

Page	Part Number	Product Description
44	502-144-500	1.9 mm Pencil Tip Obturator, Speed-Lock
44	502-144-510	1.9 mm Obturator, Speed-Lock
44	502-144-520	1.9 mm Trocar, Speed-Lock
44	502-144-530	2.8 mm Cannula, 1 Rotating Stopcock, Speed-Lock
44	502-144-550	2.8 mm Cannula, 1 Fixed Stopcock, Speed-Lock
44	502-144-560	2.8 mm Cannula, 2 Rotating Stopcocks, Speed-Lock
91	502-200-000A	Integrated Tubing
38	502-204-010	Ideal Eyes 4 mm, 0° Long Autoclavable Arthroscope, 165 mm
38, 60	502-204-030	Ideal Eyes 4 mm, 30° Long Autoclavable Arthroscope, 165 mm
38, 60	502-204-070	Ideal Eyes 4 mm, 70° Long Autoclavable Arthroscope, 165 mm
●	502-205-010	5 mm, 0° Ideal Eyes Autoclavable Bariatric (45 cm)
●	502-205-030	5 mm, 30° Ideal Eyes Autoclavable Bariatric (45 cm)
●	502-205-045	5 mm, 45° Ideal Eyes Autoclavable Bariatric (45 cm)
●	502-206-010	5 mm, 0° Ideal Eyes HD IR Autoclavable Bariatric, Full Screen
●	502-206-030	5 mm, 30° Ideal Eyes HD IR Autoclavable Bariatric, Full Screen
●	502-206-045	5 mm, 45° Ideal Eyes HD IR Autoclavable Bariatric, Full Screen
●	502-210-010	10 mm, 0° Ideal Eyes Autoclavable Bariatric (45 cm)
●	502-210-030	10 mm, 30° Ideal Eyes Autoclavable Bariatric (45 cm)
●	502-210-045	10 mm, 45° Ideal Eyes Autoclavable Bariatric (45 cm)

Page	Part Number	Product Description
●	502-211-010	10 mm, 0° Ideal Eyes HD IR Autoclavable Bariatric, Full Screen
●	502-211-030	10 mm, 30° Ideal Eyes HD IR Autoclavable Bariatric, Full Screen
●	502-211-045	10 mm, 45° Ideal Eyes HD IR Autoclavable Bariatric, Full Screen
39	502-244-030	2.7 mm, 30° Autoclavable Stubby Arthroscope, Speed-Lock
39	502-244-070	2.7 mm, 70° Autoclavable Stubby Arthroscope, Speed-Lock
42	502-244-500	2.7 mm, Pencil Tip Obturator, Speed-Lock
42	502-244-510	2.7 mm Obturator, Speed-Lock (High Flow)
42	502-244-520	2.7 mm Trocar, Speed-Lock (High Flow)
42	502-244-530	4 mm Cannula, 1 Rotating Stopcock, Speed-Lock (High Flow)
42	502-244-550	4 mm Cannula, 1 Fixed Stopcock, Speed-Lock (High Flow)
42	502-244-560	4 mm Cannula, 2 Rotating Stopcocks, Speed-Lock (High Flow)
97	502-290-010	2.9 mm, 0° Ideal Eyes Autoclavable Pediatric
97	502-290-030	2.9 mm, 30° Ideal Eyes Autoclavable Pediatric
37, 60	502-304-030	4.0 mm x 165 mm, 30° Autoclavable Arthroscope, C-Mount, Speed-Lock
37, 60	502-304-070	4.0 mm x 165 mm, 70° Autoclavable Arthroscope, C-Mount, Speed-Lock
37	502-304-130	4.0 mm x 165 mm, 30° Autoclavable Arthroscope, C-Mount, Speed-Lock,
94, 97	502-329-010	2.9 mm x 30 cm, Laparoscope, 0°
94, 97	502-329-030	2.9 mm x 30 cm, Laparoscope, 30°
39	502-343-010	2.7 mm, 0° Autoclavable Arthroscope

Page	Part Number	Product Description
39	502-343-030	2.7 mm, 30° Autoclavable Arthroscope
39	502-343-070	2.7 mm, 70° Autoclavable Arthroscope
39	502-344-010	2.3 mm, 0° Autoclavable Arthroscope, Speed-Lock
39	502-344-030	2.3 mm, 30° Autoclavable Arthroscope, Speed-Lock
42, 43	502-344-500	2.3 mm Pencil Tip Obturator, Speed-Lock
42, 43	502-344-510	2.3 mm Obturator, Speed-Lock
42, 43	502-344-520	2.3 mm Trocar, Speed-Lock
42, 43	502-344-530	3.2 mm Cannula, 1 Rotating Stopcock, Speed-Lock
42, 43	502-344-540	3.2 mm Cannula, 2 Fixed Stopcocks, Speed-Lock
42, 43	502-344-550	3.2 mm Cannula, 1 Fixed Stopcock, Speed-Lock
42, 43	502-344-560	3.2 mm Cannula, 2 Rotating Stopcocks, Speed-Lock
40	502-427-010	4 mm, 0° C-Mount Non-Autoclavable Arthroscope
40	502-427-030	4 mm, 30° C-Mount Non-Autoclavable Arthroscope
40	502-427-070	4 mm, 70° C-Mount Non-Autoclavable Arthroscope
40	502-427-130	4 mm, 30° C-Mount Non-Autoclavable Reverse Cant Arthroscope
40	502-428-010	2.7 mm 0° C-Mount Arthroscope
40	502-428-030	2.7 mm, 30° C-Mount Non-Autoclavable Arthroscope
●	502-457-010	10 mm, 0° Autoclavable Laparoscope
●	502-457-030	10 mm, 30° Autoclavable Laparoscope
●	502-457-045	10 mm, 45° Autoclavable Laparoscope
96, 112	502-503-010	5.5 mm x 30 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 0°

Page	Part Number	Product Description
96, 112	502-503-030	5.5 mm x 30 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 30°
96, 112	502-503-045	5.5 mm x 30 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 45°
96, 112	502-513-010	5.5 mm x 45 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 0°
96, 112	502-513-030	5.5 mm x 45 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 30°
96, 112	502-513-045	5.5 mm x 45 cm, Precision Ideal Eyes HD Autoclavable Laparoscope, 45°
●	502-523-030	2.3 mm, 30° C-Mount Autoclavable Arthroscope, Speed-Lock
●	502-524-030	1.9 mm, 30° C-Mount Arthroscope, Speed-Lock
40	502-527-010	4 mm, 0° C-Mount A/C Arthroscope
40	502-527-030	4 mm, 30° C-Mount Autoclavable Arthroscope
40	502-527-070	4 mm, 70° C-Mount Autoclavable Arthroscope
40	502-527-130	4 mm, 30° C-Mount Autoclavable Reverse Cant Arthroscope
78	502-532-030	4 mm, 30° Autoclavable Cystoscope with Integrated Green Light Filter
●	502-539-010	5 mm, 0° Ideal Eyes Autoclavable, Full Screen, 30 cm
●	502-539-030	5 mm, 30° Ideal Eyes Autoclavable, Full Screen
●	502-539-045	5 mm, 45° Ideal Eyes Autoclavable, Full Screen
●	502-540-010	5 mm, 0° Ideal Eyes HD IR Autoclavable, Full Screen
●	502-540-030	5 mm, 30° Ideal Eyes HD IR Autoclavable, Full Screen
●	502-540-045	5 mm, 45° Ideal Eyes HD IR Autoclavable, Full Screen
●	502-555-045	5 mm, 45° Autoclavable Laparoscope
87	502-555-100	Semi-Flexible (Single Action) Grasper, 5 Fr, 41 cm

Page	Part Number	Product Description
87	502-555-200	Semi-Flexible Biopsy Punch, 5 Fr, 41 cm
87	502-555-300	Semi-Flexible Scissors, 5 Fr, 41 cm
87	502-555-400	Semi-Flexible Biopsy Cup, 5 Fr, 41 cm
87	502-555-500	Semi-Flexible (Double Action) Grasper, 5 Fr, 41 cm
●	502-557-010	10 mm, 0° Autoclavable Bariatric Laparoscope (45 cm)
●	502-557-030	10 mm, 30° Autoclavable Bariatric Laparoscope (45 cm)
●	502-577-010	4 mm, 0° Long Autoclavable Arthroscope, 165 mm
60	502-577-015	5.8 mm Long Pencil Tip Cannulated Obturator
●	502-577-070	4 mm, 70° Long Autoclavable Arthroscope, 165 mm
41	502-577-510	Blunt Tip Obturator for 4 mm Long Arthroscope
41, 60	502-577-515	Pencil Tip Obturator for 4 mm Long Arthroscope
41	502-577-520	Trocar for 4 mm Long Arthroscope
41, 60	502-577-550	5.8 Cannula, 2 Rotating Stopcocks for 4 mm Long Arthroscope
●	502-585-010	5 mm, 0° Standard Laparoscope (5.0 mm OD)
●	502-585-030	5 mm, 30° Standard Laparoscope (5.0 mm OD)
●	502-585-045	5 mm, 45° Standard Laparoscope (5.0 mm OD)
40	502-623-030	2.3 mm, 30° C-Mount Non-Autoclavable Arthroscope, Speed-Lock
43	502-623-500	2.3 mm Autoclavable Pencil Tip Obturator, Speed-Lock
43	502-623-510	2.3 mm Autoclavable Blunt Tip Obturator, Speed-Lock
43	502-623-520	2.3 mm Autoclavable Trocar for 2.9 mm Cannula, Speed-Lock
43	502-623-530	2.9 mm Autoclavable Cannula, 1 Rotating Stopcock, Speed-Lock

Page	Part Number	Product Description
40	502-624-030	1.9 mm, 30° C-Mount Non-Autoclavable Arthroscope, Speed-Lock
40	502-626-010	2.7 mm, 0° Speedlock Stubby C-Mount Endoscope, Non-Autoclavable
40	502-626-030	2.7 mm, 30° C-Mount Non-Autoclavable Stubby Arthroscope, Speed-Lock
64	502-677-030	4 mm, 30° Autoclavable Hip Arthroscope
64	502-677-070	4 mm, 70° Autoclavable Hip Arthroscope
●	502-704-010	Ideal Eyes 4 mm, 0° C-Mount, Autoclavable Arthroscope
44	502-711-500	Pencil Tip Obturator for 2.8 mm Cannula, J-Lock
44	502-711-510	Blunt Tip Obturator for 2.8 mm Cannula, J-Lock
44	502-711-520	Trocar for 2.8 mm Cannula, J-Lock
44	502-711-530	2.8 mm Cannula, 1 Rotating Stopcock, J-Lock
44	502-711-540	2.8 mm Cannula, 2 Fixed Stopcocks, J-Lock
44	502-711-550	2.8 mm Cannula, 1 Fixed Stopcock, J-Lock
44	502-711-560	2.8 mm Cannula, 2 Rotating Stopcocks, J-Lock
43	502-712-500	Pencil Tip Obturator for 2.9 mm Cannula, J-Lock
43	502-712-510	Blunt Tip Obturator for 2.9 mm Cannula, J-Lock
43	502-712-520	Trocar for 2.9 mm Cannula, J-Lock
43	502-712-530	2.9 mm Cannula, 1 Rotating Stopcock, J-Lock
42, 43	502-713-500	Pencil Tip Obturator for 3.2 mm Cannula, J-Lock
42, 43	502-713-510	Blunt Tip Obturator for 3.2 mm Cannula, J-Lock
42, 43	502-713-520	Trocar for 3.2 mm Cannula, J-Lock
42, 43	502-713-530	3.2 mm Cannula, 1 Rotating Stopcock, J-Lock
42, 43	502-713-540	3.2 mm Cannula, 2 Fixed Stopcocks, J-Lock

Page	Part Number	Product Description
42, 43	502-713-550	3.2 mm Cannula, 1 Fixed Stopcock, J-Lock
42, 43	502-713-560	3.2 mm Cannula, 2 Rotating Stopcocks, J-Lock
42	502-714-500	Pencil Tip Obturator for 4 mm Cannula, J-Lock
42	502-714-510	Blunt Tip Obturator for 4 mm Cannula, J-Lock
42	502-714-520	Trocar for 4 mm Cannula J-Lock
42	502-714-530	4 mm Cannula, 1 Rotating Stopcock, J-Lock
42	502-714-540	4 mm Cannula, 2 Fixed Stopcocks, J-Lock
42	502-714-550	4 mm Cannula, 1 Fixed Stopcock, J-Lock
42	502-714-560	4 mm Cannula 2 Rotating Stopcocks, J-Lock
86	502-729-000	Ideal Eyes 2.9 mm, 0° Autoclavable Hysteroscope
86, 88	502-729-012	Ideal Eyes 2.9 mm, 12° Autoclavable Hysteroscope
86	502-729-030	Ideal Eyes 2.9 mm, 30° Autoclavable Hysteroscope
86	502-729-050	Obturator for 2.9 mm Diagnostic Hysteroscope Sheath
86	502-729-051	2.9 mm Hysteroscope Diagnostic Sheath (Inner)
86	502-729-052	2.9 mm Hysteroscope Diagnostic Sheath (Outer)
86	502-729-060	Obturator for 2.9 mm Operative Hysteroscope Sheath
86	502-729-061	2.9 mm Hysteroscope Operative Sheath (Inner)
86	502-729-062	2.9 mm Hysteroscope Operative Sheath (Outer)
86	502-740-000	4 mm, 0° Autoclavable Hysteroscope
86	502-740-012	4 mm, 12° Autoclavable Hysteroscope
86	502-740-030	4 mm, 30° Autoclavable Hysteroscope
86	502-740-050	Obturator for 4 mm Diagnostic Hysteroscope Sheath

Page	Part Number	Product Description
86	502-740-051	4 mm Hysteroscope Diagnostic Sheath (Inner)
86	502-740-052	4 mm Hysteroscope Diagnostic Sheath (Outer)
86	502-740-060	Obturator for 4 mm Operative Hysteroscope Sheath
86	502-740-061	4 mm Hysteroscope Operative Sheath (Inner)
86	502-740-062	4 mm Hysteroscope Operative Sheath (Outer)
87	502-777-100	Semi-Flexible (Single Action) Grasper, 7 Fr, 41 cm
87	502-777-200	Semi-Flexible Biopsy Punch, 7 Fr, 41 cm
87	502-777-300	Semi-Flexible Scissors, 7 Fr, 41 cm
87	502-777-400	Semi-Flexible Biopsy Cup, 7 Fr, 41 cm
87	502-777-500	Semi-Flexible (Double Action) Grasper, 7 Fr, 41 cm
37	502-819-010	Ideal Eyes Precision HD, 1.9 mm, 0° Autoclavable Arthroscope, J-Lock, C-Mount
37	502-819-030	Ideal Eyes Precision HD, 1.9 mm, 30° Autoclavable Arthroscope, J-Lock, C-Mount
37	502-820-030	Ideal Eyes Precision HD, 1.9 mm, 30° Autoclavable Arthroscope, Speedlock, C-Mount
37	502-822-030	Ideal Eyes Precision HD, 2.3 mm, 30° Autoclavable Arthroscope, Speedlock, C-Mount
37	502-823-010	Ideal Eyes Precision HD, 2.3 mm, 0° Autoclavable Arthroscope, J-Lock, C-Mount
37	502-823-030	Ideal Eyes Precision HD, 2.3 mm, 30° Autoclavable Arthroscope, J-Lock, C-Mount
37	502-823-070	Ideal Eyes Precision HD, 2.3 mm, 70° Autoclavable Arthroscope, J-Lock, C-Mount
37	502-823-130	Ideal Eyes Precision HD, 2.3 mm, 30° Autoclavable Arthroscope, Reverse Cant, J-Lock, C-Mount
37	502-826-030	Ideal Eyes Precision HD, 2.7 mm, 30° Autoclavable Arthroscope, Speedlock, C-Mount, 75 mm

Page	Part Number	Product Description
37	502-826-070	Ideal Eyes Precision HD, 2.7 mm, 70° Autoclavable Arthroscope, Speedlock, C-Mount, 75 mm
37	502-827-010	Ideal Eyes Precision HD, 2.7 mm, 0° Autoclavable Arthroscope, J-Lock, C-Mount, 75 mm
37	502-827-030	Ideal Eyes Precision HD, 2.7 mm, 30° Autoclavable Arthroscope, J-Lock, C-Mount, 75 mm
37	502-827-070	Ideal Eyes Precision HD, 2.7 mm, 70° Autoclavable Arthroscope, J-Lock, C-Mount, 75 mm
37	502-827-130	Ideal Eyes Precision HD, 2.7 mm, 30° Autoclavable Arthroscope, Reverse Cant, J-Lock, C-Mount, 75 mm
58	502-829-030	Ideal Eyes Precision HD, 30° Arthroscope, 2.9 x 200 mm, C-Mount, Speed-Lock, Autoclavable
●	502-859-010	10 mm, 0° Ideal Eyes Autoclavable, Full Screen (33 cm)
●	502-859-030	10 mm, 30° Ideal Eyes Autoclavable, Full Screen (33 cm)
●	502-859-045	10 mm, 45° Ideal Eyes Autoclavable, Full Screen (33 cm)
●	502-860-010	10 mm, 0° Ideal Eyes HD IR Autoclavable, Full Screen
●	502-860-030	10 mm, 30° Ideal Eyes HD IR Autoclavable, Full Screen
●	502-860-045	10 mm, 45° Ideal Eyes HD IR Autoclavable, Full Screen
76, 89	502-880-001	24/26 Fr Resectoscope Standard Obturator
76, 89	502-880-002	24/26 Fr Resectoscope Visual Obturator
76	502-880-003	24/26 Fr Resectoscope Timberlake Obturator
77, 90	502-880-005	Laser Bridge (For use with Straight Fire Laser)
77, 90	502-880-006	Bladder Syringe Adapter, (Inner Sheath)
77, 90	502-880-007	Bladder Syringe Adapter, (Outer Sheath)

Page	Part Number	Product Description
74	502-880-200	Evaluation Bridge
74	502-880-201	Single Horn Bridge
74	502-880-202	Double Horn Bridge
74	502-880-203	Albarran Bridge, Double Horn
75	502-880-204	Bladder Syringe Adapter Cystoscope Sheath
75, 77, 82, 87, 90	502-880-205	Port Seal (10/box)
74	502-880-206	Albarran Bridge, Single Horn
77	502-880-207	Stone Crushing Forcep Adapter, Outer Sheath
77, 90	502-880-208	Rigid Optical Forcep Adapter, Outer Sheath
77, 90	502-880-209	Rigid Optical Forcep Adapter, Inner Sheath
75, 90	502-880-210	Rigid Optical Biopsy Forcep, 0°, 12°
75, 90	502-880-211	Rigid Optical Grasping Forcep, 0°, 12°
75, 90	502-880-213	Rigid Optical Stone Crushing Forcep 30°
75, 90	502-880-214	Rigid Optical Biopsy Forcep 70°
75, 90	502-880-215	Rigid Optical Biopsy Forcep 30°
75	502-880-216	Rigid Optical Scissors, for use with 0°, 12° Cystoscope
74	502-880-217	17 Fr Cystoscope Sheath
74	502-880-218	17 Fr Cystoscope Standard Obturator
74	502-880-219	19 Fr Cystoscope Sheath
74	502-880-220	19 Fr Cystoscope Standard Obturator
74	502-880-221	21 Fr Cystoscope Sheath
74	502-880-222	21 Fr Cystoscope Standard Obturator
74	502-880-223	23 Fr Cystoscope Sheath
74	502-880-224	23 Fr Cystoscope Standard Obturator
74	502-880-225	25 Fr Cystoscope Sheath
74	502-880-226	25 Fr Cystoscope Standard Obturator

Page	Part Number	Product Description
75, 90	502-880-230	Rigid Optical Stent Removal Forcep 0°, 12°
78	502-880-299	Continuous Flow Laser Cystoscope Sheath (Outer)
78	502-880-300	Continuous Flow Laser Cystoscope Sheath
78	502-880-301	Visual Obturator, Laser Cystoscope
78	502-880-302	Sweep Guide, Laser Cystoscope Sidem Fire Laser Sheath
78	502-880-303	Continuous Flow Laser Cystoscope Sheath (Inner)
76, 89	502-880-324	24 Fr Standard Flow Resectoscope Sheath
77	502-880-325	24 Fr Standard Flow Resectoscope Sheath Adapter
76	502-880-327	27 Fr Standard Flow Resectoscope Sheath
77	502-880-328	27 Fr Standard Flow Resectoscope Sheath Adapter
81	502-880-330	SRU-6 Autoclavable Semi-Rigid Ureteroscope, 6.9/10 Fr, 33 cm
76, 79, 89	502-880-401	Working Element, Passive (Iglesias)
76, 89	502-880-402	Working Element, Active (Baumrucker)
76	502-880-425	27/28 Fr Resectoscope Timberlake Obturator
76, 89	502-880-426	24/26 Fr Continuous Flow Inner/Outer Sheath
76	502-880-427	27/28 Fr Resectoscope Standard Obturator
76	502-880-428	27/28 Fr Continuous Flow Inner/Outer Sheath
76	502-880-429	27/28 Fr Resectoscope Visual Obturator
81	502-880-430	SRU-6X Autoclavable Semi-Rigid Ureteroscope, 6.9/10 Fr, 43 cm
79	502-880-501	Cold Knife, Half Moon
79	502-880-502	Cold Knife, Straight
79	502-880-503	Cold Knife, Serrated
79	502-880-504	Cold Knife, Hook
79	502-880-505	Cold Knife, Loop

Page	Part Number	Product Description
79	502-880-521	21 Fr Visual Urethrotome Sheath
79	502-880-522	21 Fr Urethrotome Standard Obturator
79	502-880-523	21 Fr Urethrotome Visual Obturator
79	502-880-524	21 Fr Visual Urethrotome Working/Optical Bridge
79	502-880-525	25 Fr Visual Urethrotome (Outer Sheath)
79	502-880-526	25 Fr Balloon Catheter Sheath
●	502-880-600	Ellik Evacuator
75	502-880-601	Ellik Adapter Cysto Sheath
77, 90	502-880-602	Ellik Adapter Inner Sheath
77, 90	502-880-603	Ellik Adapter Outer Sheath
77	502-880-650	Reusable Stopcock
74	502-881-217	17 Fr Cysto Visual Obturator
74	502-881-219	19 Fr Cysto Visual Obturator
74	502-881-221	21 Fr Cysto Visual Obturator
74	502-881-223	23 Fr Cysto Visual Obturator
74	502-881-225	25 Fr Cysto Visual Obturator
37	502-904-010	Ideal Eyes Precision HD, 4 mm, 0°, Autoclavable Arthroscope, C-Mount, 140 mm
37	502-904-030	Ideal Eyes Precision HD, 4 mm, 30°, Autoclavable Arthroscope, C-Mount, 140 mm
37	502-904-070	Ideal Eyes Precision HD, 4 mm, 70°, Autoclavable Arthroscope, C-Mount, 140 mm
37	502-904-130	Ideal Eyes Precision HD, 4 mm, 30°, Autoclavable Arthroscope, Reverse Cant, C-Mount, 140 mm
●	502-927-010	Ideal Eyes Precision HD, 2.7 mm, 0°, Autoclavable Arthroscope, Speed-Lock, C-Mount, 120 mm
●	502-927-030	Ideal Eyes Precision HD, 2.7 mm, 30°, Autoclavable Arthroscope, Speed-Lock, C-Mount, 120 mm
37	502-927-070	Ideal Eyes Precision HD, 2.7 mm, 70°, Autoclavable Arthroscope, Speed-Lock, C-Mount, 120 mm

Page	Part Number	Product Description
●	502-944-030	2.7 mm Hysteroscope Operative Sheath
●	502-958-030	Obturator for 2.7 mm Cannula
●	502-977-030	4 mm Diagnostic Sheath
●	502-978-030	Operation Sheath for 4 mm Hysteroscope
74	502-990-000	4 mm, 0° Autoclavable Cystoscope
74	502-990-012	4 mm, 12° Autoclavable Cystoscope
74, 76, 89	502-990-030	4 mm, 30° Autoclavable Cystoscope
74	502-990-070	4 mm, 70° Autoclavable Cystoscope
90	502-990-100	Aesculap/Berchtold Cable
90	502-990-200	Storz/ERBE Cable
90	502-990-300	Universal/Valleylab Cable
88	502-990-322	22/24 Fr Resectoscope Sheath (Inner)
88	502-990-324	22/24 Fr Resectoscope Sheath (Outer)
88	502-990-401	22/24 Fr Working Element—Passive
88	502-990-414	22/24 Fr Resectoscope Standard Obturator
88	502-990-424	22/24 Fr Continuous Flow Resectoscope Sheath (Inner/Outer)
74	502-991-000	4 mm, 0° KS-Series Autoclavable Cystoscope
74	502-991-012	4 mm, 12° KS-Series Autoclavable Cystoscope
74	502-991-030	4 mm, 30° KS-Series Autoclavable Cystoscope
74	502-991-070	4 mm, 70° KS-Series Autoclavable Cystoscope
●	503-888-002	Eto Venting Valve Adapter
●	503-888-003	Cleaning Brush for Flexiblescope
●	503-888-004	Lens Cleaner
●	503-888-005	Leak Valve Tester
●	503-888-011	Cleaning Brush for Flexible Cystonephroscope
●	503-888-020	CST-4000S Fiber Cystoscope/Hysteroscope

Page	Part Number	Product Description
●	503-888-021	Intuitive Fiber Cystoscope (reversed articulation directions)
●	503-888-022	Fiber Cystoscope/Hysteroscope Disposable Sheath with 1.5 mm (4.5 Fr) Working Channel
●	503-888-023	Fiber Cystoscope/Hysteroscope Disposable Sheath with 2.1 mm (6.3 Fr) Working Channel
●	503-888-025	Battery Light Source Replacement
●	503-888-028	Battery Powered Light Source Kit
●	503-888-030	Rechargeable Lithium Ion Battery
●	503-888-031	Battery Charger
●	504-803-070	3 Fr Flat Wire Basket, 70 cm
●	504-803-090	3 Fr Flat Wire Basket, 90 cm
●	504-803-115	3 Fr Flat Wire Basket, 115 cm
●	504-833-070	3.0 Fr Grasping forcep, 70 cm
●	504-833-090	3 Fr 3-Wire Grasping Forcep, 90 cm
●	504-833-115	3 Fr 3-Wire Grasping Forcep, 115 cm
82	504-841-115	2 Fr Short Tip Electrode, 115 cm (3/box)
82	504-842-115	2 Fr Long Tip Electrode, 115 cm (3/box)
82	504-843-115	3 Fr Short Tip Electrode, 115 cm (3/box)
82	504-844-115	3 Fr Long Tip Electrode, 115 cm (3/box)
82	504-860-065	5 Fr Bugbee Electrode, 65 cm (3/box)
82	504-861-065	5 Fr Ball Electrode, 65 cm (3/box)
82	504-862-065	5 Fr Domed Electrode, 65 cm (3/box)
75	504-870-040	7 Fr Bugbee Electrode, 40 cm (3/box)
75	504-871-040	7 Fr Ball Electrode, 40 cm (3/box)
75	504-872-040	7 Fr Domed Electrode, 40 cm (3/box)

Page	Part Number	Product Description
89	504-880-100	Gold Coagulating Electrode (6/box)
77, 89	504-880-200	Roller Ball Electrode (6/box)
77, 89	504-880-312	24 Fr 90° Cutting Loop Electrode, 0.012 (6/box)
77, 89	504-880-314	24 Fr 90° Cutting Loop Electrode, 0.014 (6/box)
77, 89	504-880-400	24 Fr 30° Cutting Loop Electrode, 0.012 (6/box)
77, 89	504-880-414	24 Fr 30° Cutting Loop Electrode, 0.014 (6/box)
77, 89	504-880-500	0° (Straight) Cutting Loop Electrode (6/box)
77, 89	504-880-600	Dimpled Vaporizing Roller Ball Electrode (6/box)
77, 89	504-880-800	Collings Knife Electrode (6/box)
77	504-881-100	27 Fr Gold Coagulating Electrode (6/box)
77	504-881-312	27 Fr 90° Cutting Loop Electrode, 0.012 (6/box)
77	504-881-314	27 Fr 90° Cutting Loop Electrode, 0.014 (6/box)
77	504-881-412	27 Fr 30° Cutting Loop Electrode, 0.012 (6/box)
77	504-881-414	27 Fr 30° Cutting Loop Electrode, 0.014 (6/box)
●	504-882-115	2.4 Fr Nitinol Basket, 115 cm
●	504-883-070	3.0 Fr Nitinol Basket, 70 cm
●	504-883-090	3.0 Fr Nitinol Basket, 90 cm
●	504-883-115	3.0 Fr Nitinol Basket, 115 cm
88	504-990-100	Rev360 Gold Coagulating Electrode (6/box)
88	504-990-200	Rev360 Roller Ball Electrode (6/box)
88	504-990-314	Rev360 30° Cutting Loop Electrode, 0.014 (6/box)
88	504-990-500	Rev360 0° (Straight) Cutting Loop Electrode, 0.014 (6/box)
88	504-990-600	Rev360 Dimpled Vaporizing Roller Ball Electrode (6/box)
88	504-990-800	Rev360 Collings Knife Electrode (6/box)
81	504-999-001	Cleaning Brush for Semi-Rigid Ureteroscope

Page	Part Number	Product Description
75	505-880-105	5 Fr Flexible Grasping Forcep
75	505-880-107	7 Fr Flexible Grasping Forcep
75	505-880-109	Flexible Grasping Forcep, 9 Fr
75	505-880-115	5 Fr Flexible Biopsy Cup Forcep
75	505-880-117	7 Fr Flexible Biopsy Cup Forcep
75	505-880-119	9 Fr Flexible Biopsy Cup Forcep
75	505-880-125	Flexible Scissor, 5 Fr
75	505-880-127	Flexible Scissor, 7 Fr
75	505-880-129	Flexible Scissor, 9 Fr
82	505-880-205	5 Fr Flexible Grasping Forcep, 60 cm
82	505-880-215	5 Fr Flexible Biopsy Cup Forcep, 60 cm
82	505-880-225	5 Fr Flexible Scissor, 60 cm
75	505-880-235	5 Fr Flexible Rat Tooth Forcep, 60 cm
82	505-880-303	3 Fr Flexible Grasping Forcep, 60 cm
82	505-880-313	3 Fr Flexible Biopsy Cup Forcep, 60 cm
82	505-880-333	3 Fr Flexible Rat Tooth Forcep, 60 cm
●	570-010-122	Eyepiece Adapter for Olympus Flexible Scope
●	570-010-123	Eyepiece Adapter for Pentax Flexible Scope
110	620-010-101	Veress Needle
110	620-010-103	CO2 Tank Yoke
110	620-010-104	CO2 Tank Hose
111	620-030-100	PureView Buffalo Filter (10/box)
110	620-030-201	16 Liter Insufflator Tubing (10/box)
110	620-030-301	High Flow Insufflator Tubing (10/box)
110	620-030-407	High Flow Heated Insufflator Tubing (5/box)
110	620-030-503	CO2 Switching Valve
●	620-030-604	Plume-Away 4
●	620-030-606	Ultra Plume-Away 6
110	620-040-002	Central Gas Connector
110	620-040-003	Central Gas Hose

Page	Part Number	Product Description
110	620-040-610	PneumoSure XL
110	620-040-620	Pneumo Sure Mode Upgrade Kit To XL
119	620-040-650	TubeSet Adapter for Pneumo Sure
110	620-040-652	Pneumo Sure XL Kit for House Gas Connection
110	620-040-654	Pneumo Sure XL Kit for Bottle Gas Connection
110	620-040-660	High Flow
110	620-040-680	High Flow with RTP
110	620-040-690	Heated Tube Set with RTP
13	700-010-000	Precision AC 3-Chip Camera Control Unit (CCU)
13	700-010-001	Precision AC 3-Chip Camera Control Unit (CCU) with DVI Fiber Output
16	700-020-122	Precision 20 mm Autoclavable Coupler, C-Mount
13	700-410-105	Precision AC 3-Chip Autoclavable Camera Head, C-Mount
13	700-410-122	Precision AC 3-Chip Autoclavable Camera Head and 20 mm Coupler Kit
41	747-031-510	Obturator for 5.8 mm Speed-Lock Cannula, Pencil Tip
41	747-031-511	Obturator for 5.8 mm Speed-Lock Cannula, Blunt Tip
41	747-031-520	Trocar for 5.8 mm Speed-Lock Cannula
41	747-031-530	5.8 mm Cannula, 1 Rotating Stopcock
41	747-031-540	5.8 mm Cannula, 1 Fixed Stopcock
41	747-031-550	5.8 mm Cannula, 2 Rotating Stopcocks
41	747-031-560	5.8 mm Cannula, 2 Fixed Stopcocks
41	747-031-650	Inflow with Outflow Cannula
●	777-021-000	YAG Filter
16	882-210-110	C-Mount, Zeiss/Leica C-Mount Microscope Adapter
●	1000-000-079	Case for FlexVision Scope

Page	Part Number	Product Description
●	1000-000-111	Case for Cystonephroscope
16	1088-020-121	1088 20 mm Rotating C-Mount Coupler
15	1188-000-020	1188 HD Camera Extension Cable (20 ft)
15	1188-010-000	1188 HD CCU
16	1188-020-122	1188 C-Mount Coupler
16	1188-410-110	1188 HD 3-Chip Autoclavable Coupler
15	1188-410-122	1188 A/C Camera Head and Coupler
●	1188-410-123	5 Year Warranty for 1188 A/C Camera Head and Coupler
●	1188-410-124	5 Year Warranty for 1188 A/C Camera Head
14	1288-000-020	1288 HD Camera Extension Cable
14	1288-010-000	1288 HD Camera Control Unit
14	1288-010-001	1288 HD Camera Control Unit with Fiber Output
16	1288-020-122	1288 C-Mount Coupler
14	1288-210-105	1288 HD Camera Head
14	1288-210-122	1288 Camera Head and Coupler Kit
14	1288-310-130	1288 HD Urology Camera Head
14	1288-710-105	1288 HD Inline Camera Head
12	1488-000-020	1488 HD 3-Chip Camera Extension Cable (20 ft)
12	1488-010-000	1488 HD 3-Chip Camera Control Unit (CCU)
12	1488-010-001	1488 HD 3-Chip Camera Control Unit (CCU) with DVI Fiber Output
16	1488-020-122	1488 HD 18 mm Coupler, C-Mount
16	1488-020-125	Ideal Eyes Zoom Coupler, C-Mount
12	1488-210-105	1488 HD 3-Chip Camera Head, C-Mount
12	1488-210-122	1488 HD 3-Chip Camera Head and 18 mm Coupler Kit
12	1488-310-130	1488 HD 3-Chip Pendulum Camera Head with Integrated Coupler

Page	Part Number	Product Description
12	1488-610-122	1488 HD 3-Chip Camera Head with Integrated Coupler
12	1488-710-105	1488 HD 3-Chip Inline Camera Head, C-Mount
12	1488-710-122	1488 HD 3-Chip Inline Camera and 18 mm Coupler Kit
70	3910-075-006	6.5 mm x 75 mm, Reusable Cannulated Obturator
70	3910-075-008	8 mm x 75 mm, Reusable Cannulated Obturator
70	3910-075-500	5 mm x 75 mm, Threaded Dri-Lok Cannula (5/box)
70	3910-075-501	5 mm x 75 mm, Non-Threaded Dri-Lok Cannula (5/box)
70	3910-075-502	5 mm x 75 mm, Distal Thread Dri-Lok Cannula (5/box)
70	3910-075-650	6.5 mm x 75 mm, Threaded Dri-Lok Cannula (5/box)
70	3910-075-651	6.5 mm x 75 mm, Non-Threaded Dri-Lok Cannula (5/box)
70	3910-075-652	6.5 mm x 75 mm, Distal Thread Dri-Lok Cannula (5/box)
70	3910-075-800	8 mm x 75 mm, Threaded Dri-Lok Cannula (5/box)
70	3910-075-801	8 mm x 75 mm, Non-Threaded Dri-Lok Cannula (5/box)
70	3910-075-802	8 mm x 75 mm, Distal Thread Dri-Lok Cannula (5/box)
64, 70	3910-090-006	6.5 mm x 90 mm, Reusable Cannulated Obturator
64, 70	3910-090-008	8 mm x 90 mm, Reusable Cannulated Obturator
64, 70	3910-090-500	5 mm x 90 mm, Threaded Dri-Lok Cannula (5/box)
64, 70	3910-090-502	5 mm x 90 mm, Distal Thread Dri-Lok Cannula (5/box)
64, 70	3910-090-650	6.5 mm x 90 mm, Threaded Dri-Lok Cannula (5/box)
64, 70	3910-090-652	6.5 mm x 90 mm, Distal Thread Dri-Lok Cannula (5/box)
64, 70	3910-090-800	8 mm x 90 mm, Threaded Dri-Lok Cannula (5/box)
64, 70	3910-090-802	8 mm x 90 mm, Distal Thread Dri-Lok Cannula (5/box)
68	3910-500-800	3 mm Probe

Page	Part Number	Product Description
68	3910-500-850	5 mm Probe
59	3911-004-000	ParallelPortal Cannula with Zero Tube
59	3911-004-025	4.5 mm x 25 mm, ParallelPortal Cannula
59	3911-004-055	4.5 mm x 55 mm, ParallelPortal Cannula
48	5100-008-000	TPS Footswitch
48	5400-050-000	CORE Console
22, 48	6000-001-020	Firewire Cable (2 m)
15, 16	P10261	1188 Autoclavable Soaking Cap
17	P10352	Y Remote Cable
29, 119	P12811	Pink Paper Holder for Stryker Digital Printer SDP1000
29, 119	P12812	Blue Paper Holder for Stryker Digital Printer SDP1000
119	P12814	Cleaning Ribbon For SDP1000 Printer
119	P14622	Print Head for Kodak Esp 7250
119	P16009	Sub-System, SK28-LCD
119	P16386	Writer Sata - Lite-On IHAS124
12, 13, 16, 119	P17542	1488 Soaker Cap
119	P18917	X8000 Ballast (Cep301) Mounting Bracket
119	P19114	Cable, Control Board/ Ballast (Cep301) Power
119	P19115	Cable, Control Board/ Ballast (Cep301) Lit-Enable-Intensity-Status
119	P19116	X8000 Ballast, CEO301CXE
119	P19118	Cable, Bulb Anode/Ballast (Cep301)
12, 16, 119	P24765	Lanyard Pur 1488
119	P26599	SDC Ultra Sata DVD Drive
13, 16	P26805	Precision Soaker Cap Lanyard
59	R233-032-201	ParallelPortal Instrument Rental Kit
61	R242-200-000	Hip Instruments Rental Kit
60	R295-720-000	Hip Access System Rental Kit
●	R377-000-100	Glick Hip Kit Rental



Stryker Corporation or its divisions or other corporate affiliated entities own, use or have applied for the following trademarks or service marks: Accelerator, AHTO, Conquest, Champion, Crossblade, Crossfire, Crossflow, Dri-Lok, FlexVision, FloSteady, Fluid Safe, Formula, Hasson H2, i-Suite, Ideal Eyes, InfraVision, iSWITCH, ParallelPortal, Park Trainer, Passport, PneumoSure, Precision, Precision Ideal Eyes, ProCare, Rev360, Safelight, SERFAS, Shift, SIDNE, SmartTip, Speed-Lock, StrykeFlow, Stryker Visum, Vision Elect, Wingman, and WiSe. All other trademarks are trademarks of their respective owners or holders.

Literature Number: 1000-900-313V
CJ/PS 4.5K 2015/12

Copyright © 2015 Stryker Corporation
Printed in USA

5900 Optical Court
San Jose, CA 95138
1-408-754-2000
1-800-624-4422
www.stryker.com
Patents: www.stryker.com/patents