

stryker[®]
INSTRUMENTS

CORE



CORE

EXCEPTIONAL PERFORMANCE FOR YOUR SPECIALTY



5400-110 UHT Drill



5400-111 UHT Handswitch



5400-100 CORE U Drill



5400-9 Handswitch

UHT Drill

- 120% More torque than TPS U2
- 160% More power than TPS U2
- Elite attachments

Specifically designed for high torque uses including : Craniotomy, ACD, Cement Removal.

U Drill

- 75K RPM, electronic torque feedback
- Tapered attachments, telescoping burs for line of sight
- Graft harvester

U SERIES Elite



5100-010-482 Extra Long Angled Elite



5100-010-472 Long Angled Elite



5100-010-452 Medium Angled Elite



5100-010-450 Medium Straight Elite



5100-010-470 Long Straight Elite



5100-010-480 Extra Long Straight Elite



5100-010-490 MIS Elite

Elite Burs

One length of bur will fit every attachment to simplify and reduce inventory.



5 step notch allows surgeon to customize and control minimum and maximum exposure settings to individual preferences and specific applications.

Numbered safety marks help surgeon and staff adjust bur exposure.

U SERIES



5100-10-72 "AM" Long Angled



5100-10-52 "M" Medium Angled



5100-10-22 "O" Short Angled



5100-10-20 "O" Short Straight



5100-10-50 "M" Medium Straight



5100-10-70 "AM" Long Straight



5100-10-80 "R" Long Straight



5100-10-90 "RX" Extra Long Straight



5100-10-501 Adjustable Depth Drill Guide



5100-10-11 Right Angle



5100-10-60 Perforator Chuck



5100-10-334 Sagittal Saw Attachment



5100-10-xx DuraGuards

Pediatric	5100-10-47	Fixed	
	5100-10-247	Steering	
Adult	5100-10-48	Fixed	
	5100-10-248	Steering	
Large Adult	5100-10-49	Fixed	
	5100-10-249	Steering	

Note Locking Notch

Tapered Router

For use with DuraGuards

Head Diameter (mm)	1.8	2.2	3.0
Head Length (mm)	11.0	16.0	25.0
Stryker/O	5120-71-47	5120-71-48	5120-71-49
Zimmer Equiv.	7021-713	7021-815	7021-917
Midas Rex Equiv.	B-5	B-1	S-1
Dura Guards	D-47	D-48	D-49



5400-120 *Saber Drill*



5400-121 *Saber Handswitch*



5100-10-272 *Long Irrigation Attachment*

- Saber Drill**
- 10% shorter than TPS
 - Tapered attachments telescoping burs for line of sight
 - Reduce thermal necrosis with integrated irrigation



5400-15 *Micro Drill*

- 50,000 RPM



SD SERIES



5100-120-482 *Angled Xtra Long*



5100-120-472 *Angled Long*



5100-120-452 *Angled Medium*



5100-120-450 *Straight Medium*



5100-120-470 *Straight Long*



5100-120-480 *Straight Xtra Long*



5100-120-490 *MIS*



Saber Burs

One length of bur will fit every attachment to simplify and reduce inventory.



5 step notch allows surgeon to customize and control minimum and maximum exposure settings to individual preferences and specific applications. Numbered safety marks help surgeon and staff adjust bur exposure.

Portmann



5100-120-45 *Angled Saber Portmann Chuck*



5100-120-44 *Straight Saber Portmann Chuck*

MD SERIES



5100-15-250 *Straight*



5100-15-270 *Long Straight*



5100-15-252 *Angled*



5100-15-272 *Long Angled*



260-901-21 *1:1 Reducer*



260-901-23 *16:1 Reducer*



260-901-24 *64:1 Reducer*



260-901-25 *256:1 Reducer*

260-901-20 *1:1 Contra-Angle Head*



260-901-26 *1024:1 Reducer*



5100-15-43 *4:1 Straight Reducer*



Impaction Drill



5400-300 *Impaction Drill*



2296-301-000 *Bur Guard*



2296-300-000 *Bur Shield*

- 85,000 RPM
- 83% more torque than Command II
- Electronic torque feedback for optimal speed and performance



4100-125
Pin Collet
(Accepts pins from
.078-.125" dia.)

5400-99 Universal Driver

Universal Driver

- New trigger Oscillating feature
- 40% more torque than TPS
- 100% more power than TPS



4100-62
Wire Collet
(Accepts wires from
.028-.078" dia.)

Drilling



4100-110 Synthes® Drill



4100-131 1/4" Jacobs® Drill



4100-132 5/32" Jacobs® Drill



4100-133 1/4" Keyless Drill



4100-134 1/8" Keyless Drill



4100-135 Hudson®/ Modified Trinkle Drill



4100-160 Trinkle Drill



Reaming



4100-210 Synthes® Reamer



4100-260 Trinkle Reamer



4100-231 Jacobs® Reamer



4100-235 Hudson®/ Modified Trinkle Reamer



4100-335 Right Angle Drive Modified Trinkle Reamer



4100-310 Right Angle Drive Synthes® Reamer



4100-355 Radiolucent Right Angle Drive



Specialty



4100-400 Sagittal Saw Attachment



4100-700 High Speed Bur Attachment

Stryker manufactures a wide variety of high performance saws. An unrivaled selection of blades is available for each of these handpieces.

5400-34
Sagittal Saw

- New rotating, indexing head
- 40% more power than TPS sagittal saw
- New tighter retention blade mount



5400-31
Oscillating Saw

- 32% lighter, 15% shorter than TPS
- New tighter retention blade mount



5400-37
Reciprocating Saw

- 23% lighter, 11% shorter than TPS



290-601-100
Hummer TPS



Hummer TPS
Handpiece:

- 20% lighter with improved balance
- Improved suction control
- Variable, non-variable, or 1-touch run mode
- Up to 6,000 RPM

275-701-500
Formula Shaver



The **Formula Shaver** is Stryker Endoscopy's 8th generation handpiece for use in arthroscopic surgery.

Features include:

- Running up to 12,000 RPM for superior burring
- Lightweight
- Increased torque for better cutting of soft tissue
- More ergonomic suction control

System Accessories

The Stryker Total Performance System offers a variety of accessories to complete and compliment your surgical needs.

5400-277
CORE Handpiece Sterilization Case



*Multiple sterilization cases are available in both plastic and stainless steel.



260-901-739
Contra-Clean™
(MicroDrill attachments)



5100-8-200
TPS Dual Footswitch Adapter

5110-901-900
Contra-Clean™
(TPS Contra Clean)

5100-901-920
Contra-Clean™
(Saber attachments)



5100-7
TPS Uni-Directional Footswitch




275-701-400
Bi-Lateral Footswitch

Cutting Accessories

Stryker offers a wide variety of cutting accessories for all types of applications. For a complete listing please contact your local Stryker Sales Representative or customer service.



A complete line of surgical burs is available for every Stryker handpiece in multiple materials, lengths and head sizes.



Stryker manufactures precision, laser cut blades for all TPS saws. These blades are offered in a number of sizes and tooth configurations.



A variety of storage units and labels are available for cutting accessory organization.



5700-54-001
Saber Bur Rack

5700-54-002
Saber/Stapes
Bur Rack

Complete System Ordering Information

Handpieces & Attachments

PART #	DESCRIPTION
5400-100 5400-9 5400-110 5400-111	CORE U-Drill CORE Handswitch CORE UHT Drill UHT Handswitch
USERIES	
5100-10-20 5100-10-22 5100-10-50 5100-10-52 5100-10-70 5100-10-72 5100-10-80 5100-10-90	U Series O Straight Attachment U Series O Angled Attachment U Series M Straight Attachment U Series M Angled Attachment U Series AM Straight Attachment U Series AM Angled Attachment U Series R Attachment U Series RX Attachment
USERIES Elite	
5100-10-450 5100-10-452 5100-10-470 5100-10-472 5100-10-480 5100-10-482 5100-10-490	U Series Elite Medium Straight U Series Elite Medium Angled U Series Elite Long Straight U Series Elite Long Angled U Series Elite X-long Straight U Series Elite X-long Angled U Series Elite MIS
5100-10-47 5100-10-247 5100-10-48 5100-10-248 5100-10-49 5100-10-249	Fixed Pediatric Duraguard Steering Pediatric Duraguard Fixed Adult Duraguard Steering Adult Duraguard Fixed XL Adult Duraguard Steering XL Adult Duraguard
5100-10-60 5100-10-334 5100-10-501 5100-10-11	Perforator Chuck Sagittal Saw Attachment Adjustable Depth Drill Guide Right Angle Drill Attachment
5400-120 5400-121	CORE Saber Drill Saber Drill Handswitch
SDSERIES	
5100-120-450 5100-120-452 5100-120-470 5100-120-472 5100-120-480 5100-120-482 5100-120-490 5100-120-492 5100-120-44 5100-120-45	SD Series Med. Straight Attachment SD Series Med. Angled Attachment SD Series Long Straight Attachment SD Series Long Angled Attachment SD Series X-long Straight Attachment SD Series X-long Angled Attachment SD Series MIS Attachment SD Series MIS Angled Attachment SD Series Straight Portman Chuck SD Series Angled Portman Chuck

PART #	DESCRIPTION
5400-15 5400-9	CORE Micro Drill CORE Handswitch
MDSERIES	
5100-15-43 5100-15-250 5100-15-252 5100-15-270 5100-15-272 260-901-20 260-901-21 260-901-23 260-901-24 260-901-25 260-901-26	MD Series 4:1 Straight Reducer MD Series Med. Straight Attachment MD Series Med. Angled Attachment MD Series Long Straight Attachment MD Series Long Angled Attachment 1:1 Contra-Angle Head 1:1 Reducer 16:1 Reducer 64:1 Reducer 256:1 Reducer 1024:1 Reducer
5400-300 2296-301-000 2296-302-000	CORE Impaction Drill Impaction Bur Guard Impaction Bur Shield
5400-34 5400-31 5400-37	CORE Sagittal Saw CORE Oscillating Saw CORE Reciprocating Saw
5400-99 4100-125 4100-62 4100-110 4100-131 4100-132 4100-133 4100-135 4100-160 4100-210 4100-231 4100-235 4100-260 4100-355 4100-400 4100-700	CORE Universal Driver Pin Collet Wire Collet Synthes® Drill 1/4" Jacobs® Drill 1/4" Keyless Jacobs® Drill Hudson® Modified Trinkle Drill Trinkle Reamer Synthes® Reamer Jacobs® Reamer Hudson® Modified Trinkle Reamer Trinkle Reamer Radiolucent Right Angle Drive Sagittal Saw Attachment High Speed Bur Attachment

System Accessories

PART #	DESCRIPTION
5100-1 5100-50 5400-50 5400-50-1 5400-50-2 5100-4 5100-7 5100-8 275-701-400 5100-8-200 5100-50-1 5100-50-2 5100-170 5100-171 5100-175 5100-176 5400-276 5400-277 5400-278 5400-410 260-901-739 5110-901-900 5110-901-920 1000-346 1000-347 2296-400 2296-401	TPS Console Console with Integral Irrigation Pump CORE Console CORE Console Single Handpiece Cassette Dual Handpiece Cassette Handpiece Cord TPS Uni-Directional Footswitch TPS Footswitch Bi-Lateral Footswitch TPS Dual Footswitch Adapter Single Handpiece Cassette Dual Handpiece Cassette System Sterilization Basket I.V. Pole Bracket System Sterilization Case Handpiece Sterilization Case CORE Sterilization Case (Small) CORE Sterilization Case (Medium) CORE Sterilization Case (Large) CORE Accessory Cart Contra-Clean™ (MicroDrill attach.) Contra-Clean™ (TPS Contra Clean) Contra-Clean™ (Saber attachments) TPS Drawer Labels Accessory Labels (Power Station) Bur & Blade Rack Power Station



stryker
MedSurgGroup

For more CORE System information, contact your local Stryker Sales Representative.

한국스트라이커(주)
서울시 강남구 삼성동 158-24 동성빌딩 11층, 135-090
Tel : (02)565-7303 Fax : (02)552-4156
www.strykercorp.com