1. Revisions must be initiated by 3. Patent info last updated without Color: an ECO. Exception - patent an ECO on this date: updates. 2. Artwork is property of and must 4. Translations provided by: be returned immediately after production to: Material: Stryker Instruments 5. English equivalent: **Documentation Control Dept.** 4100 E. Milham Kalamazoo, MI (USA) 49001 6. Printing service (reference only): Finish: Double sided 269-323-7700 800-253-3210 Date Approvals Date Mktg Date 16063 Q.A. Date Eng. Date Reg. Affairs. Date ///a Rev-9-30-05fm008 Rev-D



Instruments

T5 Personal Protection System Battery-Powered Surgical Light



T5 Personal Protection System

Battery-Powered Surgical Light



- High intensity LED Technology
 - 9,000 lux
- Emits a COOL beam of pure white light
- Up to 100,000 hours head lamp life
- · Lightweight
- Cool
- Adjustable positioning
- Over 3 hours usage time
- No additional battery back or cable

Ordering Information

400-645 T5 Battery Powered Light Helmet

<u>stryker</u>

Joint Replacements

Trauma

Spine

Micro Implants

Orthobiologics

Instruments

Interventional Pain

Navigation

Endoscopy

Communications

Imaging

Patient Handling Equipment

EMS Equipment

The information presented in this brochure is intended to demonstrate the breadth of Stryker product offerings. Always refer to the package insert, product label and/or user instructions before using any Stryker product. Products may not be available in all markets. Product availability is subject to the regualatory or medical practices that govern individual markets. Please contact your Stryker representative if you have questions about the availability of Stryker products in your area. Products referenced with ™ designation are trademarks of Stryker. Products referenced with ® designation are registered trademarks of Stryker.

Literature Number: Dino/NAC 9100-073-000

Copyright © 2005 Stryker Printed in USA

4100 East Milham Avenue Kalamazoo, MI 49001 USA t: 269 323 7700 f: 809 999 3811 toll free: 800 253 3210

www.stryker.com